ANNUAL INDEX

VOLUME 5

1970

AUTHORS

A

Aasen, A. J. See W. M. Lauer
—— W. M. Lauer and R. T. Holman. Mass spectrometry of triglycerides: II. Specifically deuterated triglycerides and elucidation of fragmentation mechanisms, 869
Abou-Donia, Mohamed B., Carl M. Lyman and Julius W. Dieckert. Metabolic fate of gossypol: The metabolism of ^{14}C-gossypol in rats, 938
Ackman, R. G. Letter to the editor re confusion between C_{18} and C_{20} fatty acids in a gas chromatographic analysis of seed lipids of water plants, 950
—— See R. F. Addison
—— See S. N. Hooper
—— and S. N. Hooper. Analyses of fatty acids from Newfoundland copepods and sea water with remarks on the occurrence of arachidic acid, 417
Adachi, Susumu. See Akira Yamamoto
Addison, R. F. and R. G. Ackman. Exceptional occurrence of odd-chain fatty acids in smelt (*Osmerus mordax*) from Jeddore Harbour, Nova Scotia, 554
Albro, Phillip W. and John C. Dittmer. Bacterial hydrocarbons: Occurrence, structure and metabolism, 320
Alford, John A. See James L. Smith
Anderson, Robert E. See Nestor R. Bottino
—— Nestor R. Bottino and Raymond Reiser. Animal endogenous triglycerides: I. Swine adipose tissue. 161
—— Nestor R. Bottino, Leonard J. Cook and Raymond Reiser. Animal endogenous triglycerides: III. Swine, rat and chicken liver: Comparison with adipose tissue, 171
—— and G. L. Sansone. Short communication on the biosynthesis of glycerol ethers in mitochondria, 577
Ansari, M. N. A. See N. Nicolaides
—— H. C. Fu and N. Nicolaides. Short communication re fatty acids of the alkane diol diesters of vernix caseosa, 279
—— N. Nicolaides and H. C. Fu. Fatty acid composition of the living layer and stratum corneum lipids of human sole skin epidermis, 838
Arienti, G. See G. Porcellati
Ashley, B. C. E. and R. B. Goldrick. Short communication re lipolysis, esterification and glucose oxidation by human omental isolated adipose cells: The effects of pH, buffer and epinephrine, 498
Ashraf, S. M. See W. U. Malik
Avery, M. D. and P. J. Lupien. Cholesterol metabolism and vitamin B_6: II. Intestinal cholesterogenesis in vitamin B_6 deficient rats, 109

B

Baczynski, E. See D. L. Turner
Baker, G. L. See Larry L. Jackson
Ball, Eric G. Some aspects of fatty acid metabolism in brown adipose tissue, 220
Ballou, Clinton E. See Colin Prottey
Barakat, H. See R. W. Walker
Bates, Susan. See Julian N. Kanfer
Bell, Frank P., Hugh B. Lofland, Jr. and Thomas B. Clarkson. Short communication re plasma cholesterol turnover and esterification in the pigeon, 153
Bergan, J. G. See G. M. Findlay
—— and H. H. Draper. Absorption and metabolism of 1-^{14}C-methyl linoleate hydroperoxide, 976
Berner, David L. and Earl G. Hammond. Phylogeny of lipase specificity, 558
—— and E. G. Hammond. Short communication re specificity of the lipase from several seeds and *Leptospira pomona*, 572
Biasion, M. G. See G. Porcellati
Bieri, J. G. See R. K. H. Poukka
Bierman, Edwin L. See William C. Vogel
Binder, R. G., A. N. Booth, D. J. Robbins and G. Fuller. Hydroxystearic acid deposition and metabolism in rats fed hydrogenated castor oil, 832
Bitner, E. D., Alan C. Lanser and H. J. Dutton. MRA microreactions for lipid analysis, 707
Blank, M. L. and Fred Snyder. Long chain fatty alcohols in normal and neoplastic tissues, 337
Blum, Jaime and Walter R. Koehler. Quantitative determination of glycerol, mono- and diglycerides by gas liquid chromatography, 601
Boberg, Jonas. Quantitative determination of heparin released lipoprotein lipase activity in human plasma, 452
Booth, A. N. See R. G. Binder
Bottino, Nestor R. See Robert E. Anderson
—— Robert E. Anderson and Raymond Reiser. Animal endogenous triglycerides: II. Rat and chicken adipose tissue, 165
Breckenridge, W. C. and A. Kuksis. Gas liquid radiochromatography of intact natural triglycerides, 342
Brenner, R. R. See S. M. Actis Dato
Bridges, Raymond B. and John G. Coniglio. The metabolism of linoleic and arachidonic acids in rat testis, 628 *addendum*, 952
Brooks, C. J. W., G. Steel and W. A. Harland. Lipids of human atheroma. VI. Hydrocarbons of the atheromatous plaque, 818
Brooks, T. J., Jr. See T. M. Smith
Brown, Donald J. See Robert L. Dryer
Bruszewski, T. E. See R. O. Mumma
Butkus, Antanas, L. Allen Ehrhart, A. L. Robertson and Lena A. Lewis. Effects of diets rich in saturated fatty acids with or without added cholesterol on plasma lipids and lipoproteins, 896
Burton, Robert M. Factors affecting incorporation of precursors into body constituents: A review of common sense considerations with glycolipids as examples, 475

C

Caiafa, P. See P. Cerletti
Cannon, Barbara. See Olov Lindberg
Carroll, K. K. See H. Singh
Casey, Adria C., Agnes Lee and William Colquhoun. Short communication re coenzymes Q in lemon shark liver, 856
Cater, Carl M. and Carl M. Lyman. Effect of bound gossypol in cottonseed meal on enzymic degradation, 765
Cerletti, P., P. Caiafa, M. G. Giordano and G. Testolin. Succinate dehydrogenase: III. Stability and interaction with phosphatides, 953
Chadha, R. K. See H. B. S. Conacher
Chaffee, R. R. J., J. C. Roberts, C. H. Conaway, M. W. Sorenson and W. C. Kaufman. Comparative effects of temperature exposure on mass and oxidative enzyme activity of brown fat in insectivores, tupaiads and primates, 23
Ching, Te May. See Olov Lindberg
Chipault, J. R. See G. Graff
Chiu, Mei. See A. Saari Csallany
Christie, W. W. and J. H. Moore. The variation of triglyceride structure with fatty acid composition in pig adipose tissue, 921
Clarkson, Thomas B. See Frank P. Bell
Colacicco, Giuseppe. Lipid monolayers: Mechanisms of protein penetration with regard to membrane models, 636
Colquhoun, William. See Adria C. Casey
Conacher, H. B. S. and F. D. Gunstone. Fatty acids: XXII. Partial synthesis of racemic helenynolic acid from crepenynic acid by a possible biosynthetic route and the discovery of *cis*-9,10-epoxyoctadec-12-ynoic acid in *Helichrysum bracteatum* seed oil, 137
—— F. D. Gunstone, G. M. Hornby and F. B. Padley. Glyceride studies: Part IX: Intraglyceride distribution of vernolic acid and of five conjugated octadecatrienoic acids in seed glycerides, 434
—— D. K. J. Hartman and R. K. Chadha. Short communication re pancreatic lipolysis of some brominated vegetable oils, 497

XUM

Conaway, C. H. See R. R. J. Chaffee
Coniglio, John G. See Raymond B. Bridges
Cook, Leonard J. See Robert E. Anderson
Corliss, G. A. and L. R. Dugan, Jr. Phospholipid oxidation in emulsions, 846
Craig, B. M. See C. Dean Dybing
Csallany, A. Saari, Mei Chiu and H. H. Draper. Oxidation products of α-tocopherol formed in autoxidizing methyl linoleate, 63

D

Dato, S. M. Actis and R. R. Brenner. Short communication re comparative effects of docosa-4,7,10,13,16-pentaenoic acid and docosa-4,7,10,13,16,19-hexaenoic acid on the desaturation of linoleic acid and α-linolenic acid, 1013
Del Rosario, L. See S. H. Mujtaba Naqvi
Dieckert, Julius W. See Mohamed B. Abou-Donia
Digenis, George A., Arpine Konyalian and Ralph Thorson. Short communication re *in vivo* transfer of ^{14}C-4-cholesterol from mouse host to encapsulated *Trichinella spiralis* larvae, 282
Dittmer, John C. See Phillip W. Albro
Dobiasova, Milada and Jaroslav Linhart. Association of phospholipid-cholesterol micelles with rat heart mitochondria: Stimulators and inhibitors, 445
Draper, H. H. See J. G. Bergan
—— See A. Saari Csallany
—— See G. M. Findlay
—— See R. J. Reber
Dryer, Robert L., John R. Paulsrud, Donald J. Brown and Karol Mavis. The comparative oxidation of palmitic, oleic and succinic acids by rat and bat brown adipose tissue homogenates as a function of temperature, 15
Dugan, L. R., Jr. See G. A. Corliss
—— See L. P. Goodman
—— See C. B. Johnson
Dupont, Jacqueline. Dietary lipid, fatty acid oxidation and incorporation of carbon into cholesterol, 908
Durand, A. M. A. See C. E. Poling
Dutton, H. J. See E. D. Bitner
—— See T. L. Mounts
Dybing, C. Dean and B. M. Craig. Fatty acid biosynthesis and incorporation into lipid classes in seeds and seed tissues of flax, 422

E

Eagle, E. See C. E. Poling
Earle, F. R. See R. Kleiman
—— See G. F. Spencer
Eisenhardt, R. H. See Olov Lindberg
Ehrhart, L. Allen. See Antanas Butkus
Ekstedt, Bertil and Thomas Olivecrona. Short communication re uptake and release of fatty acids by rat adipose tissue: Last in—first out?, 858
Elson, C. E. and Sarah J. Voichick. Dietary induced alterations in the fatty acids of rat bone marrow, 698
Eriksson, Caj E., Pär A. Olsson and Svante G. Svensson. Short communication re oxidation of fatty acids by heat treated hemoproteins, 365
Eybel, Carl E. and R. Gerald Simon. Fatty acid composition of the neutral lipids and individual phospholipids of muscle on cold-stressed Arctic mice, 590

F

Fain, John N. and Nora Reed. A mechanism for hormonal activation of lipolysis and respiration in free brown fat cells, 210
Fehl, A. J. See E. S. Lutton
Fergus, C. L. See R. O. Mumma
Fimognari, Grace M. and Victor W. Rodwell. Mevalonate biosynthesis in rat liver, 104
Findlay, G. M., H. H. Draper and J. G. Bergan. Metabolism of 1-^{14}C-methyl linoleate hydroperoxide in the rabbit, 970
Fioriti, J. A., M. J. Kanuk, M. George and R. J. Sims. Metabolic fate of epoxycholesterol in the rat, 71
Fisher, M. See C. E. Poling
Fleischer, Sidney. See George Rouser
Fleischman, Alan I. See Paul H. Lenz
Fletcher, John E. See Arthur A. Spector
Foote, J. Lindsley. See Robert V. P. Tao
Fosmire, M. A. See R. L. Lyman
Foulds, Emmett L., Jr. See Hubert S. Mickel
Fu, H. C. See M. N. A. Ansari
—— See N. Nicolaides
Fukami, Miriam. See John R. Williamson
Fuller, G. See R. G. Binder

G

Galanos, Dimitris S. Short communication re phospholipid complexes with molybdate, 573
Gallo-Torres, Hugo E. Obligatory role of bile for the intestinal absorption of vitamin E, 379
Gardner, H. W. and D. Weisleder. Lipoxygenase from *Zea mays*: 9-D-hydroxyperoxy-*trans*-10-*cis*-12-octadecadienoic acid from linoleic acid, 678
Geison, R. L. and B. C. Johnson. Studies on the *in vivo* metabolism of retinoic acid in the rat, 371
Gellerman, J. L. See H. Schlenk
George, M. See J. A. Fioriti
Gershbein, Leon L. and Eric J. Singh. Liver lipids of the polar bear, *Thalarctos maritimus*, 469
Giordano, M. G. See P. Cerletti
Giotas, C. See R. L. Lyman
Glover, D. See T. L. Mounts
Gold, Martin. An investigation of the lipid metabolism of dog kidney medulla and cortex, 293
—— See Joel S. Steinberg
Goldrick, R. B. See B. C. E. Ashley
Goodman, L. P. and L. R. Dugan, Jr. Short communication re the effect of sonication on lipase activity, 362
Graff, Gustav. See W. M. Lauer
—— See John R. Paulsrud
—— P. Szczepanik, P. D. Klein, J. R. Chipault and R. T. Holman. Identification and characterization of fully deuterated fatty acids isolated from *Scenedesmus obliquus* cultured in deuterium oxide, 786
Green, F. A. Short communication re binding of ^{14}C-phosphatidylcholine to sodium chloride crystals, 276
Gruger, E. H., Jr. and A. L. Tappel. Reactions of biological antioxidants: I. Fe(III)-catalyzed reactions of lipid hydroperoxides with α-tocopherol, 326
—— and A. L. Tappel. Reactions of biological antioxidants: II. Fe(III)-catalyzed reactions of methyl linoleate hydroperoxides with derivatives of coenzymes Q and vitamin E, 332
Gueldner, R. C. See A. C. Thompson
Gunstone, F. D. See H. B. S. Conacher

H

Haeffner, E. W. Isolation and structural determination of the C_{20} and C_{22} unsaturated fatty acids of rapeseed oil, 430
—— Short communication re separation of the C_{20} unsaturated fatty acids from rapeseed oil by countercurrent distribution, 489
Haines, Thomas H. Short communication re the reduction of alkyl sulfate to alkane with lithium aluminum hydride, 149
Hammond, Earl G. See David L. Berner
Harland, W. A. See C. J. W. Brooks
Harlow, R. D. See Randall Wood
Hartman, D. K. J. See H. B. S. Conacher
Hashimoto, Tetsutaro. See Osamu Suzuki
Hasinoff, Catherine M. See Marion E. Smith
Hatoff, David. See Peter D. S. Wood
Hayamizu, Kikuko. See Osamu Suzuki
Healy, Kathleen. See Randall Wood
Hedin, P. A. See A. C. Thompson
Henson, R. D. See A. C. Thompson
Herb, S. F. See D. L. Turner
Herd, Paul A. See Barbara A. Horwitz
Herndon, B. L. See S. H. Mujtaba Naqvi
Hill, P. Effect of fructose on rat lipids, 621
Hof, Hildegard and R. Gerald Simon. Short communication re phospholipid content of human and guinea pig muscle: Post-mortem changes and variations with muscle composition, 485
Holasek, Anton. See Gerhard Kostner
Holburn, R. R. See D. L. Turner
Holman, Ralph T. See A. J. Aasen
—— See G. Graff
—— See W. M. Lauer
—— See John R. Paulsrud
Hooper, S. N. See R. G. Ackman
—— and R. G. Ackman. *Trans*-6-hexadecenoic acid in the Atlantic leatherback *Dermochelys coriacea coriacea* L. and other marine turtles, 288
Hopkins, S. See J. Tinoco
Hornby, G. M. See H. B. S. Conacher
Horrocks, Lloyd A. See Grace Y. Sun
Horvath, William L. and Ronald A. Pieringer. Partial purification and conversion of the particulate-bound diglyceride kinase of *Escherichia coli* to a water soluble, detergent free state, 994
Horwitz, Barbara A., Paul A. Herd and Robert E. Smith. Bioenergenetics of brown adipose tissue, 30
Howard, Barbara V. and David Kritchevsky. Free fatty acids in cultured cells, 49
Hubbard, R. W., H. P. Voorheis and D. G. Therriault. The incorporation of glycerol into the glyceride-

glycerol of fat cells isolated from chronically cold-exposed rats, 114
Hung, Julia G. C. See R. W. Walker
—— and Robert W. Walker. Short communication re unsaturated fatty acids of mycobacteria, 720

I

Inkpen, C. A. See J. A. Inkpen
Inkpen, J. A., C. A. Inkpen and F. W. Quackenbush. Relation of cholanate structure to inhibition of ^{14}C-26-cholesterol oxidation by mitochondria from rat liver, 76
Ishibe, Takeshi. See Akira Yamamoto

J

Jackson, Larry L. Cuticular lipids of insects: II. Hydrocarbons of the cockroaches *Periplaneta australasiae*, *Periplaneta brunnea* and *Periplaneta fuliginosa*, 38
—— See Kathleen Tartivita
—— and G. L. Baker. Cuticular lipids of insects, 239
Jensen, L. C., T. H. Rich and F. T. Lindgren. Short communication re graphic presentation of computer-derived schlieren lipoprotein data, 491
Jensen, R. G., R. E. Pitas, J. G. Quinn and J. Sampugna. Short communication re pancreatic lipolysis of enantiomeric triglycerides, 580
Joel, Cliffe D. Effects of insulin and norepinephrine added *in vitro* on the metabolism on brown adipose tissue in the absence of added glucose, 224
Johnson, B. C. See R. L. Geison
Johnson, C. B., A. M. Pearson and L. R. Dugan, Jr. Gas chromatographic analysis of the dimethylhydrazones of long chain aldehydes, 958
Johnston, Patricia V. See E. G. Perkins

K

Kabara, Jon J. See Etienne Mueller, Sr.
Kaki-Uchi, Yoshiyuku. See Akira Yamamoto
Kanfer, Julian N. and Susan Bates. Short communication re sphingolipid metabolism II. The biosynthesis of 3-keto-dihydrosphingosine by a partially purified enzyme from rat brain, 718
Kanuk, M. J. See J. A. Fioriti
Karlsson, Karl-Anders. Sphingolipid long chain bases, 878
Kaufman, W. C. See R. R. J. Chaffee
Keenan, T. W. and Stuart Patton. Cholesterol esters of milk and mammary tissue, 42
Keith, A. D. See R. K. Kiyomoto
Kekawa, Nobuo I. See Mieko Suzuki
Kennedy, Theresa K. See J. Van Der Veen
Kinsella, John E. The absorption of fatty acids by functional bovine mammary cells, 892
Kitani, Teruo. See Akira Yamamoto
Kiyomoto, R. K. and A. D. Keith. Fatty acid metabolism in *Drosophila melanogaster*: II. Metabolic origin of monoenes, 617
Klauda, Harry C. and F. W. Quackenbush. Short communication re cholesterol absorption with different fats following thoracic duct cannulation of the rat, 142
Kleiman, R. See G. F. Spencer
—— F. R. Earle, W. H. Tallent and I. A. Wolff. Retarded hydrolysis by pancreatic lipase of seed oils with *trans*-3 unsaturation, 513
Klein, P. D. See G. Graff
Kloos, W. E. See T. G. Tornabene
Kobayashi, Masatoshi. See Mieko Suzuki
Koehler, Walter R. See Jaime Blum
Kolattukudy, P. E. Composition of the surface lipids of pea leaves (*Pisum sativum*), 398
—— Plant waxes, 259
Konyalian, Arpine. See George A. Digenis
Kostner, Gerhard and Anton Holasek. Isolation of human serum low-density lipoproteins with the aid of an immune-specific adsorber, 501
Kritchevsky, David. See Barbara V. Howard
Kuksis, A. See W. C. Breckenridge

L

Lanser, Alan C. See E. D. Bitner
Laseter, J. L. and M. A. Poirrier. Short communication re free fatty acids in the protective coats of *Spongilla wagneri* gemmules, 722
Lauer, W. M. See A. J. Aasen
—— A. J. Aasen, G. Graff and R. T. Holman. Mass spectrometry of triglycerides: I. Structural effects, 861
Law, John L. See William R. Snyder
Ledeen, Robert and Kenneth Salsman. Fatty acid and long chain base composition of adrenal medulla gangliosides, 751
Lee, Agnes. See Adria C. Casey
Lee, D. J. See J. N. Roehm
Lenz, Paul H., George H. Wien and Alan I. Fleischman. Corticoid release and gluconeogenesis following triglyceride ingestion in the rat, 524
Lewis, Lena A. See Antanas Butkus
Lewis, R. W. Short communication re the densities of three classes of marine lipids in relation to their possible role as hydrostatic agents, 151
—— Short communication re fish cutaneous mucus: A new source of skin surface lipid, 947
Lindberg, Olov, Stanley B. Prusiner, Barbara Cannon, Te May Ching and R. H. Eisenhardt. Metabolic control in isolated brown fat cells, 204
Lindgren, F. T. See L. C. Jensen
Linhart, Jaroslav. See Milada Dobiasova
Litchfield, Carter. Short communication re *Tropaeolum speciosum* seed fat: A rich source of *cis*-15-tetracosenoic and *cis*-17-hexacosenoic acids, 144
Lockard, V. G. See T. M. Smith
Lofland, Hugh B., Jr. See Frank P. Bell
Lough, A. K. The stereochemistry of phytanic acid in Refsum's Syndrome, 201
Luddy, F. E. See D. L. Turner
Lupien, P. J. See M. D. Avery
Lutton, E. S. and A. J. Fehl. The polymorphism of odd and even saturated single acid triglycerides, C_3-C_{23}, 90
—— and C. B. Stewart. Polymorphism of glyceryl ethers and ether esters, 545
Lyman, Carl M. See Mohamed B. Abou-Donia
—— See Carl M. Cater
Lyman, L. See J. Tinoco
Lyman, R. L., M. A. Fosmire, C. Giotas and P. Miljanich. Inhibition of desaturation of stearic acid in livers of rats fed ethionine, 583

Mc

McNamara, Donald J., Forrest W. Quackenbush and Victor W. Rodwell. Short communication re cycloheximide and chloroamphenicol: Effect on rat liver acetate metabolism, 146

M

Mahadevan, V. Reactions of fatty aldehydes with fatty alcohols: Formation of acetals, hemiacetals and alk-1-enyl alkyl ethers, 563
Malik, W. U. and S. M. Ashraf. Short communication re interaction of detergents with transfusion gelatin, 793
Malila, Amra and Edward J. Masoro. Short communication re the inhibition of renal cortical Rb^+ transport by phospholipase C and its relationship to $(Na^+ + K^+)$-adenosine triphosphatase, 658
Masoro, Edward J. See Amra Malila
Mavis, Karol. See Robert L. Dryer
Merrilees, P. A. See J. P. Williams
Mickel, Hubert S. and Emmett L. Foulds, Jr. Short communication re the effect of hydrogen peroxide on serum lecithin-cholesterol acyltransferase activity, 663
Mikolajczak, K. L., C. R. Smith, Jr. and L. W. Tjarks. Cyanolipids of *Cardiospermum halicacabum* L. and other Sapindaceous seed oils, 812
—— C. R. Smith, Jr., and L. W. Tjarks. Cyanolipids of *Koelreuteria paniculata* Laxm. seed oil, 672
Miljanich, P. See R. L. Lyman
Minor, J. J. See R. L. Smalley
Moore, J. H. See W. W. Christie, 921
Morrison, Susan J. See T. G. Tornabene
Mounts, T. L., H. J. Dutton and D. Glover. Conjugation of polyunsaturated acids, 997
Mueller, Etienne, Sr. and Jon J. Kabara. The effect of temperature on the *in vitro* formation of methyl esters in mouse liver, 180
Mujtaba Naqvi, S. H., Robert B. Ramsey and H. J. Nicholas. Short communication re detection of lithocholic acid in multiple sclerosis brain tissue, 578
Mumma, R. O. and T. E. Bruszewski. The fatty acids of *Entomophthora coronata*, 915
—— C. L. Fergus and R. D. Sekura. The lipids of thermophilic fungi: Lipid composition comparisons between thermophilic and mesophilic fungi, 100

N

Naqvi, S. H. Mujtaba, B. L. Herndon, L. Del Rosario and H. J. Nicholas. Intracerebrally injected monohydroxy and other C_{24} steroid acids as demyelinating agents in the guinea pig, 964

Narayan, K. Ananth. Short communication re incorporation of U-^{14}C-leucine into the serum lipoproteins and proteins of partially hepatectomized rats, 156
Nevenzel, Judd C. Occurrence, function and biosynthesis of wax esters in marine organisms, 308; *erratum*, 582
Nicholas, H. J. See S. H. Mujtaba Naqvi
Nicolaides, N. See M. N. A. Ansari
—— H. C. Fu and M. N. A. Ansari. Diester waxes in surface lipids of animal skin, 299

O

Okuda, Kunihiko. See Ken Takayasu
Olcott, H. S. See J. Van Der Veen
Olivecrona, Thomas. See Bertil Ekstedt
Olson, Merle S. See John R. Williamson
Olsson, Pär A. See Caj E. Eriksson
Ottolenghi, Athos. The relationship between eosinophilic leukocytes and phospholipase B activity in some rat tissues, 531

P

Padley, F. B. See H. B. S. Conacher
Parkhurst, R. M. See W. A. Skinner
Patel, K. C. See R. J. Thanki
Patel, R. D. See R. J. Thanki
Patterson, Glenn W. Effect of culture temperature on fatty acid composition of *Chlorella sorokiniana*, 597
Patton, Stuart. See T. W. Keenan
Paulsrud, John R. See Robert L. Dryer
—— Sheila E. Stewart, Gustav Graff and Ralph T. Holman. Desaturation of saturated fatty acids by rat liver microsomes, 611
Pearson, A. M. See C. B. Johnson
Perkins, E. G. See L. R. Wantland
—— and Patricia V. Johnston. Short communication re pyrolysis—gas chromatography of phosphoglycerides: A mass spectral study of the products, (4:301, 1969); *erratum*, 582
Pieringer, Ronald A. See William L. Horvath
Pirotta, M. See G. Porcellati
Pitas, R. E. See R. G. Jensen
Poirrier, M. A. See J. L. Laseter
Poling, C. E., E. Eagle, E. E. Rice, A. M. A. Durand and M. Fisher. Long-term responses of rats to heat-treated dietary fats. IV. Weight gains, food and energy efficiencies, longevity and histopathology, 128
Polityka, S. D. See J. N. Roehm
Porcellati, G., M. G. Biasion and G. Arienti. The incorporation of phosphorylethanolamine into the phospholipids of brain microsomes *in vitro*, 725
—— M. G. Biasion and M. Pirotta. The labeling of brain ethanolamine phosphoglycerides from cytidine diphosphate ethanolamine *in vitro*, 734
Poukka, R. K. H. and J. G. Bieri. Blood α-tocopherol: Erythrocyte and plasma relationships *in vitro* and *in vivo*, 757
Privett, O. S. See Giovanni Raccuglia
—— See J. M. Roehm
—— See H. Singh
Prottey, Colin, Michael M. Seidman and Clinton E. Ballou. Preparation of ^{3}H-phosphatidylmyoinositol with *Kloeckera brevis*, 463
Prusiner, Stanley B. See Olov Lindberg
—— See John R. Williamson
Puleo, L. E., G. Ananda Rao and Raymond Reiser. Triose phosphates as precursors of glyceride biosynthesis by rat liver microsomes, 770

Q

Quackenbush, Forrest W. See J. A. Inkpen
—— See Harry C. Klauda
—— See Donald J. McNamara
Quinn, J. G. See R. G. Jensen

R

Raccuglia, Giovanni and O. S. Privett. Influence of dietary *trans,trans*-linoleate on hematologic and hemostatic properties of rat blood, 85
Raju, P. K. and Raymond Reiser. Short communication re chain length specificity of the saturated fatty acyl desaturase in rat liver preparations, 487
Ramsey, Robert B. See S. H. Mujtaba Naqvi
Rankin, Peter C. Application of negative ion mass spectrometry to the identification of long chain aldehydes and alcohols, 825
Rao, G. Ananda. See L. E. Puleo
—— M. F. Sorrels and Raymond Reiser. Biosynthesis of triglycerides from triose phosphates by microsomes of intestinal mucosa, 762
Reber, R. J. and H. H. Draper. Absorption and metabolism of 1-^{14}C-hydroxy octadecadienoate in the rat, 983
Reed, Nora. See John N. Fain
Reiser, Raymond. See Robert E. Anderson
—— See Nestor R. Bottino
—— See L. E. Puleo
—— See P. K. Raju
—— See G. Ananda Rao
Rice, E. E. See C. E. Poling
Rich, T. H. See L. C. Jensen
Robbins, D. J. See R. G. Binder
Roberts, J. C. See R. R. J. Chaffee
Robertson, A. L. See Antanas Butkus
Rodwell, Victor W. See Grace M. Fimognari
—— See Donald J. McNamara
Roehm, J. N., D. J. Lee, J. H. Wales, S. D. Polityka and R. O. Sinnhuber. The effect of dietary sterculic acid on the hepatic lipids of rainbow trout, 80
—— and O. S. Privett. Changes in the structure of soybean triglycerides during maturation, 353
Rouser, George. See Akira Yamamoto
—— Sidney Fleischer and Akira Yamamoto. Short communication re two dimensional thin layer chromatographic separation of polar lipids and determination of phospholipids by phosphorus analysis of spots, 494
Rowe, L. See R. L. Smalley

S

Salaman, Kenneth. See Robert Ledeen
Sampugna, J. See R. G. Jensen
Sand, D. M. See H. Schlenk
Sansone, G. L. See R. E. Anderson
Schaumburg, Kjeld. NMR spectra of mercury adducts of unsaturated fatty acids: Quantitative determination of *cis-trans* ratio, 505
Schlenk, H., D. M. Sand and J. L. Gellerman. Short communication re nonconversion of 5,11,14-eicosatrienoic into arachidonic acid by rats, 575
Seidman, Michael M. See Colin Prottey
Seki, Ko-Ichi. See Akira Yamamoto
Sekura, R. D. See R. O. Mumma
Sheehan, G. See J. Tinoco
Shinji, Yoshitake. See Akira Yamamoto
Silver, M. J. See D. L. Turner
Simon, R. Gerald. See Carl E. Eybel
—— See Hildegard Hof
Sims, R. J. See J. A. Fioriti
Singh, Eric I. See Leon L. Gershbein
Singh, H. and K. K. Carroll. Lipid composition of beef and human pituitary glands, 121
—— and O. S. Privett. Studies on the glycolipids and phospholipids of immature soybeans, 692
Sinnhuber, R. O. See J. N. Roehm
Skinner, W. A. and R. M. Parkhurst. Antioxidant properties of α-tocopherol derivatives and relationship of antioxidant activity to biological activity, 184
Slawson, Vida and Robert A. Stein. Comparative autoxidative susceptibility of fatty esters with 0-6 methylene-interrupted double bonds, 713
Smalley, R. L., J. J. Minor and L. Rowe. The composition and metabolism of developing brown and white fats, 231
Smith, C. R., Jr. See K. L. Mikolajczak
Smith, James L. and John A. Alford. Presence of antioxidant materials in bacteria, 795
Smith, Marion E. and Catherine M. Hasinoff. Inhibitors of cholesterol synthesis and myelin formation, 665
Smith, Robert E. See Barbara A. Horwitz
Smith, T. M., T. J. Brooks, Jr. and V. G. Lockard. Short communication re *in vitro* studies on cholesterol metabolism in the blood fluke *Schistosoma mansoni*, 854
Snyder, Fred. See M. L. Blank
Snyder, William R. and John H. Law. A quantitative determination of phosphonate phosphorus in naturally occurring aminophosphonates, 800
Sorenson, M. W. See R. R. J. Chaffee
Sorrels, M. F. See G. Ananda Rao
Spector, Arthur A. and John E. Fletcher. Binding of long chain fatty acids to β-lactoglobulin, 403
Spencer, G. F., R. Kleiman, F. R. Earle and I. A. Wolff. The *trans*-6 fatty acids of *Picramnia sellowii* seed oil, 285
—— R. Kleiman, F. R. Earle and I. A. Wolff. Short communication re unusual olefinic fatty acids in seed oils from two genera in the ranunculaceae, 277
St. Clair, Richard W. Short communication re fatty acid composition of tissue lipids from miniature swine: Influence of dietary sucrose and starch, 359
Steel, G. See C. J. W. Brooks
Stein, Robert A. See Vida Slawson
Steinberg, Joel S. and Martin Gold. Plasma free fatty acid incorporation into the outer and inner myocardium of unanesthetized dogs, 988

Stewart, C. B. See E. S. Lutton
Stewart, Sheila E. See John R. Paulsrud
Stiller, Richard L. See Benjamin Weiss
Sumner, D. D. See R. A. Wiley
Sun, Grace Y. and Lloyd A. Horrocks. The acyl and alk-1-enyl groups of the major phosphoglycerides from ox brain myelin and mouse brain microsomal, mitochondrial and myelin fractions, 1006
Suzuki, Mieko, Masatoshi Kobayashi and Nobuo I. Kekawa. Variation of triglycerides and fatty acid methyl esters in silkworm eggs during embryonic development, 539
Suzuki, Osamu, Tetsutaro Hashimoto, Kikuko Hayamizu and Osamu Yamamoto. Studies on the nuclear magnetic resonance spectra of olefinic protons of conjugated fatty acid methyl esters, 457
Svensson, Svante G. See Caj E. Eriksson
Szczepanik, P. See G. Graff

T

Takayasu, Ken, Kunihiko Okuda and Iwao Yoshikawa. Fatty acid composition of human and rat adrenal lipids: Occurrence of ω6 docosatrienoic acid in human adrenal cholesterol ester, 743
Tallent, W. H. See R. Kleiman
Tao, Robert V. P. and J. Lindsley Foote. Cerebrosides of rabbit and pigeon aorta: Isolation and fatty acid distribution, 607
Tappel, A. L. See E. H. Gruger, Jr.
Tartivita, Kathleen and Larry L. Jackson. Cuticular lipids of insects: I. Hydrocarbons of *Leucophaea maderae* and *Blatta orientalis*, 35
Testolin, G. See P. Cerletti
Thanki, R. J., K. C. Patel and and R. D. Patel. Variation in lipase activities during germination (in dark) of γ-irradiated castor seeds, 519
Therriault, D. G. See R. W. Hubbard
Thompson, A. C., R. D. Henson, R. C. Gueldner and P. A. Hedin. Short communication re sterol galactosides and sterol esters of the cotton bud, 283
Thorson, Ralph. See George A. Digenis
Tinoco, J., G. Sheehan, S. Hopkins and L. Lyman. Incorporation of 1,2-^{14}C-ethanolamine into subfractions of rat liver phosphatidylethanolamines and phosphatidylcholines, 412
Tjarks, L. W. See K. L. Mikolajczak
Tornabene, T. G., Susan J. Morrison and W. E. Kloos. Aliphatic hydrocarbon contents of various members of the family micrococcaceae, 929
Tucker, Anne N. See David C. White
Tulloch, A. P. The composition of beeswax and other waxes secreted by insects, 247
Turner, D. L., M. J. Silver, E. Baczynski, R. R. Holburn, S. F. Herb and F. E. Luddy. The synthesis of phosphatidylethanolamine and phosphatidylserine containing acetylenic or cyclopropane fatty acids and the actviity of these phosphatides in blood coagulation, 650

V

Van Der Veen, J., J. T. Weil, Theresa K. Kennedy and H. S. Olcott. Aliphatic hydroxylamines as lipid antioxidants, 509
Vick, B. A. See D. C. Zimmerman
Vogel, William C. and Edwin L. Bierman. Correlation between post-heparin lipase and phospholipase activities in human plasma, 385
Voichick, Sarah J. See C. E. Elson
Voorheis, H. P. See R. W. Hubbard

W

Walaszek, Edward J. See R. A. Wiley
Wales, J. H. See J. N. Roehm
Walker, Robert W. See Julia G. C. Hung
—— H. Barakat and Julia G. C. Hung. The positional distribution of fatty acids in the phospholipids and triglycerides of *Mycobacterium smegmatis* and *M. bovis* BCG, 684
Wantland, L. R. and E. G. Perkins. Characterization of the nonvolatile compounds formed during the thermal oxidation of 1-linoleyl-2,3-distearin: I. The non-acidic fraction, 187
—— and E. G. Perkins. Characterization of the non-volatile compounds formed during the thermal oxidation of 1-linoleyl-2,3-distearin: II. The acidic fraction, 191
Weil, J. T. See J. Van Der Veen
Weisleder, D. See H. W. Gardner
Weiss, Benjamin and Richard L. Stiller. A simple preparative procedure for the rapid isolation of phytosphingosine from the yeast *Hansenula ciferrii*, 782
White, David C. and Anne N. Tucker. Ceramide phosphorylglycerol phosphate: A new sphingolipid found in bacteria, 56
Wien, George H. See Paul H. Lenz
Wiley, R. A., D. D. Sumner and Edward J. Walaszek. Structure determination and synthesis of pharmacologically active phospholipids from kidney and intestine, 803
Wilkinson, David I. Short communication re monounsaturated fatty acids of mouse skin surface lipids, 148
Williams, J. P. and P. A. Merrilees. The removal of water and nonlipid contaminants from lipid extracts. 367
Williamson, John R., Stanley Prusiner, Merle S. Olson and Miriam Fukami. Control of metabolism in brown adipose tissue, 1
Wolff, I. A. See R. Kleiman
—— See G. F. Spencer
Wood, Peter D. S. and David Hatoff. Incubation of human fecal homogenates with 4-^{14}C-cholesterol, 702
Wood, Randall and R. D. Harlow. Tumor lipids: Carbon number distribution of triglycerides and glyceryl ether diesters, 776
—— and Kathleen Healy. Short communication re the liberation of aldehydes from alk-1-enyl glyceryl ethers by acid hydrolysis, 661

XYZ

Yamamoto, Akira. See George Rouser
—— Susumu Adachi, Takeshi Ishibe, Yoshitake Shinji, Yoshiyuku Kaki-Uchi, Ko-Ichi Seki and Teruo Kitani. Accumulation of acidic phospholipids in a case of hyperlipidemia with hepatosplenomegaly, 566
—— and George Rouser. Short communication re spectrophotometric determination of molar amounts of glycosphingolipids and ceramide by hydrolysis and reaction with trinitrobenzenesulfonic acid, 442
Yamamoto, Osamu. See Osamu Suzuki
Yoshikawa, Iwao. See Ken Takayasu
Zimmerman, D. C. and B. A. Vick. Specificity of flaxseed lipoxidase, 392

SUBJECT

A

Acetal phosphatidic acids, 803
Acetate, conversion to mevalonate, 104
1-^{14}C-Acetate, formation from polyunsaturated fatty acids *in vivo*, 628
2-^{14}C-Acetate, incorporation into rat liver cholesterol, 621
^{3}H-Acetate, incorporation into cholesterol in rats, 908
Acetic acid, hydrocarbon biosynthesis, insects, 239
—— metabolism, 146
—— oxidation, inhibition, cycloheximide, chloramphenicol, 146
—— *in vitro* incorporation into fatty acids, rat liver, 487
Acetolysis, of cyanolipids, 672
Acetylation, effect on β-lactoglobulin binding of fatty acids, 403
Acetyl-CoA, conversion to mevalonate, 104
Acetylenic acids, biosynthesis, 137
Acetylenic epoxy acid, natural product, 137
Actinostola callosa, wax ester content, 308
Acyl-CoA:NAD oxidoreductase (EC 1.3.1), possible occurrence in rat liver microsomes, 611
Acyl oxidoreductase, EC 1.3, inhibition by docosapentaenoic and docosahexaenoic acids, 1013
—— polyunsaturated fatty acids, feedback control, 1013
—— in rat liver microsomes, 611
—— rat liver microsomes, inhibitors, 1013
—— site specificity of enzyme, 611
Acyl phospholipids, mild alkaline methanolysis, 56
Acyl transferase. See specific EC name
cyclic-Adenosine monophosphate, mediator of norepinephrine effect, 204
Adenosine triphosphate, brown fat content, 1
Adipose tissue, chicken, triglycerides, fatty acid profile, 165
—— development in the hamster, 231
—— embryology, hamster, 231
—— free fatty acid release, 403
—— human omental, effect of pH, buffer and epinephrine on lipolysis and glucose metabolism, 498
—— lipolysis, comparison white and brown, rat, 210
—— metabolism during development, hamster, 231
—— miniature swine, fatty acid profile, 359
—— pig, oleic, linoleic, stearic, myristic, palmitic, palmitoleic acid in, 921
—— pig, triglyceride comp, 921
—— rat, gossypol activity in, from diet, 938
—— rat, 9(3)-hyroxy-octadecadienoic acid, 983
—— rat, isolation of fat cells, 114
—— rat, release of fatty acids, 858
—— rat, triglycerides, fatty acid profile, 165
Adipose tissue, brown, biochemistry compared in rodents and primates, 23
—— *Cryptotis*, cold acclimation, 23
—— cytochrome b changes after norepinephrine and uncouplers, 1
—— hamster, isolated cells, 204
—— hibernation metabolism, 15
—— homeothermy of primates, 23
—— insectivore, enzyme activity, 23
—— *Macaca mulatta*, cold acclimation, 23
—— oxidation of fatty acids, 15
—— primate, enzyme activity, 23
—— rat, 224
—— rat, collagenase digestion of, 210
—— rat, differences from white adipose tissue, 224
—— rat, electron micrograph, 210
—— rat, lipid as fuel for heat production, 224
—— rat, lipolysis, comparison of brown versus white fat, 210
—— rat, lipolysis, prostaglandin E_1 inhibition, 210
—— rat, metabolism, 220
—— rat, monovalent cation requirement for respiration, 210
—— rat, optimal method for slicing, 224
—— rat, prolonged incubation *in vitro*, 224
—— rat, rapid and quantitative removal, 224
—— *Saimiri sciurea*, cold acclimation, 23
—— *Suncus murinus*, cold acclimation, 23
—— thermogenesis, effect of uncoupling agent (2,4-dinitrophenol), 30
—— thermogenesis, mechanisms, 1
—— thermogenesis, proposed mechanisms of catecholamine (norepinephrine) activation, 30
—— in Tupaiads, their oxidative enzymes, 23
Adrenal, adenoma of primary aldosteronism, fatty acid comp, 743
—— human, fatty acids in cholesterol ester, phospholipid and triglyceride, 743
—— rat, fatty acids in cholesterol ester, phospholipid and triglyceride, 743
Adrenalectomy, rats, response to triglyceride feeding, 524
Adrenal medulla, ganglioside fatty acid and long chain base comp, 751
Afzelia cuanzensis, seed oil, source of crepenynic acid, 137
Age, effect on cerebrosides in pigeon aorta, 607
—— effect on *in vivo* incorporation, rat brain lipids, 475
Albatross stomach, oil, density, fatty acid profile, 151
Albumin, bovine serum, fatty acid binding, 403
—— in dtmn of lipoprotein lipase activity, 452
—— interaction with thin films of lipid protein, 636
—— response in rat plasma to triglyceride feeding, 524
Alcohol profile, polar bear liver lipids, 469
Alcohols, negative ion mass spectra, 825
—— primary, pea plant leaves, 398
—— secondary, pea plant leaves, 398
—— See also fatty alcohols
Aldehydes, fatty, in immature soybeans, 692
—— liberated from glyceryl ethers, 661
—— negative ion mass spectra, 825
—— pea plant leaves, 398
—— See also fatty aldehydes
Aldolase (EC 4.1.2.7), adipose tissue, hamster, 231
Aleurites montana, fatty acid, triglyceride profile, 434
Algae, cultured in deuterium oxide, 786
Aliphatic hydrocarbons, bacterial, occurrence and metabolism, 320
Alkane 1,2-diols, in skin lipids, 299
Alkane diol diesters, in vernix caseosa lipid, 279
Alkanes, from reduction of alkyl sulfates, 149
n-Alkanoic acids, insect cuticular lipids, 239
Ω (2-alkylbenzyl)-Alkanoic acid methyl ester, spectra, mass, NMR, 191
Alkenes, biosynthesis by *Sarcina lutea*, 320
—— content in microorganisms, 929
Alk-1-enyl ethers, synthesis from fatty aldehydes, 563
Alk-1-enyl glycerophosphoryl-ethanolamines, fatty acid profiles, 1006
Alk-1-enyl glyceryl ethers, 776
—— acid hydrolysis, formation of aldehydes, 661
—— quantitation using acid hydrolysis, 661
Alk-1-enyl lipid, comp, subcellular fractions, 1006
Alk-1-enyl methyl esters, formation from fatty aldehyde dimethyl acetals, 563
Alk-1-enyl phosphatidylethanolamine, acid hydrolysis, 661
n-Alkyl alcohols, insect cuticular lipids, 239
Alkyl ethers, synthesis from fatty alcohols, 563
Alkyl glyceryl ethers, polar bear liver, 469
—— in tumors, 776
O-Alkylglycerols, GLC of isopropylidene derivatives, 337
—— isolation from tissue, 337
—— isopropylidene derivatives, 337
—— in normal and neoplastic tissues, 337
—— reduction with $LiAlH_4$, 337
—— separation by TLC, 337
Alkyl sulfate, reduction to alkane, 149
Allocyttus verrucosus, wax ester content, 308
Amino acids, free, response in rat plasma to triglyceride feeding, 524
Aminophosphonates, 800
Anatomy of brown adipose tissue, in protoprimates and primates, 23
Anisyloxycarbonyl-L-serine, synthesis of phosphatidylserine with, 650
Antarctic krill, density, fatty acid profile, 151
Anthrone, dtmn of glycosphingolipids, 442
Antimycin, brown adipose tissue respiration, hamster, 204
Antioxidants, activity, measurement, 509
—— biological, reactions of α-tocopherol, 326
—— biological, *in vitro* reactions, 332
—— hydroxylamines, substituted, 509
—— in microorganisms, 795
—— α-tocopherol derivatives, 184
Aorta, human, sphingolipid long chain bases, 878
—— pigeon, cerebrosides, fatty acid profile, 607
—— rabbit, cerebrosides, fatty acid profile, 607
Aplysia californica, lipase activity in, 558
Apodanthera undulata, fatty acid, triglyceride profile, 434
Apoprotein B, antibody reaction, 501
—— content of human lipoproteins, 501
—— isolation of human lipoproteins, 501

—— similarity in VLDL and LDL, 501
Arachidic acid, in sea water, 417
Arachidonic acid, EFA deficient diets, 896
—— ethyl ester, hydroperoxide reaction with α-tocopherol, 326
—— formation in rat liver, 575
—— methyl ester, chromatography on silicic acid-silver nitrate columns, 713
—— in rat liver phosphatidylcholine, 412
—— in rat liver phosphatidylethanolamine, 412
^{14}C-Arachidonic acid (20:4ω6), metabolism in rat testis, 628
Argentation chromatography. See chromatography, thin-layer, silver nitrate
Arrhenius plots, desaturation of fatty acids, in microsomes, 611
Arterenol. See norepinephrine
Artifact, formation of methyl esters, 180
Atherogenic diet, cerebrosides in rabbit aorta, 607
—— dogs, effect of long and short term feeding on plasma lipids, 896
—— plasma lipids and lipoproteins, 896
—— response of the pigeon, 153
Atheroma, human aortal, hydrocarbons content, 818
Atherosclerosis, cerebrosides in pigeon and rabbit aorta, 607
ATP. See adenosine triphosphate
ATPase, activity of kidney, effect of phospholipase C on, 658
—— activity of kidney, relation to phospholipids, 658
Atractyloside, brown adipose tissue, 1
Autolysis, skeletal muscle phospholipids, 485
Autoxidation, of unsaturated fatty acids, effect of $AgNO_3$, 713
—— of unsaturated fatty acids, effect of number of double bonds, 713
Axenic maintenance, in NCTC 109 medium, 854
AY 9944. See *trans*-1,4-*bis*-(2-chlorobenzylaminomethyl) cyclohexane dihydrochloride
Azide, brown adipose tissue respiration, hamster, 204

B

Baboon, diester in skin lipids, 299
Bacteria, culture medium for mycobacteria, 684
—— human fecal, modification of 4-^{14}C-cholesterol, 702
—— hydrocarbons, occurrence, structure, metabolism, review, 320
Bacterial sphingolipids, bases, long chain, 56
Bacteroides melaninogenicus, sphingosine containing phospholipids, 56
Bases, long chain, sphingolipids, 878
Bat, brown adipose tissue metabolism, 15
Beef heart, phosphatidylcholine, fatty acid profile, 958
—— plasmologens, fatty aldehyde profile, 958
Beef tallow, diet, rat, effect on fatty acid oxidation, 908
Beeswax, comp, 247
—— GLC, 247
—— TLC, 247
Beeswax diols, structure and comp, 247
Beeswax esters, structure and comp, 247
Behenic acid, in sponge gemmules, 722
Benzaldehyde, negative ion mass spectra, relative peak intensities, 825
Benzyl alcohol, negative ion mass spectra, relative peak intensities, 825
Berardus bairdii, wax ester content, 308
Bile, effect on α-tocopherol absorption, 379
Bile acids, cholesterol synthesis inhibition, 109
—— demyelinating agents, 964
—— derivatives, specific inhibitors of mitochondria, 76
—— elimination from CNS after intracerebral administration, 964
—— mono-hydroxy, detection in brain, multiple sclerosis, 578
Binding constants, fatty acid to β-lactoglobulin, 403
Binding sites, fatty acid bound to protein, 403
Biopsy, liver, in a case of lipid storage disease, 566
Blatta orientalis. See insect
Blood, rat, gossypol activity in, from diet, 938
—— rat, *trans,trans*-linoleic acid effect on hemostasis, 85
Blood clotting, influence of *trans,trans*-linoleate, 85
Blood fluke, *Schistosoma mansani,* cholesterol metabolism, 854
Blood plasma, human, sphingolipid long chain base comp, 878
Bolocera tuediae, wax ester content, 308
Bone marrow, lipid staining, liver, lipid storage disease, 566
—— rat, collection, 531
—— rat, effect of diet on fatty acid profile, 698
—— rat, extraction of lipid, 698
—— rat, fatty acid profile, 698
—— rat, lipase activity, effect of diet, 698
—— rat, phospholipid B activity, 531
Boric acid, TLC, 137
Bovine, diester in skin lipids, 299
Bovine brain, lipid comp, 1006
—— wax esters and fatty alcohols, 337
Bovine heart, wax esters and fatty alcohols, 337
Bovine mammary cells, absorption of free fatty acids, 892
—— metabolism of free fatty acids in, 892
—— rate of absorption of fatty acids, 892
—— secretion of triglycerides by, 892
Bovine pituitary, lipid comp, 121
Bovine serum albumin, binding of fatty acids, 403
Brain, bovine, wax esters and fatty alcohols, 337
Brain, chicken, microsomes, phospholipid, incorporation of cytidine diphosphate ethanolamine, 734
—— microsomes, phospholipid synthesis from cytidine diphosphate ethanolamine, 734
—— phospholipid, phosphorylethanolamine incorporation, 725
—— phospholipid synthesis from phosphorylethanolamine, 725
Brain, guinea pig, bile acids, demyelinating effect, 964
Brain, human, cerebrosides, long chain base comp, 878
—— lipids, TLC, 494
—— lithocholic acid in, 578
—— sphingolipid long chain bases, 878
Brain, mouse, lipid comp, 1006
Brain, ox, lipid comp, 1006
Brain, rabbit, sphingolipid long chain bases, 878
Brain, rat, effect of 20,25-diazacholesterol during myelination, 665
—— effect of AY9944 during myelination, 665
—— enzymes of sphingolipid metabolism, purification, 718
—— glycolipids, turnover rates, 475
—— glycosphingolipid content, 665
—— ^{14}C-glucose uptake in lipids of, 665
—— gossypol activity in, from diet, 938
—— incorporation of serine into sphingolipids, 718
—— inhibition of myelination, cholesterol synthesis, 665
—— myelin comp, 665
—— prep of homogenate, 718
—— phospholipid content, 665
—— protein content, 665
—— sterol content, 665
Brassica napus oilseeds, isolation of C_{20} and C_{22} fatty acids, 430
—— purification of C_{20} and C_{22} fatty acids, 430
—— unsaturated fatty acids, 430
—— UV and IR spectra, 430
Brassica oleracea, biosynthesis of paraffin hydrocarbons, 259
Brominated oils, lipolysis, 497
Bromination, of cyanolipids, 672
—— use of microreactor apparatus for, 707
Bromoacetyl cellulose, use in immuno-adsorption of low density lipoproteins, 501
Brown adipose tissue, cytochrome b changes after norepinephrine and uncouplers, 1
—— effect of atracytyloside and (+)decanoylcarnitine, 1
—— isolated cells, hamsters, 204
—— oxidation of fatty acids, 15
—— oxidation of succinate, 15
—— See also adipose tissue, brown
Brown fat, homology with white, 231
Buffer, effect on lipolysis and glucose metabolism of human adipose cells, 498
Bumble bee wax, comp, 247
t-Butyloxycarbonylaminoethanol, synthesis of phosphatidylethanolamine with, 650

C

Caecum, rat, gossypol activity in, from diet, 938
Calanus helgolandicus, wax ester content, 308
Calcium, phospholipid uptake by mitochondria, 445
Calendic acid, from oilseeds, 137, 434
Calendic officinalis, fatty acid, triglyceride profile, 434
Cambarus virilis, lipase activity in, 558
Campesterol, in cotton bud, 283
Carbon dioxide, activity of expired gas of rat feed labelled fatty acids, 908
—— from 1-^{14}C-acetate, effect of bile acids and vitamin B_6 deficiency, 109
Carbon dioxide-^{14}C, lack of formation from 4-^{14}C-cholesterol by human fecal bacteria, 702
Carbon number, distribution, hydrocarbons in microorganisms, 929
—— triglyceride, in tumors, 776
Cardiolipin, fatty acid profile, myelin, bovine, mouse, 1006
—— incorporation of fatty acids in bovine mammary cells, 892
—— mouse brain mitochondria, fatty acid profile, 1006

XUM

—— positional fatty acid anal, from mycobacteria, 684
—— in smelt body, gonads, 554
Cardiospermum cyanolipids, conversion to 4,4-dimethoxy-3-(methoxymethyl)butyric acid methyl ester, 812
Caretta caretta caretta, turtle, loggerhead, *trans*-6-hexadecenoic acid, 288
—— *trans*-6-hexadecenoic acid in depot fat, 288
Carnitine, effect on brown adipose tissue metabolism, 15
—— effect on β-oxidation, 15
—— effect on succinate metabolism, 15
Carnitine decanoic acid ester, brown adipose tissue, 1
β-Carotene, protection from air oxidation, α-tocopherol, 184
Carotenoids, in fish skin mucus, 947
Castor bean lipase, activity during germination, 519
—— hydrolysis of triglycerides of oilseeds, 513
Castor oil, hydrogenated, in diets, rat, 832
Cat, diester in skin lipids, 299
Cautlase (EC 1.11.1.6), heat treated, lipid oxidation by, 365
Catalpa bignonoides, fatty acid, triglyceride profile, 434
Catalpa ovata, fatty acid, triglyceride profile, 434
Catalpa speciosa, fatty acid, triglyceride profile, 434
Catalpic acid, in oilseeds, 434
Catalytic reduction, hydroperoxides with sodium borohydride, 392
Catecholamine, respiration, rat brown adipose tissue, 210
—— stimulation of oxygen consumption in adipose tissue, rat, 220
—— thermogenesis, brown adipose tissue, 30
Cations, heavy metal, effect on lipid, membrane association, 445
CCD. See countercurrent distribution
Celite, transfer of lipid to proteins, 403
Cell cultures, free fatty acid content, 49
—— human strains, 49
Cellular membranes, and serum lipoproteins, 156
Centranthus ruber, fatty acid, triglyceride profile, 434
Cephalaria joppica, fatty acid profile, triglyceride profile, 434
Cephalaria leucantha, fatty acid profile, triglyceride profile, 434
Cephalocroton cordofanus, fatty acid profile, triglyceride profile, 434
Cephalocroton peuschelli, fatty acid profile, triglyceride profile, 434
Ceramide phospholipids, acid hydrolysis, 56
Ceramide phosphoryl glycerol phosphate, from bacteria, 56
Ceramide polyhexosides, analytical method using trinitrobenzenesulfonic acid, α-naphthol, anthrone, 442
Cerebrosides, analytical method using trinitrobenzenesulfonic acid, α-naphthol, anthrone, 442
—— atherosclerosis, pigeon and rabbit aorta, 607
—— human brain, long chain base comp, 878
—— in immature soybeans, 692
—— incorporation of fatty acids in bovine mammary cells, 892
—— in rabbit and pigeon aorta, 607
—— turnover rates in rat brain, synthesis, 475
—— uptake of ^{14}C-glucose in rat during myelination, 665
Ceroplastic acid, insect cuticular lipids, 239
Ceroplastol I, insect cuticular lipids, 239
Cetyl alcohol, binding to β-lactoglobulin, 403
Chaetopterus variopedatus, lipase activity in, 558
Chain elongation, of fatty acids, rat liver, 583
Chain length, fatty acids, *Chlorella*, temp effect, 597
Cheilodactylus macropterus, tarakihi, density, fatty acid profile, 151
Chelydra serpentina, lipase activity in, 558
Chenodeoxycholic acid, 76
—— cholesterol, inhibition, 109
Chicken, fat-free diet, 165
—— lipase activity in, 558
Chicken adipose tissue, endogenous triglycerides, 165
Chicken brain, microsomes, phospholipid synthesis from cytidine diphosphate ethanolamine, 734
—— phospholipid synthesis from phosphorylethanolamine, 725
Chicken liver, endogenous fatty acids, 171
—— endogenous triglycerides, 171
Chilopsis linearis, fatty acid, triglyceride profile, 434
Chimyl alcohol, polar bear liver, 469
Chloramphenicol, rat liver acetate metabolism, 146
m-Chlorocarbonyl cyanide phenylhydrazone, inhibition of lipolysis, rat brown adipose tissue, 210
Chlorophyll, removal from lipid extracts, 367
3α,6α-Cholanic acid, 76
3α, 7β-Cholanic acid, 76
3β-Cholanic acid, 76
5β-Cholanic acid, demyelinating agent, 964
3-keto-5β-Cholanic acid, demyelinating agent, 964
Cholanic acids, conjugates, influence of light-dark periods on inhibitory effects, 76
—— esters, mitochondrial oxidation inhibition, 76
—— esters, purification of, 76
—— glycine, derivative, 76
—— methyl esters of, 76
—— taurine, derivatives, 76
Cholestadiene, in human atheroma, 818
Cholestadien-3-β-ol, in rat brain, 665
Cholestane triol, 71
5-α-Cholestan-3β,5α,6β-triol, mass spectra, TLC, 71
5,7,24-Cholestatriene-3-β-ol, in rat brain, 665
$\Delta^{5,7,24}$-Cholestatriene-3-β-ol, incorporation into myelin, 665
Cholest-5-ene, in human atheroma, 818
Cholesterogenesis, intestinal, vitamin B_6 deficient rats, 109
—— intestine, bile acid inhibition, 109
Cholesterol, absorption, rat, effect of fats, 142
—— acetate incorporation into, in rats on low and high fat diets, 908
—— binding to β-lactoglobulin, 403
—— content of liver, 566
—— content of rat liver, serum, 621
—— correlation with plasma lipids in dog of EFA diet, 896
—— dog kidney, 293
—— esterification, pigeon serum, 153
—— feeding in dogs, induced hyperlipemia, 896
—— in fish skin mucus, 947
—— from hydroperoxy-linoleic acid, 970
—— incorporation of ^{14}C from fatty acids, 908
—— in lipid monolayers, 636
—— metabolism in human feces, 702
—— metabolism in rats on high and low fat diets, 908
—— particular uptake, by *Schistosoma mansoni*, 854
—— rat, effect on fatty acid oxidation, 908
—— in smelt body, gonads, 554
—— synthesis, inhibition, cycloheximide, chloramphenicol, 146
—— synthesis, inhibitors of, 665
—— synthesis in rat liver, effect of fructose on, 621
—— of *Trichinella spiralis*, 282
—— turnover, pigeon serum, 2-pool model, 153
—— uptake mitochondria, mediation through phospholipids, 445
Cholesterol-26-^{14}C, mitochondrial oxidation, 76
4-^{14}C-Cholesterol, aerobic metabolism in feces homogenates, 702
—— anaerobic metabolism in feces homogenates, 702
—— carbon dioxide production during incubation with fecal homogenates, 702
—— incubation with human fecal homogenates, 702
—— isolation from human feces, counting procedures, 702
—— substrate for plasma cholesterol esterification, 663
Cholesterol ester, comp, milk and mammary tissue, 42
—— content of liver, 566
—— desaturation, 42
—— dog kidney, 293
—— fatty acid profile in dog plasma, 896
—— fatty acid profile, human adrenal, adenoma, 743
—— from hydroperoxy-linoleic acid, 970
—— incorporation of fatty acids in liver, 575
—— preferential retention of odd chain length acids in, 42
Cholesterol feeding, effect on fatty acids of plasma, 896
Cholesterol metabolism, blood fluke adults, *Schistosoma mansomi*, 854
Cholesterol synthesis, rat intestine, 109
Cholesteryl acetate, internal standard for the quantitation of glycerides, 601
Cholesteryl esters, exogenous hyperlipemia, 896
—— fatty acid profile, serum, liver of miniature swine, 359
Cholic acid, 76
—— cholesterol, inhibition, 109
(methyl-^{14}C)-Choline, incorporation into rat serum phospholipids, 621
Chromatography, centrifugal, of triglycerides, 684
Chromatography, column, centrifugation of, triglyceride anal, 684
—— DEAE-cellulose, *Kloeckera brevis* lipids, 463
—— DEAE-Sephadex, post-heparin lipolytic activity, 385
—— Dowex-1, glycerol phosphate, 56
—— Florisil, polar bear liver lipids, 469
—— of *cis-trans* isomers of linoleic acid hydroperoxides, 678
—— *cis-trans* isomers, Florisil-silver-nitrate, 288
—— linoleic acid hydroperoxide, 678
—— lipid classes, 337
—— of mercuric adducts of unsaturated fatty acids, 720
—— mevalonic acid lactone, 104
—— of *Micrococcaceae* lipids, 929
—— pea plant leaf lipids, silicic acids, 398
—— phosphatidylmyoinositol mannoside, 463
—— phospholipids, separation by unsaturation, 846
—— pituitary lipids, 121
—— retinoic acid metabolites, gradient elution, 371
—— retinoic acid metabolites, silicic acid, 371
—— saponification products of wax diester, alkaline silica gel, 299

—— separation of positional isomers of methyl hydroxystearate, 678
—— silicic acid, ceramides, long chain bases and fatty acid esters, 56
—— silicic acid, of distearoylglycerol, 650
—— silicic acid-silver nitrate, of unsaturated fatty acids, 713
—— silkworm egg lipids, 539
—— silver nitrate impregnated resin, 997
—— skin diester waxes, 299
—— of soybean lipids on acid treated Florisil, 692
—— of sponge gemmule lipids, 722
—— α-tocopherol, oxidation products, 63
—— triglycerides from mycobacteria, 684
—— using microparticulate silica gel, triglycerides, 684
Chromatography, gas-liquid, aldehydes, derivatives, method, 958
—— aliphatic hydrocarbons, 929
—— apparatus for assay of ^{14}C-labeled triglycerides, 342
—— beeswax esters, 247
—— brain sterols, 665
—— brominated fatty acids, 497
—— chain length overlap problems, 950
—— *Chlorella* fatty acids, 597
—— column performance during triglyceride anal, 342
—— counting of radioactive fatty acids, 628
—— cyanolipids, 672, 812
—— cyclopropane acetylenic fatty acids, 650
—— detection limits for radio assay of ^{14}C labeled triglycerides, 342
—— detector response factors in the quantitation of glycerides, 601
—— dicarboxylic acids, methyl esters, 743
—— diester waxes, 299
—— diglycerides, 601
—— 1,3-dioxolane and methyl esters, 1006
—— *trans* double bonds, 285
—— ECL values for fatty acids on polyester phases, 950
—— estimation of oxidation of unsaturated fatty acids, 713
—— fatty acid methyl esters, 191, 283, 285, 299, 412, 539, 743, 929
—— fatty acid methyl esters, alcohol acetates and glyceryl ethers, 337
—— fatty acid methyl esters, kidney lipid, 293
—— of fatty acid methyl esters, from mycobacteria, 684
—— fatty acid methyl esters, soybean triglycerides, 353
—— fatty acids, 180
—— fatty acids of copepods, 417
—— fatty acids of *Drosophila melanogaster*, 617
—— fatty acids of marine crustacea, 417
—— fatty acids of mouse muscle, 590
—— fatty acids from oilseeds, 422
—— of fatty acids from pig adipose tissue, 921
—— fatty acids of polar bear liver lipids, 469
—— fatty acids, of rapeseed oil, 430
—— fatty acids of sea water, 417
—— fatty acids of *Temora longicornis*, 417
—— fatty acids of zooplankton, 417
—— fatty alcohols, 299
—— fatty aldehydes, 590
—— fatty aldehydes, derivatives, method, 958
—— galactose, 283
—— ganglioside fatty acids and long chain bases, 751
—— glycerol, 601
—— hydrocarbons, 38
—— hydrocarbons of human atheroma, 818
—— hydroxy fatty acid esters, 832
—— hydroxy fatty acid methyl esters, 299
—— liver, microsomes, fatty acids, 583
—— long chain bases, *Hansenula ciferrii*, 782
—— long-chain fatty acid methyl esters, 148
—— methylated lithocholic acid, 578
—— methyl esters, 997
—— methyl esters of fatty acids, long chain bases, 56
—— monoglycerides, 601
—— mycobacteria fatty acids, 720
—— open tubular columns, *cis-trans* isomers, 288
—— of periodate-permanganate cleavage products, monounsaturated fatty acids, 720
—— phospholipids, 846
—— of Phycomycetes fatty acids, 915
—— plant fatty acids, 950
—— polyunsaturated fatty acids, 628
—— preparative of fatty acid methyl esters, 430
—— pyrolysis, phosphoglycerides, see Addendum
—— radioactive contamination of column packing during triglyceride anal, 342
—— radioactivity anal, 997
—— radio assay of labeled glycerides, 342
—— of rat bone marrow, erythrocytes fatty acids, 698
—— of soybean fatty acids, 692
—— of sponge fatty acids, 722
—— sphingolipid long chain bases, review, 878
—— sterols, 71
—— sterols from cotton buds, 283
—— triglycerides, high temp, 776
—— triglycerides, recovery from column, 342
—— of tripalmitin, tristearin, trierucin, 342
—— use of microreactor apparatus in conjunction with, 707
—— of unsaturated fatty acids, 713
Chromatography, gas-liquid-mass spectrometer, of hydrocarbons, 818, 929
—— lithocholic acid, 578
—— of sponge fatty acids, 722
Chromatography, ion-exchange, fecal acidic steroids, 702
Chromatography, liquid, hydroxy fatty acid esters, 832
Chromatography, liquid-liquid. See chromatography, column
Chromatography, paper, aminocellulose, glycerol phosphate esters, 56
—— HMG-CoA, 104
—— of polyunsaturated fatty acids, 575
—— silica gel impregnated, ceramides, 56
Chromatography, preparative, GLC of fatty acids, 617
Chromatography, Sephadex, purification of lipid extracts from plants, 367
Chromatography, Sephadex column, broccoli leaf proteins, 259
—— post-heparin lipolytic activities, 385
Chromatography, thin-layer, aminophosphonates, 800
—— beef kidney mitochondrial membranes, 494
—— beeswax esters, 247
—— brain lipids, 665
—— cholesterol, 282
—— cholesterol dibromide, 854
—— cholesterol esters, 42
—— cholestenes, silver nitrate-silica gel, 818
—— coenzyme Q, 856
—— cyanolipids, 672, 812
—— densitometry, neutral lipids, 539
—— diglycerides, 434
—— of 3-*keto*-dihydrosphingosine, 718
—— fatty acid esters, lipid classes, 743
—— fatty acid methyl esters, 191
—— fatty acid methyl esters, silica gel-silver nitrate, 743
—— fatty acids, 434
—— of fatty aldehydes, 661
—— fecal sterols, 702
—— gangliosides, adrenal medulla, 751
—— glyceryl ethers, 661
—— human whole brain lipids, 494
—— hydrocarbons, silver nitrate-silica gel, 818
—— hydroperoxidized fatty acid methyl esters, 392
—— hydroxy fatty acids, 299
—— internal standard method of triglyceride evaluation, 161, 165, 171
—— *cis-trans* isomers, silica gel-silver nitrate, 288
—— isopropylidene derivatives, 337
—— kidney lipids, 293
—— of linoleic acid hydroperoxides, 678
—— lipid classes, 359
—— lipid class separation, 337
—— liver phospholipids, 412, 566
—— long chain bases, *Hansenula ciferrii*, 782
—— of *Micrococcaceae* lipids, 929
—— mitochondrial phospholipids, 577
—— of neutral lipids, 539, 892
—— oilseed lipids, 422
—— phospholipid bases, 800
—— phospholipids, 846, 892, 1006
—— of phospholipid from mycobacteria, 684
—— pituitary lipids, 121
—— plant lipids, 367
—— preparative, fatty alcohols, cholesterol, fatty acids, 337
—— preparative (lithocholic acid), 578
—— preparative methods for skin diester waxes, 299
—— preparative, pituitary lipids, 121
—— separation of unsaturated phospholipids, silver nitrate, 412
—— silver nitrate, 611
—— skin lipids, 299
—— solvent system (distearoloyl glycerol), 650
—— solvent system (lithocholic acid), 578
—— solvent system (phospholipids), 590
—— solvent-systems (total lipids), 628
—— of soybean lipids, 692
—— sphingolipid long chain bases, review, 878
—— sterol galactosides, 283
—— sterols, 71
—— triglyceride fractionation, silver nitrate, 161, 165, 171
—— triglyceride hydrolysis products, 513
—— triglycerides, 342, 353, 434
—— triglyceride species, silica gel-silver nitrate, 353
—— two dimension, polar lipids, 494
—— unsaturated fatty acid methyl esters on silica gel-silver nitrate, 285
—— unsaturated fatty acids, silica gel-silver nitrate, 422, 430

XUM

Chromatoplate, acid hydrolysis of glyceryl ethers on, after chromatography, 661
Chylomicron lipids, uptake into rat adipose tissue pools, 858
Chylomicrons, in plasma with EFA diets, 896
Ciona intestinalis, lipase activity in, 558
Classification, of microorganisms, on basis of hydrocarbon profile, 929
Clethrionomus rutilus. See mouse, Arctic
Cockroaches, 35, 38
—— cuticular lipids, biosynthesis, 239
Cocoa butter, as substrate for lipase, 572
Coconut oil, in atherogenic diet for dogs, 896
—— hydrogenated, cholesterol absorption, rat, 142
—— hydrogenated, EFA deficient diet for rats, 583
Coconut oil emulsion, Ediol, substrate for plasma lipase, 385
Coenzymes Q, in free-radical reactions, 332
—— lemon shark liver, 856
—— reticuloendothelial system (RES) stimulation, 856
Coenzyme Q6. See ubiquinone-6
Coenzyme Q10. See ubiquinenol-10
Cold acclimation, rats, adipose tissue glycerol kinase, 114
Cold adaptation, 23, 30
—— See also thermogenesis
Cold exposure, on brown fat of shrews, tupaiads and primates, 23
Colon, rat, gossypol activity in, from diet, 938
Computer analysis, lipoproteins, 491
Condylactis gigantea, wax ester content, 308
Configuration, absolute, of epoxy and hydroxy acids, 137
Conjugated acids, biosynthesis, 137
Connamaldehyde, negative ion mass spectra, relative peak intensities, 825
Copepods, fatty acid profile, 417
Copper, effect on pig triglycerides, 921
Coprostanol metabolite, of cholesterol in human feces, 702
Coriolic acid, from oilseeds, 137
Coronaric acid, from oilseeds, 137
Corn, specificity of lipase, 572
Corn germ, lipoxygenase activity in, 678
Corn oil, cholesterol absorption, rat, 142
—— diet, rats, effect on fatty acid oxidation, 908
—— heated and unheated, long term effects of feeding to rats, 128
—— stripped of sterols, cholesterol absorption, rat, 142
—— as substrate for lipase, 572
Cortical tubules, treatment with phospholipase C, 658
Cottonseed meal, effect of bound gossypol on enzymic degradation, 765
Cottonseed oil, cholesterol absorption, rat, 142
—— glycogenesis, effect in rat, 524
—— heated and unheated, long term effect of feeding to rats, 128
Countercurrent distribution, C_{20} fatty acids of rapeseed oil, 489
Crayfish, lipase activity in, 558
Crepenynic acid, from oilseeds, 137, 434
Crepis aurea, fatty acid profile, triglyceride profile, 434
Crepis vesicaria, fatty acid profile, triglyceride profile, 434
Critical micelle concentration, conductance measurements, 793
Crustacea, marine, fatty acid profile, 417
Cryptotis, cold acclimation effects on brown fat, 23
Crystal size, and phosphatidyl choline binding, 276
Cucurbita palmata, fatty acid, triglyceride profile, 434
Culture medium, for Phycomycetes, 915
Culture temperature, effect on *Chlorella* fatty acids, 597
Cuticular lipids, biochemistry, 259
—— of insects, 35, 38
1-Cyano-2-hydroxymethylprop-1-ene-3-ol, in lipids of *Sapindaceae* seeds, 672
Cyanolipids, fatty acid comp, 672
—— GLC, hydrogenation, bromination, reduction with $LiBH_4$, acetolysis, 672
—— of *Koelreuteria* oilseeds, 672
—— mass-, TR-, NMR-, UV-spectra, 672
—— NMR spectra, 672
—— of oilseeds, 812
—— of oilseeds, structural dtmn, 672
—— TLC, analytical, preparative methods, 672
1-Cyano-2-methylprop-1-ene-3-ol, in lipids of *Sapindaceae* seeds, 672
Cyclic acetals, formation during acid hydrolysis of glyceryl ethers, 661
Cyclic adenosine monophosphate, mediator of norepinephrine effect, 204
—— respiration, rat brown adipose tissue, 210
Cyclic-AMP. See adenosine monophosphate
trans-1,4-bis-(z-chlorobenzylaminomethyl)-Cyclohexane dihydrochoride, effect on myelination, 665
Cyclohexanol, negative ion mass spectra, relative peak intensities, 825
Cycloheximide, rat liver acetate metabolism, 146
8-Cyclopropyloctanoic acid, synthesis of phospholipid containing, 650
Cynoscion nebulosus, wax ester content, 308
Cytidine diphosphate ethanolamine, incorporation into chicken brain microsomal phospholipid, 734
Cytochrome, brown fat cells content, 1

D

Dalatias licha, shark, density, fatty acid profile, 151
Darmstoff, structure dtmn, synthesis, 803
Decanoic acid, carnitine ester, brown adipose ester, 1
—— hydrocarbon biosynthesis, insects, 239
Decanoic acid (10:0), desaturation by liver microsomes, 611
(+)Decanoylcarnitine, brown adipose tissue, 1
7-Dehydrocholesterol, incorporation into myelin, 665
—— in rat brain, 665
Demyelination, guinea pig, histology, 964
—— lithocholic acid in brain during, 578
Demyelinating agents, bile acids, 964
Denaturation, uncoiling, correspond V_M, 793
Dendrostomum pyroides, lipase activity in, 558
Deoxycholic acid, 76
—— effect on phospholipase C treatment of cortical tubules, 658
Depot fat, *trans*-6-hexadecenoic acid in marine turtles, 288
Dermochelys coriacea coriacea L., turtle, Atlantic leatherback, *trans*-6-hexadecenoic acid, 288
Dermochelys coriacea (leatherback turtle), *trans*-6-hexadecenoic acil in depot fat, 288
Desaturase. See acyl oxidoreductase (EC 1.3)
Desaturation, decanoic acid (10:0), in microsomes, 611
—— dodecanoic acid (lauric acid) (12:0), in microsomes, 611
—— of fatty acids, by *Drosophila melanogaster*, 617
—— heptadecanoic acid (margaric acid) (17:0), in microsomes, 611
—— hexadecanoic acid (palmitic acid) (16:0), in microsomes, 611
—— nonadecanoic acid (19:0), in microsomes, 611
—— octadecanoic acid (stearic acid) (18:0), in microsomes 611
—— pentadecanoic acid (15:0), in microsomes, 611
—— rat liver, of stearic acid, 583
—— saturated acids in microsomes, 611
—— tetradecanoic acid (myristic acid) (14:0), in microsomes, 611
—— tridecanoic acid (13:0), in microsomes, 611
—— undecanoic acid (11:0), in microsomes, 611
Desmosterol, dtmn by TLC, spectrophotometry, 665
—— incorporation into myelin, 665
—— in rat brain, 665
Detergent concentration, change binding, 793
Detergent disrupt protein combination, 793
Deuterium oxide, algae cultures, 786
Dexamethasone, effect on phospholipase B activity, 531
20,25-Diazacholesterol, effect on myelination, 665
9,10-Dibromostearic acid, methyl ester, 497
Dibutyryl-3',5'-adenosine monophosphate, respiration, rat brown adipose tissue, 210
(2,2'-binaphthalene)-8,8'-Dicarboxaldehyde-1,1',6,6',7,7'-hexahydroxy-5,5'-diisopropyl-3,3'-dimethyl. See gossypol
Dicarboxylic acid, formation by oxidative ozonolysis of unsaturated fatty acids, 628
Didelphis marsupialis, lipase activity in, 558
Diester waxes, in skin lipids, of cow, rabbit, cat, dog, mouse, guinea pig, rat, baboon, chicken, man, 299
Diet, chicken, fat-free, 165
—— effect on copper in, on triglyceride fatty acids, pigs, 921
—— essential fatty acid deficient, ethionine effect on fatty acid metabolism, 583
—— fat deficient, effect on fatty acid desaturation, 611
—— fats, heated and unheated, long-term effects of feeding to rats, 128
—— miniature swine, comp, 359
—— phytanic acid, 201
—— phytol, 201
—— rat, 128
—— rat, corn oil, beef tallow, cholesterol supplement, 908
—— rat, fat-free, 165
—— rat, hydroxy fatty acid containing, 832
—— swine, fat-free, 161
—— trout, cyclopropene fatty acids effect on liver, 80
Dietary fats, heat treated, analytical characteristics, 128
—— digestibilities for rats, 128
—— growth, fool efficiency of rats fed, 128
—— histopathology of rats fed, 128
—— long-term survival of rats fed, 128
—— tumors of rats fed, 128
Diethylene glycol, negative ion mass spectra, 825

N,N-Diethylhydroxylamine, antioxidant activity, 509
Differential phosphorus analysis, 800
Differential thermal analysis, triglycerides, 90
Digalactosyl diglyceride, in immature soybeans, 692
—— in oilseeds, *Linum usitatissimum* L., 422
Diglyceride kinase. See ATP: diglyceride phosphotransferase, EC 2.7.1
ATP:Diglyceride phosphotransferase, EC 2.7.1., *Escherichia coli,* solubilization with alkali, 994
Diglycerides, dog kidney, 293
—— effect on phosphatidylethanolamine synthesis, *in vitro,* chicken brain microsomes, 725
—— in fish skin mucus, 947
—— GLC, 601
—— from hydroperoxy-linoleic acid, 970
—— radio-GLC, 342
—— silkworm eggs, 539
—— in synthesis of phospholipids, 650
—— See also oilseeds, *Linum usitatissimum* L.
12-Diglycerides, 1-^{14}C-acetate incorporation in flax seeds and seed tissues, 422
Dihydroshingosine, review, 878
3-keto-Dihydrosphingosine, *in vitro* biosynthesis, rat brain, 718
—— condensation product of palmitoyl CoA and serine, 718
—— incorporation of serine, 718
—— reduction with $NaBH_4$, 718
—— structural dtmn, 718
—— TLC of, 718
Dihydroxyacetone phosphate, triglyceride synthesis, rat liver, 770
—— triglyceride synthesis substrate, 762
1-3-Dihydroxyhexadecane, from myristic acid, 577
Dihydroxynitriles, in cyanolipids, 672
4,4-Dimethoxy-3-(methoxymethyl)butyric acid, methyl ester from cyanolipids, 812
Dimethyl acetals, synthesis from fatty alcohols, 563
—— synthesis of glyceryl ethers from, 563
Dimorphecolic acid, from oilseeds, 137
Dimorphotheca auriantica, epoxy acids in, 137
Dimorphotheca pluvialis ringens, epoxy acids in, 137
Dimyristin, anal by GLC, 601
2,4-Dinitrophenol, thermogenesis, brown adipose tissue, 30
1,1-Dioctadecoxyoctadecane, synthesis from octadecanol, 563
Diols, of beeswax, comp and structure, 247
Diomedea exultans, albatross, density, fatty acid profile, 151
Diphosphatidylglycerol, content of liver, 566
—— fatty acid profile, mouse muscle, 590
1,2-Distearoylglycerol-3-phosphorylserine, synthesis, role in blood coagulation, 650
1,2-Distearoylglycerol-3-phosphorylethanolamine, synthesis, role in blood coagulation, 650
1,1-Ditetradecoxytetradecane, synthesis from tetradecanol, 563
Dithiotreitol, effect on stability of succinate dehydrogenase, 953
Docosahexaenoic acid, methyl ester, chromatography on silicic acid-silver nitrate columns, 713
—— in rat liver phosphatidylethanolamine, 412
Docosahexenoic acid, changes in trout fed methyl sterculates, 80
Docosane, cockroach, 38
Docosa-4,7,10,13,16-pentaenoic acid purification, 1013
4,7,10,13,16-Docosapentaenoic acid, formation from arachidonic in rat testis, 628
—— formation from linoleic acil in rat testis, 628
7,10,13,16-Docosatetraenoic acid, formation from arachidonic acid in rat testis, 628
—— formation from linoleic acid in rat testis, 628
10, 13,16-Docosatrienoic acid, esters, human adrenal cholesterol, 743
Docosene, cockroach, 38
1-Dodecanal, negative ion mass spectra, 825
Dodecanoic acid (12:0), desaturation by liver microsomes, 611
1-Dodecanol, negative ion spectra, 825
Dog kidney, lipid metabolism in medulla and cortex, 293
Dog plasma, cholesterol ester, phospholipid, triglyceride, free fatty acid, fatty acid profile, 896
—— lipoprotein patterns of animals on atherogenic diets, 896
—— phospholipid, triglyceride, cholesterol, effect of cholesterol diet on, 896
Dogs, on atherogenic diets, histological of arteries, 896
—— awake, *trans*-myocardial fatty acid incorporation, 988
—— awake, *trans*-myocardial lipid levels, fatty acid profile, 988
—— diester in skin lipids, 299
—— experimental exogenous hyperlipemia, 896
—— infusion of labeled fatty acid into kidneys, 293
—— *trans*-myocardial lipid content, 988
DPNH, electron donor in fatty acid desaturation, 611
Drosophila melanogaster, unsaturated fatty acid synthesis, 617
Drugs, affecting lipid metabolism, cycloheximide, chloramphenicol, 146
Dysidea amblia, lipase activity in, 558

E

Earthworm, lipase activity in, 558
ECL's, some hydroxy and epoxy esters, 137
Ediol, (coconut oil emulsion), substrate for post-heparin plasma lypolytic activity, 385
Egg phospholipids, 846
Ehrlich ascites carcinoma cells, triglycerides, glyceryl ether diesters, 776
Ehrlich ascites cells, fatty acid, fatty alcohol, o-alkylglyceryl ether profile, 337
Ehrlich ascites tumor cells, palmitate utilization, 403
—— uptake of fatty acids, 403
Eicosadienoic acid, rapeseed oil, 489
Eicosapentaenoic acid, methyl ester, chromatography on silicic acid-silver nitrate columns, 713
—— methyl ester, hydroperoxide reaction with α-tocopherol, 326
5,8,11,14-Eicosatetraenoic acid, formation from linoleic acid in rat testis, 628
Eicosatrienoic acid, depression in tissues, ethionine fed rats, 583
—— rapeseed oil, 489
5,11,14-Eicosatrienoic acid, formation from linoleic acid to 20:4 in rats, 575
—— paper chromatography, 575
8,11,14-Eicosatrienoic acid, metabolism of nonconversion in rat testis, 628
Eicosenoic acid, rapeseed oil, 489
Elaidic acid, NMR spectra of mercuric adduct, 505
Electron microscopy, liver, lipid storage disease, 566
Electron transport system, brown fat mitochondria, 204
Electrophoresis, disc, of lipase from various species, 558
—— plasma lipoproteins, 896
Eleostearic acid, from oilseeds, 137
α-Eleostearic acid, methyl ester, NMR spectrum, 457
β-Eleostearic acid, methyl ester, NMR spectrum, 457
—— in oilseeds, 434
Embryonic development, lipid comp, silkworm, 539
Emulsifiers, gas-chromatographic dtmn of glycerides in, 601
Endocardial lipids, dogs, fatty acid incorporation, 988
Energies of activation, enzymatic desaturation, fatty acids, 611
Energy of activation, β-oxidation of fatty acids, 15
—— oxidation of succinate, 15
Energy conservation, in brown fat, 1
Entomophthora coronata, conjugated fatty acids in, 915
—— effect of culture medium of fatty acid profile, 915
—— fatty acid profile, 915
—— γ-linoleic in, 915
—— total lipid comp, 915
—— effect of H_2 0_2 on serum acyltransferase, 653
Enzymes, activity during adipose tissue development, 231
—— assay for microsomal acyloxidoreductase (EC 1.3), 611
—— heat in activation, effect on lipid oxidation, 365
—— particulated, solubilization, ATP:diglyceride phosphotransferase, 994
—— proteolytic, blocking by bound gossypol, 765
—— proteolytic, effect on lipid-protein films, 636
—— of sphingolipid metabolism, rat brain, 718
—— EC 1.1.1.8. See L-glycerol-3-phosphate: NAD oxidoreductase
—— EC 1.1.1.34. See mevalonate NADP oxidoreductase (acylating CoA)
—— EC 1.1.1.37. See L-malate:NAD oxidoreductase
—— EC 1.1.1.49. See D-glucose-6-phosphate: NADP oxidoreductase
—— EC 1.3. See acyl oxidoreductase
—— EC 1.3.99.1. See succinate=(acceptor)oxidereductase
—— EC 1.11.1.6. See catalase (H_2O_2:H_2O_2 oxidoreductase)
—— EC 1.11.1.7. See peroxidase (donor: H_2O_2 oxidoreductase)
—— EC 1.13.1.13. See lipoxidase
—— EC 1.13.1.13. See lipoxygenase
—— EC 2.3.1. See phosphatidylcholine: cholesterol acyltransferase
—— EC 2.7.1. See ATP=diglyceride phosphotransferase
—— EC 2.7.1.30. See glycerol kinase
—— EC 2.7.7.16. See ribonuclease
—— EC 3.1.1.3. See castor bean lipase
—— EC 3.1.1.3. See glycerol ester hydrolase
—— EC 3.1.1.3. See pancreatic lipase
—— EC. 3.1.1.4. See phosphatide acyl-hydrolase (phospholipase A)
—— EC 3.1.1.4. See phospholipase A
—— EC 3.1.1.5. See phospholipase B
—— EC 3.1.4.3. See phosphatidylcholine cholinephosphohydrolase (phospholipase C)

XUM

—— EC 3.1.4.3. See phospholipase C
—— EC 3.4.4.4. See trypsin
—— EC 4.1.2.7. See ketose-1-phosphate aldehydelyase; also aldolase
—— EC 5.3.1.1. See D-glyceraldehyde-3-phosphate ketol isomerase
Eosinophils, rat tissue, staining methods, 531
Epicardial lipids, dogs, fatty acid incorporation, 988
Epidermal lipids, 838
Epidermis, human, fatty acid profile, 838
—— human sole skin lipids, 838
Epididymal fat pads, incubation with fatty acid bound to β-lactoglobulin, 403
—— incubation with fatty acid bound to albumin, 403
Epinephrine, on lipolysis and glucose metabolism of human adipose cells, 498
—— micelle uptake by mitochondria, 445
—— stimulation of oxygen consumption in adipose tissue, rat, 220
Epoxy acid, base-catalyzed rearrangement, 137
—— synthesis, 137
Epoxycholesterol, 71
9,10-Epoxyoctadec-12-ynoic acid, from oilseeds, 137
Epoxyoleic acid. See vernolic acid
Equilibrium dialysis, binding anionic detergents, 793
Equilibrium partition, method for binding studies, 403
Equivalent carbon number, in fatty acid anal by GLC, 950
Equivalent chain length, perdeuterio-fatty acid methyl esters, 786
Erythrocytes, and plasma α-tocopherol, 757
—— rat, effect of diet on fatty acid profile, 698
—— rat, extraction of lipid, 698
—— tocopherol turnover, 757
Erythrocyte tocopherol, nutritional status, 757
Esterification, of free fatty acids to triglycerides in bovine mammary cells, 892
—— by human adipose cells, effects of pH, buffer and epinephrine, 498
—— use of microreactor apparatus for, 707
Esterified sterol glucosides, in immature soybeans, 692
Estrus cycle, rats phospholipase B activity, 531
Ethanolamine, incorporation into liver phosphatidylcholine, 412
—— incorporation into liver phosphatidylethanolamine, 412
—— incorporation into rat liver phospholipids, 412
Ethanolamine lipid, synthesis from phosphorylethanolamine in brain microsomes, 725
Ethanolamine phosphoglycerides, alk-1-enyl type (sn-glycero-3-phosphorylethanolamine), dtmn, 1006
—— synthesis from cytidine diphosphate ethanolamine in chicken brain microsomes, 734
DL-Ethionine, effect on conversion of stearic to oleic acid, 583
6-Ethoxy-2,2,4-trimethyl-1,2-dihydroquinoline, antioxidant activity, 509
Euglena gracilis, fatty acid reduction, plants, 259
—— wax synthesis, plants, 259
Euphausia superba, Antarctic krill, density, fatty acid profile, 151
Extraction of phospholipids, from water as molybdate complex, 573

F

Fat cell isolation, cold-exposed rats, 114
Fat cells. See also adipose tissue
Fat free diet, effect on fatty acids of rat bone marrow, 698
Fat oxidation, by heat treated hemoproteins, 365
Fats, effect cholesterol absorption, rat, 142
—— rat abdominal, hydroxy acid content, 832
Fatty acid profile, algae, cultured deuterium oxide, 786
—— alkane diol diesters of vernix caseosa, 279
—— alkane 1,2-diols of skin, 299
—— *Anemone cylindrica* (Gray), 277
—— *Anemone decapetala* Ard., 277
—— of *Aster hayatae* oil, 513
—— in bacteria, 320
—— beef heart plasmologens, 958
—— beef pituitary lipids, 121
—— brain subcellular lipids, 1006
—— of *Calea urticaefolia* oil, 513
—— cardiolipin, *Bacteroides melaninogenicus*, 56
—— cardiolipin, mouse brain, 1006
—— cardiolipin from mycobacteria, 684
—— ceramide phosphoryl glycerol phosphate, *Bacteroides melaninogenicus*, 56
—— of cerebroside in aorta, 607
—— in chicken endogenous adipose tissue triglycerides, 165
—— chicken, endogenous triglycerides of liver, 171
—— of *Chlorella sorokiniana*, 597
—— cholesterol esters, human adrenal, adenoma, 743
—— of copepods, 417
—— developing adipose tissue, hamster, 231
—— of EFA deficient rats, 583
—— effect of cold stress, mouse muscle, 590
—— of *Entomophthora coronata*, 915
—— ethanolamine phosphoglycerides, 1006
—— of ethionine fed rats, 583
—— gangliosides, adrenal medulla, 751
—— of *Grindelia oxylepis* oil, 513
—— human epidermis, 838
—— of *Koelreuteria paniculata* seeds, 672
—— lipids, rat adrenal, diet effect, 743
—— lipolysis brominated vegetable oils, 497
—— liver phospholipids, 566
—— of marine crustacea, 417
—— of microorganisms, 929
—— miniature swine, in liver, serum adipose tissue, 359
—— monoenes in *Mycobacterium bovis*, 720
—— monoenes in *Mycobacterium smegmatis*, 720
—— mouse muscle, diphosphatidyl glycerol, 590
—— mouse muscle, neutral lipids, 590
—— mouse muscle, phosphatidic acid, 590
—— mouse muscle, phosphatidylcholine, 590
—— mouse muscle, phosphatidylethanolamine, 590
—— mouse muscle, phosphatidylinositol, 590
—— mouse muscle, phosphatidylserine, 590
—— mouse muscle, sphingomyelin, 590
—— mouse skeletal muscle, 590
—— mycobacterial triglycerides and phospholipids, 684
—— *trans*-myocardial lipid, of dogs, 988
—— *trans*-myocardial triglyceride, phospholipid, dogs, 988
—— odd chain monoethylenic isomers in smelt, 554
—— odd chain in smelt, 554
—— oilseed lipids, 430, 434
—— phosphatidyl choline, beef pituitary, 121
—— phosphatidyl ethanolamine, beef pituitary, 121
—— phosphatidylethanolamine from mycobacteria, 684
—— phosphatidylinostol from mycobacteria, 684
—— phospholipids, human adrenal, adenoma, 743
—— phospholipids from mycobacteria, 684
—— *Picramnia sellowii* seed oil, 285
—— of pig triglycerides, 921
—— in plasma lipid factions, 896
—— polar bear liver lipids, 469
—— *Ranunculas arvensis* L., 277
—— *Ranunculus constantinopolitanus* D'Urv., 277
—— *Ranunculus falcatus* L., 277
—— *Ranunculus sardous* Crantz., 277
—— *Ranunculus sericeus* Poir., 277
—— in rat endogenous adipose tissue triglycerides, 165
—— rat, endogenous triglycerides of liver, 171
—— of rat carcass, 583
—— of rat liver phosphatidylethanolamine, 412
—— of rat liver phospholipids, 583
—— of rat liver triglyceride, 583
—— of sea water, 417
—— silkworm eggs, 539
—— skin lipids, 299
—— of smelt lipids, 554
—— smelt, triglycerides, phospholipid, 554
—— of soybean, 353
—— soybean lipids, 692
—— soybeans, digalactosyl diglyceride, 692
—— soybeans, esterified sterol glucoside, 692
—— soybeans, sulfolipid, 692
—— *Spongilla wagneri* (sponge) gemmules, 722
—— of *Stenachaenium macrocephalum* oil, 513
—— swine endogenous adipose tissue triglycerides, 161
—— swine, endogenous triglycerides of liver, 171
—— of *Symphytum officinale*, 950
—— of *Temora longicornis*, 417
—— triglycerides, human adrenal, adipose tissue, 743
—— triglycerides from mycobacteria, 684
—— of *Tropaeolum speciosum*, 144
—— trout liver, 80
—— thermophilic and mesophilic fungi, 100
—— of water plant seeds, 950
—— on wax esters of marine organisms, 308
—— of wax esters in pea plant leaves, 398
—— of zooplankton, 417
Fatty acids, absolute conc in *Chlorella*, 597
—— absorption by bovine mammary cells, 892
—— adrenal, fat deficient rat, 743
—— anal of C_{18} and C_{20}, 950
—— anal of by GLC, 950
—— anal in presence of fatty aldehydes, 958
—— aorta cerebrosides, effect of diet, 607
—— arachidonic acid, oxidation, 846
—— binding to β-lactoglobulin, 403
—— binding to bovine serum albumin, 403
—— biosynthesis in embryo and endosperm tissues of flax seeds, 422
—— branched chain, in skin diester waxes, 299
—— brown adipose tissue metabolic regulation, 1
—— brown adipose tissue release, 224
—— brown fat metabolism, role, 30
—— carrier protein, 408

—— chain extension in skin, 838
—— chain length overlap in GLC, 950
—— *Chlorella sorokiniana*, effect of temp on, 597
—— chromatography on siliconized paper, 575
—— conjugated, in *Entomophthora coronata*, 915
—— content of rat platelets, 85
—— conversion to hydrocarbons in bacteria, 320
—— in cyanolipids, 672
—— cyclopropane, synthesis of phospholipids containing, 650
—— cyclopropene, trout diet, liver histology, 80
—— developing adipose tissue, hamster, 231
—— divalent cations, brown fat respiration, rat, 210
—— Δ 10,13,16-docosatrienoate in human adrenal cholesterol ester, 743
—— dog kidney, 293
—— effect of dietary linoleate on metabolism in *Drosophila melanogaster*, 617
—— elongation, plants, 259
—— enzymatic reduction, plants, 259
—— ester formation (in vitro), 180
—— gangliosides of adrenal medulla, 751
—— GLC of Phycomycetes, 915
—— *trans*-6-hexadecenoic acid in leatherback turtle *(Dermochelys coriacea)*, 288
—— *trans*-6-hexadecenoic acid in loggerhead turtle *(Caretta caretta caretta)*, 288
—— *trans*-6-hexadecenoic acid in marine turtles, 288
—— *trans*-6-hexadecenoic acid in *Picramnia sellowii* seed oil, 288
—— *trans*-6-hexadecenoic acid in ridley turtle *(Lepidochelys olivacea kempi)*, 288
—— hydrocarbon biosynthesis, in insects, 239
—— hydrolyzed from cocoa butter by animal lipase, 558
—— hydrolyzed from corn oil by animal lipase, 558
—— hydrolyzed from lard by animal lipase, 558
—— hydroperoxy, absorption, rat, 976
—— from hydroperoxy-linoleic acid, 970
—— identification of *trans* double bonds by GLC, 285
—— identification of 18:4ω3 in *Symphytum officinale*, 950
—— incorporation into lipids in embryo tissues of flax seeds, 422
—— incorporation, *trans*-myocardial, in awake dogs, 988
—— influence of lipase reaction, 572
—— infusion as albumin complex into dog kidney, 293
—— mass spectra, 869
—— mass spectra of, from Phycomycetes, 915
—— *cis* mercuric adducts, formation, 505
—— *trans*, mercuric adducts, formation, 505
—— metabolic origin of monoenes in *Drosophila melanogaster*, 617
—— metabolism, adipose tissue, rat, 220
—— metabolism in bovine mammary cell cultures, 892
—— metabolism of monoenes in mycobacteria, 720
—— metabolism in pig adipose tissue, 921
—— metabolism in rats fed low and high fat diets, 908
—— *trans*-myocardial, incorporation in awake canines, 988
—— nervonic acid (24:1ω9) in human and rat adrenal cholesterol esters, 743
—— odd chain, occurrence of in smelt, 554
—— oxidation by heat treated hemoproteins, 365
—— oxidation with potassium permanganate, 743
—— β-oxidation in brown adipose tissue, 15
—— β-oxidation energies of activation, 15
—— ozonolysis of unsaturated methyl esters, 285
—— peroxy, toxicity, rabbits, 970
—— of pig adipose tissue, triglycerides, stereospecificity, 921
—— perdeuterio-, from algae, 786
—— perdeuterio-, physical properties, 786
—— pigeon, aorta cerebrosides, 607
—— pools in rat adipose tissue, 858
—— potassium dependent respiration, brown fat cell, rat, 210
—— production in adipose tissue, rat, 220
—— production, stimulation by norepinephrine, rat brown adipose tissue, 224
—— production, suppression by insulin, rat adipose tissue, 224
—— rabbit, aorta cerebrosides, 607
—— reaction by hydroperoxides with α-tocopherol, 326
—— release of from rat adipose tissue, 858
—— released from enantiomeric triglycerides by lipase, 580
—— released by lipase from *Leptospira pomona*, 572
—— released by seed lipases, 572
—— role in blood coagulation, 650
—— saturated, epidermis, human, profile, 838
—— silkworm eggs, embryonic development, 539
—— soybean triglycerides, 353
—— substrate of brown adipose tissue, 204
—— succinate effect on oxidation, 15
—— synthesis of deuterated, 869
—— synthesis, from glucose, by human adipose cells, 498
—— synthesis, inhibition, cycloheximide, chloramphenicol, 146
—— synthesis of monounsaturated, in mycobacteria, 720
—— titration, methodological statistics, 452
—— very long chain, biosynthesis, plants, 259
—— very long chain, degradation by chain shortening, 259

Fatty acids, epoxy, in *Afzelia cuanzensis*, 137
—— in blood coagulation, 650
—— in *Dimorphotheca aurantica*, 137
—— in *Dimorphotheca pluvialis ringens*, 137
—— in *Helichrysum bracteatum*, 137
—— in oilseeds, 137

Fatty acids, essential, deficient diets, 896
—— effect of ethionine in EFA deficiency rats, 583
—— metabolism in EFA deficiency rats, 583
—— metabolism, ethionine fed rats, 583
—— metabolism in rat testis, 628

Fatty acids, free, absorption by bovine mammary cells, 892
—— in cell cultures, 49
—— extraction and isolation, 49
—— in fish skin mucus, 947
—— incorporation in triglycerides, phospholipids in bovine mammary cells, 892
—— profile in dog plasma, 896
—— in smelt body, gonads, 554
—— in sponge gemmules, 722

Fatty acids, hydroxy, absorption and metabolism, rat, 983
—— beeswax, optical rotation, 247
—— deposition in adipose tissue, 983
—— epidermis, human, profile, 838
—— formation by hydrogenation of hydroperoxides, 392
—— isolation, rabbit adipose tissue after administration of lipoperoxide, 970
—— mass spectra, 392
—— metabolism, liver slices, 983
—— metabolism, rat, 832, 976
—— profile in skin lipids, 299
—— sodium borohydride reduction, 392
—— surface lipid diesters, 299
—— TLC, 392

Fatty acids, methyl ester, formation from Phycomycetes, 915
—— GLC, 337, 929
—— and GLC elution characteristics, 950
—— prep, 684
—— prep from triglyceride hydrolysates, 513
—— silkworm eggs, embryonic development, 539

Fatty acids, polyunsaturated, ferric catalyzed reaction of hydroperoxide, 326
—— interconversion in rat testis, 628
—— metabolism in rat liver, 575
—— metabolism in rat testis, 628
—— pathway for chain elongation, desaturation, 628
—— in plasma of EFA deficient diet, dogs, 896
—— ratio triene to tetraene in dogs on atherogenic diet, 896

Fatty acids, unsaturated, acetylenic, in blood coagulation, 650
—— alkali isomerization, UV spectra, 430
—— all *cis* 20:2ω6 in rapeseed oil, 430
—— all *cis* 20:3ω3 in rapeseed oil, 430
—— all *cis* 22:2ω6 in rapeseed oil, 430
—— all *cis* 22:3ω4 in rapeseed oil, 430
—— antioxidant effect of silicic acid-silver nitrate chromatography, 713
—— autoxidation, effect of $AgNO_3$, 713
—— biosynthetic routes, monounsaturated, 148
—— of *Brassica nupus* oilseeds, 430
—— chain elongation patterns, vernix caseosa, 279
—— in *Chlorella sorokiniana*, 597
—— comparison between thermophilic and mesophilic fungi, 100
—— conjugated methyl esters, NMR spectra of olefinic protons, 457
—— conjugated in oilseeds, 434
—— countercurrent distribution, C_{20} acids, 489
—— in cyanolipids, 672
—— double bond pattern of dienes, epidermis, human, profile, 838
—— double bond pattern of monoenes, epidermis, human, profile, 838
—— dtmn of *cis-trans* ratio from NMR spectra, 505
—— epidermis, human, profile, 838
—— hydrolysis of *trans*-3-triglyceride, 513
—— Δ6 and Δ9 isomers, vernix caseosa, 279
—— *cis-trans* isomer, 505
—— *trans* isomers in *Picramnia sellowii* seed oil, 285
—— mercuric adducts, NMR spectra, 505
—— mercuric adducts, chromatography on Florisil, 720
—— monoenes, formation by *Drosophila melanogaster*, 617
—— mycobacteria, 720
—— in oilseeds, 137
—— in oilseeds, *Ranunculaceae*, 277

XUM

—— oxidation by heat treated hemoproteins, 365
—— oxidation of α-tocopherol, 63
—— oxidative cleavage, monounsaturated, 148
—— oxidative, reductive ozonolysis, 430
—— ozonolysis-pyrolysis for double bond location, 997
—— periodate-permanganate cleavage products, chromatography of, 720
—— in pig adipose tissue, 921
—— poly-, geometric and positional isomers, 997
—— poly-, metabolism in silkworm eggs, 539
—— poly-, potassium t-butoxide, 997
—— positional isomers of monoenes in mycobacteria, 720
—— positional isomers, monounsaturated, 148
—— postional isomers, vernix caseosa, 279
—— prep of mercuric adducts, 505
—— profile, milk cholesterol esters, 42
—— reaction mechanism of mercuric adduct formation, 505
—— stereospecific of mercuric adducts, 505
—— Δ^5 *cis*-,Δ^7 *cis*-, and Δ^9*cis*-tetradecenoates in *Drosophila melanogaster*, 617
—— TLC on silica gel-silver nitrate, 422, 430
—— vacuum distillation, 430
Fatty acyl desaturase, chain length specificity, 487
—— rat liver, assay, 487
Fatty alcohols, enzymatic synthesis, plants, 259
—— GLC of acetate derivatives, 337
—— of insect cuticular lipids, 239
—— primary, of pea plant leaves, 398
—— secondary, of pea plant leaves, 398
—— synthesis of alk-1-enyl and alkyl ethers, 563
Fatty alcohols profile, normal and neoplastic tissues, 337
—— skin lipids, 299
—— wax diesters of skin, 299
—— in wax esters of marine organisms, 308
Fatty aldehydes, anal in presence of fatty acids, 958
—— dimethyhydrazones, dimethyl acetals, 1,3-dioxolanes, GLC, 958
—— dimethyl acetals, decomp to alk-1-enyl methyl esters, 563
—— enzymatic synthesis, plants, 259
—— in immature soybeans, 692
—— liberated from glyceryl ethers, 661
—— of pea plant leaves, 398
—— prep from fatty acids, 958
—— synthesis, 563
—— synthesis of alk-1-enyl and alkyl ethers, 563
Fatty aldehyde profile, beef heart plasmologens, 958
Feces, human, incubation with 4-^{14}C-cholesterol, 702
—— metabolism of cholesterol, 702
Ferric ion, as catalyst in oxidation of antioxidants by hydroperoxides, 332
—— as catalyst in oxidation of α-tocopherol, 326
Fibroadenoma, non-transplantable, triglycerides, glyceryl ether diesters, 776
Fibrinogen, changes by *trans*, *trans*-linoleate diet, 85
Fish, *Osmerus mordax*, fatty acids and lipid comp, 554
Fish mucus, source of skin surface lipid, 947
Fish, skin mucus, carotenoid content, 947
—— cholesterol content, 947
—— diglycerides content, 947
—— free fatty acid content, 947
—— hydrocarbon content, 947
—— monoglycerides content, 947
—— phospholipid content, 947
—— squalene content, 947
—— sterol esters content, 947
—— triglycerides content, 947
—— wax ester content, 947
Flavin, changes in brown fat cells, 1
Flavoprotein, stabilization by phospholipids, 953
Flax, effect of seed tissues on fatty acid biosynthesis, 422
—— effect of substrate on fatty acid biosynthesis, 422
Flaxseed, See oilseeds, *Linum usitatissimum* L.
—— lipoxidase specificity, 392
Foam cell syndrome, similarity to liver phospholipidosis, 566
Food preservation, heat treatment and lipid oxidation, 365
Free-amino test, phosphatidylethanolamine, 846
Free-radicals, in oxidation of biological antioxidants, 332
—— reactions, effect of lipid unsaturation, 326
Fructose, effect on rat lipids, 621
—— effect on rat serum lipoproteins, 621
—— lipid changes in rat, age dependent, 621
Fungi, *Chaetomium globosum*, fatty acid profile, 100
—— *Chaetomium thermophile*, fatty acid profile, 100
—— fatty acids of thermophilic and mesophilic, 100
—— *Humicola brevis*, fatty acid profile, 100
—— *Humicola grisea*, fatty acid profile, 100
—— *Humicola grisea* var. *thermoidea*, fatty acid profile, 100
—— *Humicola insolens*, fatty acid profile, 100
—— *Humicola lanuginosa*, fatty acid profile, 100
—— *Humicola nigrescens*, fatty acid profile, 100
—— *Malbranchea pulchella*, fatty acid profile, 100
—— *Malbranchea pulchella* var. *sulfurea*, fatty acid profile, 100
—— *Mucor globosus*, fatty acid profile, 100
—— *Mucor pusillus*, fatty acid profile, 100
—— *Penicillium chrysogenum*, fatty acid profile, 100
—— *Penicillium duponti*, fatty acid profile, 100
—— *Phycomycetes*, occurrence of γ-linolenic acid, 100
—— *Stilbella sp.*, fatty acid profile, 100
—— *Stilbella thermophila*, fatty acid profile, 100
—— *Sporotrichum exile*, fatty acid profile, 100
—— *Sporotrichum thermophile*, fatty acid profile, 100
—— thermophilic, comparison of fatty acids with mesophilic, 100

G

Galactose, in cotton bud, 283
—— incorporation into **gangliosides**, *in vivo*, 475
Gallus sp., lipase activity in, 558
Gangliosides, adrenal medulla, fatty acid profile, long chain bases profile, 751
—— analytical method using trinitrobenzenesulfonic acid, α-naphthol, anthrone, 442
—— in lipid monolayer, 636
—— turnover rates in rat brain, synthesis, 475
Gastrocnemius muscle, rat, glycogen in, 524
Gastrointestinal tract, hydroperoxy-linoleic acid distribution, 976
—— rat, gossypol activity in, from diet, 938
—— whole animal, 558
Gaussia princeps, wax ester content, 308
Gavage, feeding triglycerides, rat, 524
Gemmules, sponge, lipid content, fatty acid profile, 722
—— outer coat, fatty acid profile, 722
—— separation of outer coat, 722
Germination, effect of γ-irradiation of lipase activity in castor bean, 519
Giemsa stain, of rat eosinophilic leukocytes, 531
GLC. See chromatography, gas-liquid
Globicephala melaena, wax ester content, 308
γ-Globulin, interaction with thin films of lipid, 636
Glucocorticoids, response in rat plasma to triglyceride feeding, 524
Gluconeogenesis, triglyceride induced, 524
Glucosamine, incorporation into gangliosides *in vivo*, 475
Glucose, incorporation into gangliosides, *in vivo*, 475
—— metabolism of adipose tissue in the absence of, 224
—— rat, plasma, effect of triglycerides, 524
^{14}C-Glucose, incorporation in lipids, rat brain, during myelinaton, 665
Glucose oxidation, by human adipose cells, effects of pH, buffer and epinephrine, 498
Glucose-6-phosphate dehydrogenase (EC 1.1.1.49), adipose tissue, hamster, 231
D-Glucose-6′phosphate:NADP oxidoreductase (EC 1.1.1.49), adipose tissue, hamster, 231
Glyceraldehyde-3-phosphate, triglyceride synthesis, rat liver, 770
—— triglyceride synthesis substrate, 762
D-Glyceraldehyde-3-phosphate-ketol-isomerase (EC 5.3.1.1.), hamster intestinal microsomes, 762
—— inhibitor, 1-hydroxy-3-chloro-2-propanone phosphate, 762, 770
—— in rat liver microsomes, 770
Glycerides, dtmn by GLC in food products, 601
Glycerol, dtmn, methodological statistics, 452
—— fatty acid comp, liver, 469
—— oilseeds, profile of fatty acids, 434
Glycerol dtmn, methodological statistics, 452
—— effect on stability of succinate dehydrogenase, 953
—— formation in white adipose tissue, rat, 220
—— production, stimulation by norepinephrine, rat brown adipose tissue, 224
—— production, suppression by insulin, rat brown adipose tissue, 224
2 deuterio-Glycerol, synthesis, 869
sn-Glycerol-1,2-dioleate-3-palmitate, substrate for lipase, 580
sn-Glycerol-1,2-dipalmitate-3-oleate, substrate for lipase, 580
Glycerol ester, pools in rat adipose tissue, 858
Glycerol ester hydrolase (EC 3.1.1.3), activity in human plasma post-heparin, 385
—— anal of triglyceride species, 353
—— deacylation of oilseed lipids, 434
—— hog, sonication, 362
—— lipoprotein, heparin, assay, 452
—— norepinephrine sensitive, 204
—— similarity to phospholipase in post-heparin plasma, 385
Glycerol ethers, non-synthesis by mitochondria, 577
Glycerol incorporation, into glyceride-glycerol, 114
Glycerol kinase (EC 2.7.1.30), in fat cells, 114
Glycerol lipids, removal from enzyme, 994
sn-Glycerol-1-oleate-2,3-dipalmitate, substrate for lipase, 580

sn-Glycerol-1-oleate-2-stearate-3-palmitate, substrate for lipase, 580
sn-Glycerol-1-palmitate-2-stearate-3-oleate, substrate for lipase, 580
α-Glycerolphosphate, brown fat cells respiration, 1
Glycerol-3-phosphate, triglyceride synthesis substrate, 762
L-Glycerol-3-phosphate=NAD oxidoreductase (EC 1.1.1.8), bromadipose tissue, 23
Glycerophosphate, formation of molybdate complex, 573
α-Glycerophosphate oxidase, in brown fat of primates, 23
Glyceryl alk-1-enyl ether diesters, from dimethyl acetals, 563
Glyceryl alkyl ethers, differential thermal anal, x-ray diffraction, 545
—— physical properties of positional isomers, 545
—— polymorphism, prep methods, melting points, 545
Glyceryl-tri-5,5-dideuterio-heptadecanoate, synthesis, 869
Glyceryl-tri-4,4-dideuterio-hexadecanoate, synthesis, 869
Glyceryl-tri-9,10-dideuterio hexadecanoate, mass spectra, 861
Glyceryl-tri-6,6-dideuterio-octadecanoate, synthesis, 869
Glyceryl-tri-6,7-dideuterio-octadecanoate, mass spectra, 861
Glyceryl-tri-6,7-dideuterio-octadecanoate, synthesis, 861
Glycreyl-tri-3,3-dideuterio-pentadecanoate, synthesis, 869
Glyceryl-tri-2,2-dideuterio-tetradecanoate, synthesis, 869
Glyceryl ethers, in normal and neoplastic tissues, 337
—— monoesters, physical data, 545
—— polar bear liver, 469
Glyceryl ethers diesters, differential thermal anal, x-ray diffraction, 545
—— 1-palmityl, 1-stearyl, 2-palmityl, 2-stearyl, physical data, 545
—— physical properties of positional isomers, 545
—— polymorphism, prep methods, melting points, 545
—— in tumors, 776
2-deuterio-Glyceryl-1-hexanoate-2,3-dioctadecanoate, mass spectra, 861
—— synthesis, 861
2-deuterio-Glyceryl tributanoate, infrared spectra, 861
—— mass spectra, 861
—— synthesis, 861
Glyceryl trihexadecanoate, mass spectra, 861
2-deuterio-Glyceryl trioctadecanoate, mass spectra, 861
—— synthesis, 869
perdeuterio-Glyceryl-trioctadecanoate, synthesis, 869
—— mass spectra, 861
Glyceryl-tritetradecanoate, mass spectra, 861
Glycogen, changes in developing fatty tissues, hamster, 231
—— rat liver, gastrocnemius muscle, 524
—— rat, metabolism, in triglyceride feeding, 524
Glycogenolysis, triglyceride induced, 524
Glycol, negative ion mass spectra, 825
Glycolipids, 1-^{14}C-acetate, incorporation by oilseed embryo, 422
—— analytical method using trinitrobenzenesulfonic acid, α-naphthol, anthrone, 442
—— biosynthesis, *in vivo,* rat brain, 475
—— in immature soybeans, 692
—— in oilseeds, *Linum usitatissimum* L., 422
Glycosphingolipid. See sphingolipid (carbohydrate containing) or glycolipid
Gonads, fatty acid profile, smelt, 554
—— lipid comp, smelt, 554
Gossypol, activity in expired CO_2 after feeding ^{14}C-formyl labelled, 938
—— biological half-life in rat, 938
—— decarboxylation in rat tissue, effect of $FeSO_4$, 938
—— detoxification by $FeSO_4$, 938
—— dietary studies and metabolic fate, 938
—— distribution between organic solvents and citrate buffers, pH effect, 938
—— distribution in rat tissue after feeding, 938
—— effect on proteolysis, 765
—— excretion by urine, feces, 938
—— excretion, effect of $FeSO_4$ on, 938
—— extraction from tissue samples, 938
—— ^{14}C-formyl labelled, 938
—— metabolism in rats, 938
—— reabsorption by renal tubules, 938
—— scintillation counting, labelled metabolic products of, 938
Graphic presentation, of schlieren data, 491
Growth, rat, dietary fats, 128
Guide to authors, manuscript preparation, 159
Guinea pig, CNS demyelination, 964
—— diester in skin lipids, 299
Guinea pig muscle, phospholipid comp, autolysis, 485
Gum arabic, emulsifying agent, lipase hydrolysis of triglycerides, 362

H

Halogenation, use of microreactor apparatus for, 707
Hamster, brown fat cells, respiration, ATP content, 1
Hamster adipose tissue, embryology, development, metabolism, 231
—— isolated cells, metabolic control, 204
Heart, bovine, wax esters and fatty alcohols, 337
—— rat, cholesterol content, 908
—— rat, gossypol activity in, from diet, 938
Heat activation, of enzymes, effect on lipid oxidation, 365
Heat treatment, of hemoproteins, effect on lipid oxidation, 365
Heavy water. See deuterium oxide
HeLa cell cultures, 49
Helenynolic acid, from oilseeds, 137
Helichrysum bracteatum, seed oil, 137
Hematin compounds, heat treated, lipid oxidation by, 365
Hematology, of patient with lipid storage disease, 566
Hematosides, adrenal medulla, fatty acids and long chain bases, 751
Hemoproteins, heat treated, lipid oxidation by, 365
Hemostasis, influence of non-physiologic fatty acids, 85
Hendec-10-en-1-al, negative ion mass spectra, 825
Hendec-10-en-1-ol, negative ion mass spectra, 825
n-Heneicosane, cockroach, 38
Hentriacotan-16-ol, pea plant leaves, 398
Heparin, clearing effect on phospholipid microemulsion, 445
—— release of lipase activity in plasma *in vivo,* 385
Hepatosplenomegaly, phospholipids, 566
9,18-Heptacosadiene, insect cuticular lipids, 239
cis,cis-6,9-Heptacosadiene, insect cuticular lipids, 239
n-Heptacosane, cockroach, 35, 38
—— insect cuticular lipids, 239
2-cis,cis-$\Delta^{8,21}$-Heptadecadienyl-4-hydroxymethyl-1,3-dioxolane dihydrogen phosphate esters, synthesis, 803
Heptadecanoic acid (17:0), desaturation by liver microsomes, 611
5,5-dideuterio-Heptadecanoic acid, synthesis, 869
5,5-dideuterio-Heptadecanol, synthesis, 869
2-cis-Δ^{8}-Heptadecenyl-4-hydroxymethyl-1,3-dioxolane dihydrogen phosphate esters, synthesis, 803
5,5-dideuterio-Heptadecyl cyanide, synthesis, 869
5,5-dideuterio-Heptadecyl mesylate, synthesis, 869
1-Heptanal, negative ion mass spectra, 825
n-Hexacosane, cockroach, 38
cis-17-Hexacosenoic acid, in *Tropaeolum speciosum* seed fat, 144
Hexadeca-3,6-dienoic acid, perdeuterio-, algae, mass spectra, 786
cis-7,cis-10-Hexadecadienoic acid, in *Anemone,* 277
Hexadecane, binding to β-lactoglobulin, 403
Hexadecanoic acid (16:0), desaturation by liver microsomes, 611
4,4-dideuterio-Hexadecanoic acid, synthesis, 869
cis-6-Hexadecenoic acid, from *Picramnia sellowii* seed oil, 285
trans-6-Hexadecenoic acid, in depot fat of marine turtles, 288
—— from *Picramnia sellowii* seed oil, 285, 288
Hexamethyldisilazane, silylizing agent for glycerides, 601
Hibernation, brown adipose tissue metabolism during, 15
Hicks-Pitney, antithromboplastin test, 650
Histology of demyelination, guinea pig, 964
Hog, lipase activity in, 558
—— See also pig, swine
Homo sapiens. See human
Hoplostethus islandicus, wax ester content, 308
Host-parasite relations, cholesterol transfer, 282
Human adrenal, fatty acids in cholesterol ester, phospholipid and triglyceride, 743
Human blood plasma, sphingolipid long chain base comp, 878
Human brain, lipids, TLC, 494
—— lithocholic acid in, 578
Human cell cultures, 49
Human feces, incubation with 4-^{14}C-cholesterol, 702
Human lipase, activity in, 558
Human liver, accumulation of acidic phospholipid, 566
—— electron microscopy, lipid storage disease, 566
—— histological staining for lipids, 566
—— lipid comp, 566
—— phospholipid comp, 566
Human newborn, lipids, 279
Human pituitary, lipid comp, 121
Human rectus muscle, phospholipid comp, autolysis, 485
Human serum lipoproteins, anal, 501
—— apoprotein, 501
—— cholesterol, triglyceride, phospholipids, free fatty acids, 501
—— lipid comp, 501
—— low density, 501
Human sole skin lipids, 838
Hydrocarbon profile, beeswax and fractions, 247
—— bumblebee wax, 247
—— polar bear liver, 469
Hydrocarbons, bacteria, comp, metabolism, review, 320
—— biosynthesis from fatty acids, in insects, 239

XUM

—— biosynthesis pathways, 259
—— branched-chain, content in microorganisms, 929
—— branched, insects, 35, 38
—— branched, of insect cuticular lipids, 239
—— in fish skin mucus, 947
—— GLC, 929
—— insect, *Blatta orientalis*, 35
—— of insect cuticular lipids, 239
—— insect, *Leucophaea maderae*, 35
—— non-incorporation of acetate into, by microorganisms, 929
—— pea plant leaves, 398
—— silkworm eggs, 539
—— in smelt body, gonads, 554
—— unsaturated, content in microorganisms, 929
—— unsaturated, insect, 38
Hydrogenation, of cyanolipids, 672
—— of egg phosphatidylcholine, 636
—— micro, fatty acid methyl esters, 590
—— use of microreactor apparatus for, 707
Hydrogen peroxide, effect on cholesterol esterification, 663
Hydrogen peroxide: donor oxidoreductase (EC 1.11.1.7). See peroxidase
Hydrogen peroxide:hydrogen peroxide oxidoreductase (EC 1.11.1.6). See catalase
Hydrolysis, acid, of alk-1-enyl glyceryl ethers, 661
—— mechanism of lipase action on triglycerides, 513
—— reaction rates of oilseed triglycerides, 513
—— retardation of rate in *trans*-3-unsaturated triglycerides, 513
Hydroperoxidation, by lipoxygenase from corn seed, 678
Hydroperoxides, of ethyl arachidonate, 326
—— ferric catalyzed reaction with α-tocopherol, 326
—— ferric catalyzed reactions, 332
—— formation from fatty acid esters, 326
—— mechanism of reaction with antioxidants, 332
—— of menhaden (*Brevoortia tyrannus*) esters, 326
—— of methyl eicosapentaenoate, 326
—— of methyl linoleate, 326, 332
—— of methyl linoleate, peroxide value, 332
—— of methyl linolenate, 326
—— reduction with $NaBH_4$, 678
9-Hydroperoxyoctadecadienoic acid, in flaxseeds, 392
13-Hydroperoxyoctadecadienoic acid, in flaxseeds, 392
—— mass spectra, 392
9-D-Hydroperoxy-trans-10,cis-12-octadecadienoic acid, from corn lipoxygenase action, 678
9-Hydroperoxy-10,12-trans,trans-octadecadienoic acid, methyl ester, absorption, metabolism, rat, 976
—— methyl ester, prep, metabolism, 970
13-Hydroperoxy-9,11-trans,trans-octadecadienoic acid, methyl ester, prep, metabolism, 970
13-Hydroperoxy-10,12-trans,trans-octadecadienoic acid, methyl ester, absorption, metabolism, rat, 976
Hydrostatic agents, marine lipids, 151
Hydroxy acid, biosynthesis, 137
N-Hydroxyamino acids, as antioxidants, 509
Hydroxy-3-chloro-2-propanone phosphate, D-glyceraldehyde-3-phosphate-ketol-isomerase inhibitor, 770
1-Hydroxy-3-chloro-2-propanone phosphate, inhibitor, D-glyceraldehyde-3-phosphate-ketol-isomerase (EC 5.3.-1.1), 762
3α-Hydroxy-5β-cholanoic acid, methyl ester, mass spectra, 578
3β-Hydroxy-Δ^8-cholenic acid, demyelinating agent, 964
α-Hydroxy fatty acids, skin lipids, 299
Hydroxylamines, melting points, 509
—— synthesis, 509
3-Hydroxy-3-methylglutaryl-CoA, 104
—— p-bromphenacyl ester, 104
—— quantitation of, 104
3-Hydroxy-3-methylglutaryl-CoA reductase (EC 1.1.1.34), 104
N-Hydroxymorpholine, antioxidant activity, 509
Hydroxyoctadecadienoic acid, methyl ester, hydrogenation, 678
—— methyl ester, synthesis from hydroperoxyoctadienoic acid, isolation by column chromatography, 678
9(13)-Hydroxy-octadecadienoic acid, methyl ester, synthesis, 983
10-Hydroxypalmitic acid, metabolite of 12-hydroxystearic acid, 832
14-Hydroxypalmitic acid, in beeswax, 247
15-Hydroxypalmitic acid, in beeswax, 247
16-Hydroxypalmitic acid, (lactone), in beeswax, 247
N-Hydroxypiperidine, antioxidant activity, 509
N-Hydroxypyrolidine, antioxidant activity, 509
Hydroxysphinganine, review, 878
Hydroxystearic acid, deposition and metabolism in rats, 832
—— methyl ester, elution from silicic acid column, 678
9-D-Hydroxystearic acid, methyl ester, optical rotation, 678
Hypercholesteremia, correlation with cholesterol esterification in pigeon serum, 153
Hyperlipidemia, in human liver disease, 566
Hyperoodon ampullatus, wax ester content, 308
Hyperresponder, atherogenic diet, serum cholesterol, 153
Hypertriglyceridemia, in rats, triglyceride feeding, 524
Hyporesponder, atherogenic diet, serum cholesterol, 153

I

Ileum, rat, cholesterol synthesis, B_6 deficiency, 109
Immunoadsorption, prep of low density lipoproteins, 501
Immunoelectrophoresis, of plasma lipoproteins, 896
Impatiens gladuligera, fatty acid, triglyceride profile, 434
Inhibition, of stearic acid desaturation, rat liver, 583
Inhibitors, of lipoprotein lipase activity, 452
Insectivore, brown fat oxidative enzymes, 23
Insect lipids, 35, 239
Insects, *Acheta domesticus*, lipid comp, 239
—— *Anabrus simplex* Hald., lipid comp, 239
—— *Apis mellifera*, wax comp, 247
—— *Blatta orientalis*, 35
—— *Blatta orientalis*, lipid comp, 239
—— *Bombus rufocinctus*, wax comp, 247
—— *Ceroplastes albolineatus*, lipid comp, 239
—— *Ceroplastes destructor*, lipid comp, 239
—— *Ceroplastes rusci*, lipid comp, 239
—— *Ceroplastes rusci*, wax comp, 247
—— *Coccus ceriferus*, wax comp, 247
—— *Gascardia madagascariensis*, wax comp, 247
—— *Icerya purchasi*, wax comp, 247
—— *Leucophaea maderae*, 35
—— *Leucophaea maderae*, lipid comp, 239
—— monoene synthesis in *Drosophila melanogaster*, 617
—— *Periplaneta americana*, lipid comp, 239
—— *Periplaneta australasiae*, 38
—— *Periplaneta australasiae*, lipid comp, 239
—— *Periplaneta brunnea*, 38
—— *Periplaneta brunnae*, lipid comp, 239
—— *Periplaneta fuliginosa*, 38
—— *Periplaneta fuliginosa*, lipid comp, 239
—— *Pteronarcys californica*, lipid comp, 239
—— *Pulvinaria flocifera*, wax comp, 247
—— *Quadraspidiotus perniciosus*, wax comp, 247
—— *Sami cynthia ricini* (Jones), lipid comp, 239
—— *Tachardia lacca*, wax comp, 247
Insulin, antilipolytic effect, brown fat cell, rat, 210
—— effect on brown adipose tissue slices, 224
—— inhibition of brown fat cell respiration, rat, 210
Intestinal mucosa microsomes, hamster, triglyceride synthesis, 762
Intestine, rat, B_6 deficient, cholesterol synthesis, 109
—— small, rat, gossypol activity in, from diet, 938
Intracerebral injection, of bile acids, 964
Ionic strength, effect on β-lactoglobulin binding of fatty acids, 403
Iron (III), as catalyst in oxidation of antioxidants by hydroperoxides, 332
—— as catalyst in oxidation of α-tocopherol, 326
γ-Irradiation, effect on castor bean lipase, 519
Isomerism, in glyceryl ethers, 545
Isomerization, mechanism, carbanion, 997
Isomers, fatty acids, positional, monoethylenic in smelt, 554
—— positional, monounsaturated fatty acids, 148
—— positional of monounsaturated fatty acids from mycobacteria, 720
Isoprenoid hydroxynitriles, fatty acid esters of, 672, 812
Isosbestic point, oxidation of α-tocopherol by methyl linoleate hydroperoxides, 326
Isotope balance method, in bacterial degradation of sterols, 702

J

Jacaric acid, from oilseeds, 137
Jejunum, rat, cholesterol synthesis, B_6 deficiency, 109

K

Ketose-1-phosphate aldehyde-lyase (EC 4.1.2.7), adipose tissue, hamster, 231
Kidney, lipid class profile in dog medulla and cortex, 293
Kidney, bovine, sphingolipid long chain bases, 878
Kidney, dog, fatty acid profile, 293
—— incorporation of 1-^{14}C palmitate and oleate 9,10-H^3 into lipids, 293
—— infusion of labeled fatty acids, 293
—— lipid metabolism, 293
—— lipid metabolism in medulla and cortex, 293
—— metabolism of triglycerides and phospholipid *in vivo*, 293
—— triglycerides profile, 293
Kidney, human, sphingolipid long chain bases, 878

Kidney, rabbit, phospholipids, relation to (Na^+ + K^+)—ATPase, 658
—— phospholipids, relation to Rb^+ transport, 658
Kidney, rat, gossypol activity in, from diet, 938
Kidney triglycerides, dog, phospholipids, fatty acid profiles, 293
Kinetics, of antioxidant oxidation, vitamin E and Coenzymes Q, 332
—— of α-tocopherol oxidation, 326
Kloeckera brevis, phosphatidylmyoinositol, 463
Koelreuteria cyanolipids, GLC, 672
Koelreuteria paniculata, 672

L

β-Lactoglobulin, binding of long chain fatty acids, 403
Laemonema morosum, wax ester content, 308
Lampanyctus ritteri, wax ester content, 308
Lard, cholesterol absorption, rat, 142
—— heated, and unheated, long term effects of feeding to rats, 128
—— stripped of sterols, cholesterol absorption, rat, 142
—— as substrate for lipase, 572
Latimeria chalumnae, wax ester content, 308
Lauric acid, binding to β-lactoglobulin, 403
—— major dietary fatty acid component of atherogenic diets, 896
Lecithin. See phosphatidylcholine
Lepatectomy, partial, rat, lipoprotein and protein synthesis after, 156
Lepidochelys olivacea kempi, turtle, ridley, *trans*-6-hexadecenoic acid, 288
—— *trans*-6-hexadecenoic acid in depot fat, 288
Lepidocybium flavobrunneum, wax ester content, 308
^{3}H-Leucine, incorporation into lipoproteins of rat serum, 621
U-^{14}C-Leucine, incorporation, serum lipoproteins, rat, 156
Leucophaea maderae. See insect
Leukemia, Friend virus, triglycerides, glyceryl ether diesters, 776
Leukocytes, eosinophilic, phospholipase B (EC 3.1.1.5) activity, 531
—— rat, histological staining, 531
—— rat, isolation from organs, 531
Lignoceric acid (24:0), formation from linoleic acid in rat testis, 628
Linoleic acid, absorption by bovine mammary cells, 892
—— in *Anemone*, 277
—— cyclization, 191
—— effect of diet on rate of oxidation, rats, 908
—— feeding, rat, effect on bone marrow fatty acid profile, 698
—— feeding, rat, effect on erythrocyte fatty acid profile, 698
—— hydrocarbon biosynthesis, insects, 239
—— hydroperoxidation by lipoxidase, 392
—— hydroperoxides, chromatography, 678
—— hydroperoxides, column chromatography, 678
—— hydroperoxides, 9-D-hydroperoxy-trans-10,cis-12-octadecadienoic acid from lipoxygenase action, 678
—— hydroperoxides, infrared spectra, 678
—— hydroperoxides, mass spectra, 678
—— hydroperoxides, NMR spectra, 678
—— hydroperoxides, optical rotation, 678
—— metabolism, liver slices, 983
—— methyl ester, chromatography on silicic acid-silver nitrate columns, 713
—— methyl ester, hydroperoxde reaction with α-tocopherol, 326
—— methyl ester, isomerization, UV, IR, NMR spectra, 997
—— methyl ester, oxidation in presence of vitamin E, 63
—— from oilseeds, 137
—— oxidation, 846
—— oxidation in cholesterol fed rats, 908
—— oxidation by heat treated hemoproteins, 365
—— See also oilseeds, *Linum usitatissimum* L.
—— in plasma of EFA deficient diet dogs, 896
—— in rat liver phosphatidylcholine, 412
—— in rat liver phosphatidylethanolamine, 412
γ-Linoleic acid, in lipids of *Entomophthora coronata*, 915
Linoleic acid (18:2ω6), metabolism in *Drosophila melanogaster*, 617
1-^{14}C-Linoleic acid (18:2ω6), metabolism in ethionine fed rats, 583
^{14}C-Linoleic acid (18:2ω6), metabolism in rat testis, 628
trans,trans-Linoleic acid, esters, in diet, hemostasis, 85
Linoleic acid desaturation, inhibition by docosapentaenoic and docosahexaenoic acids, 1013
Linoleic acid hydroperoxide, methyl ester, absorption, rat, 976
1-^{14}C-Linoleic acid hydroperoxide, methyl ester, $^{14}CO_2$ expiration, rabbit, 970
—— methyl ester, tissue distribution of radioactivty, 970
Linolenic acid, in cotton bud, 283
—— hydroperoxidation by lipoxidase, 392
—— methyl ester, chromatography on silicic acid-silver nitrate columns, 713
—— methyl ester, hydroperoxide reaction with α-tocopherol, 326
—— methyl ester, isomerization, UV, IR, NMR spectra, 997
—— methyl ester, silkworm eggs, 539
—— See oilseeds, *Linum usitatissimum* L.
—— oxidation, 846
—— in soybean triglycerides, positional specificity, 353
γ-Linolenic acid, in *Anemone*, 277
—— desaturation of linoleic acid in EFA deficient rats, 583
—— in *Mucor globosus*, 100
—— in *Mucor pusillus*, 100
Linolenic acid desaturation, inhibition by docosapentaenoic and docosahexaenoic acids, 1013
1-Linoleyl-2,3-distearin, oxidation, thermal, 191
—— thermal oxidation, 187
Linum usitatissimum, lipoxidase specificity, 392
Lipase, acetone powder, prep, 558
—— activity in *Aplysia californica*, 558
—— activity in *Cambarus virilis*, 558
—— activity in *Chaetopterus variopedatus*, 558
—— activity in *Chelydra serpentina*, 558
—— activity in *Ciona intestinalis*, 558
—— activity in *Dendrostomum pyroides*, 558
—— activity in *Didelphis marsupialis*, 558
—— activity in *Dysidea amblia*, 558
—— activity in *Gallus sp.*, 558
—— activity in *Homo sapiens*, 558
—— activity in *Lumbricus terrestris*, 558
—— activity in *Metridium senile*, 558
—— activity in *Parastichopus parvimensis*, 558
—— activity in *Pisaster giganteus*, 558
—— activity in *Rhesus sp.*, 558
—— activity in *Squalus acanthus*, 558
—— activity in *Strongylocentrotus purpurtus*, 558
—— activity in *Suis scrofa domestica*, 558
—— activity in *Tetrahymena pyriformis*, 558
—— castor bean, acid and neutral enzymes in germinating seeds, 519
—— castor bean activity during germination, 519
—— castor bean, assay, 519
—— castor bean, effect on activity, γ-irradiation, 519
—— castor bean, hydrolysis of triglycerides of oilseeds, 513
—— castor bean, pH optimum, 519
—— castor bean, prep of enzyme, 519
—— from *Leptospira pomona*, specificity, 572
—— from pancreas, hepatopancreas, 558
—— pancreatic, EC 3.1.1.3, species specificity, 558
—— pancreatic, hydrolysis of lipids from mycobacteria, 684
—— pancreatic, hydrolysis of triglycerides of oilseeds, 513
—— pH optimum, activity, 558
—— positional specificity, 558
—— rat, from bone marrow, activity, 698
—— screening for lipolytical using tributyrin, 558
—— from seeds, specificity, 572
Lipase (EC 3.1.1.3), activity in human plasma post-heparin, 385
—— anal of triglyceride species, 353
—— deacylation of oilseed triglycerides, 434
—— lipoprotein, assay, 462
—— pancreatic, hog, effect of sonication, 362
—— pancreatic, hog, effect of temp, 362
Lipemia, hyper-, in saturated fatty acid diet, 896
Lipid classes, rat platelets changes by *trans*, *trans*-linoleate, 85
Lipid composition, of immature soybean, 692
Lipid extraction, from aorta, rabbit, pigeon, 607
—— from *Chlorella sorokiniana*, 597
—— from copepods, 417
—— from cotton buds, 283
—— Darmstoff, from rabbit kidney, 803
—— from dog kidney, 293
—— esterification of free acids to ester, 539
—— from fish skin mucus, 947
—— from fungi, 100
—— from human cell cultures, 49
—— from human feces, 702
—— from insects, cockroaches, 35, 38
—— from *Kloeckera brevis* cells, 463
—— from marine crustacea, 417
—— from *Micrococcaceae*, 929
—— from microorganisms, 56
—— from mycobacteria, 684
—— from oilseeds, 513

—— from oilseeds, *Linum usitatissimum* L., 422
—— from pea plant leaves, 398
—— from Phycomycetes, 915
—— from pig adipose tissue, 921
—— from pituitary, human, bovine, 121
—— from rabbit tissues, 970
—— from rat bone marrow, erythrocytes, 698
—— from rat testis, 628
—— from rat thoracic duct lymph, 379
—— from rat tissues, 832
—— removal of non-lipid contaminants, 367
—— removal of water, 367
—— from *Sapindaceae* seeds, 672
—— from sea water, 417
—— from shark liver, 856
—— from silkworm eggs, 539
—— from soybeans, 353, 692
—— from sponge gemmules, 722
—— from subcellular particles, brain, 1006
—— from *Trichinella spiralis* larvae, 282
—— from *Vicia faba* leaves, 367
—— from zooplankton, 417
Lipid metabolism, in rat liver, cycloheximide, chloramphenicol, 146
Lipid monolayers, interaction with protein, 636
—— mechanism of free penetration, 636
—— mechanisms of protein penetration, 636
—— membrane models, 636
—— penetration of protein, 636
Lipid oxidation, by heat treated hemoproteins, 365
Lipid-protein films, attack by phosphatide acyl hydrolase (EC 3.1.1.4), 636
—— attack by proteolytic enzymes, 636
—— dtmn of absorbed protein, 636
—— organization of protein, lipid, 636
Lipid-protein interactions, studied in monolayers, 636
Lipids, accumulation in developing brown fat, hamster, 231
—— beef heart, plasmologens, 958
—— comp of *Entomophthora coronata*, 915
—— content of *Chlorella*, 597
—— content of sponge gemmules, 722
—— distribution in smelt muscle and gonads, 554
—— of fish skin mucus, 947
—— interactions in myelin, 665
—— marine, density of classes, fatty acid profile, 151
—— of *Micrococcaceae*, 929
—— microsomal, role in enzymatic activity, 611
—— milk, 42
—— pea plant leaves, 398
—— plasma, of dogs on atherogenic diets, 896
—— seed, profile in embryo and endosperm tissues of flax, 422
—— of soybeans, 353
—— uptake of ^{14}C-glucose in rat during myelination, 665
Lipid structure, effect on surface pressure of thin films, 636
Lipolysis, enzymatic of oilseeds, 513
—— of human adipose cells, effects of pH, buffer and epinephrine, 498
Lipolytic activity, in plasma, chromatography on Sephadex columns, 385
—— in plasma, purification by anion-exchange, 385
—— in plasma, purification by n-butanol, 385
—— in plasma, purification by electrophoresis, 385
—— in plasma, purification by ultracentrifugation, 385
Lipoperoxide, distribution in gastrointestinal tract, 976
—— lymphatic absorption, 976
—— metabolism, rabbits, 970
—— metabolism, rat, 976
Lipoprotein lipase (EC 3.1.1.3), activity dtmn, methodological statistics, 452
—— activity, post-heparin, in human plasma, 452
—— *in vitro*, substrate specificity, 452
Lipoproteins, effect of fructose on rat serum, phospholipids, nitrogen content, 621
—— fractionation, 156
—— human, lipid comp of LDL and VLDL, 501
—— isolation of pre-β- and β-lipoproteins from human serum, 501
—— low density, anal, 501
—— low density, apoprotein, 501
—— low density, electophoresis, immunodiffusion, ultracentrifugation, 501
—— low density, immune specific absorber, 501
—— low density, rat, cholesterol content, 621
—— of rat serum, 156
—— rat serum concentrations, 156
—— See also apoprotein
—— utilization by regenerating liver, rat, 156
—— very low density, anal, 501
—— very low density, apoprotein, 501
—— very low density, electrophoresis, immunodiffusion, ultracentrifugation, 501
—— very low density, immune specific absorber, 501
α-Lipoproteins, in EFA deficient diet dogs, 896
β-Lipoproteins, and EFA deficient diets, 896
—— See lipoproteins, low density
Pre-β-lipoproteins. See lipoproteins, very low density
Lipoprotein spectra, logarithmic scale, 491
Lipoprotein synthesis, rats, hepatectomy, 156
Lipoxidase (EC 1.13.1.3.), specificity of flaxseed, 392
Lipoxygenase, corn germ, 9-D-hydroperoxy-*trans*-10-*cis*-12-octadecadienoic acid from linoleic acid, 678
—— purification from corn seed, 678
—— See lipoxidase
Liquid scintillation counting, of radioactive lipids, 892
Lithium aluminum hydride, reduction of alkyl sulfates, 149
Lithium aluminum hydride reduction, of phosphorylated β-keto fatty acid, 577
Lithocholic acid, 76
—— demyelinating agent, 964
—— in human brain, 578
Liver, chicken, endogenous triglyceride comp, 171
—— electron microscopy, lipid storage disease, 566
—— fatty, accumulation of acidic phospholipids, 566
—— fatty, hyperlipemia with hepafosplenomegaly, 566
—— lipid comp, 566
—— lipid storage disease, 566
—— microsomes, in ethionine fed rats, 583
—— microsomes, rat, triglyceride synthesis, 770
—— miniature swine, fatty acid profile, 359
—— mouse, post-mortem changes in methyl esters, temp, 180
—— phospholipid comp, 566
—— regeneration, rat, lipoprotein synthesis during, 156
—— shark, oil, density, fatty acid profile, 151
—— swine, endogenous triglyceride comp, 171
—— trout, histology, cyclopropene fatty acids fed, 80
Liver cultures, 49
Liver lipids, polar bear, comp, 469
Liver phospholipids, triglycerides in ethionine fed rats, 583
Liver, rat, cholesterol content, 908
—— effect of fructose on serum, liver lipids, 621
—— endogenous triglyceride comp, 171
—— fatty acid desaturation, 611
—— fatty acid metabolism, ethionine effect on, 583
—— fatty acyl desaturase, chain length specificity, 487
—— glycogen, effect of triglyceride feeding, 524
—— gossypol activity in, from diet, 938
—— 9(13)-hydroxy-octadecadienoic acid, methyl ester, metabolism by slices, 983
—— incorporation of ethanolamine into phospholipids, 412
—— linoleic acid methyl ester, metabolism by slices, 983
—— metabolism of cholesterol, 908
—— metabolism, cycloheximide, chloramphenicol, 146
—— metabolism of 5,11,14-eicosatrienoic acid, 575
—— mevalonic acid biosynthesis, 104
—— prep of microsomes, 611
—— triglycerides, phospholipid, cholesterol content, 621
—— wax esters and fatty alcohols, 337
Living epidermis, human sole, lipids, 838
Long chain bases, gangliosides of adrenal medulla, 751
Loosening of coupling, in brown adipocytes during norepinephrine stimulation, 204
Lotella phycis, wax ester content, 308
Lumbricus terrestris, lipase activity in, 558
Lung, rat, gossypol activity in, from diet, 938
Lung cultures, 49
Lymph lipids, hydroperoxy-linoleic acids, 976
Lymph node, electron microscopy, 566
Lypolysis, adipose tissue, comparison white and brown, rat, 210
—— prostaglandin E, inhibition, rat brown adipose tissue, 210
Lysine, reaction wth gossypol, epsilon-amino group, 765
Lyso-bis-phosphatidic acid, content of liver, 566
—— liver, fatty acid profile, 566
Lysophosphatidylcholine, formation in post-heparin plasma, 385
—— incorporation of fatty acids in bovine mammary cells, 892
Lysophosphatidylethanolamine, formation in post-heparin plasma, 385
Lysozyme, interaction with thin films of lipid protein, 636

Mc

McLafferty rearrangement, in triglyceride mass spectra, 869

M

Macaca mulatta, brown fat biochemistry, cold acclimation, 23
L-Malate:NAD oxidoreductase (EC 1.1.1.37), adipose tissue, hamster, 231

Malic acid dehydrogenase (EC 1.1.1.37), adipose tissue, hamster, 231
Malonic acid, hydrocarbon biosynthesis, insects, 239
—— incorporation into fatty acids in flax seeds and seed tissues, 422
Malonyl-CoA, conversion to mevalonate, 104
—— synthesis, 104
Mammary cells, bovine, absorption of fatty acids, 892
Mammary tissue, cholesterol esters, 42
Man, vernix caseosa diester in skin lipids, 299
Marine lipids, density of classes, fatty acid profile, 151
Mechanism, antioxidant activity of hydroxylamines, 509
Melting points, triglycerides, glyceryl ethers, 545
Membranes, structure of cuticular lipid layer, insects, 239
Menhaden oil, fatty acid hydroperoxides, 326
Mercuric acetate adducts, unsaturated fatty acids, NMR spectra, 505
Meriuccius capensis, wax ester content, 308
Metabolic activity, effect on *in vivo* incorporation, rat brain lipids, 475
Metabolic pathways, effect on *in vivo* incorporation, rat brain lipids, 475
Metabolism, aliphatic hydrocarbons in bacteria, 320
—— bile acids injected by central nervous system tissue, 964
—— 5,11,14-eicosatrienoic acid in rats, 575
—— glycogen in triglyceride fed rats, 524
—— lipoperoxides, rabbit, 970
—— sphingolipid long chain bases, review, 878
—— of triglycerides in pig adipose tissue, 921
cis-di-9,10-Methyleneoctadecanoic acid, synthesis of phospholipid containing, 650
3-Methyl hydrocarbons, 35
3-Methylheptacosane, cockroach, mass spectrum, 35
—— insect cuticular lipids, 239
11-Methylheptacosane, cockroach, mass spectrum, 35
—— insect cuticular lipids, 239
13-Methylheptacosane, cockroach, mass spectrum, 35
13-Methylhexacosane, cockroach, 38
Methyl linoleate, formation to hydroperoxides, 332
3-Methylpentacosane, insect cuticular lipids, 239
13-Methylpentacosane, cockroach, 38
3-Methyl tricosane, cockroach, 38
11-Methyl tricosane, cockroach, 38
3-Methyltetracosane, cockroach, 38
12-Methyltetracosane, cockroach, 38
Metridium senile, lipase activity in, 558
Mevalonate=NADP oxidoreductase (acylating CoA) (EC 1.1.1.34), 104
Mevalonic acid, synthesis, inhibition, cycloheximide, chloramphenicol, 146
Mevalonic acid biosynthesis, effect of avidin and biotin on, 104
—— by particulate enzymes, 104
—— in rat liver, 104
—— by soluble enzymes, 104
Mevalonic acid lactone, 104
Micelles, rat heart mitochondria, 445
Micrococcaceae, culture media, effect on hydrocarbon biosynthesis, 929
—— lipid comp, hydrocarbon profile, 929
Micrococcus lysodeikticus, hydrocarbon profile in hybrid strains, 929
Microorganisms, *Bacillus cereus,* antioxidants, 795
—— *Bacteroides melaninogenicus,* sphingosine containing phospholipids, 56
—— ceramide phospholipids, 56
—— *Chlorella sorokiniana,* effect of temp on fatty acid comp, 597
—— classification on basis of hydrocarbon profile, 929
—— *Escherichia coli,* antioxidants, 795
—— *Gaffkya tetragena,* fatty acid profile, 929
—— *Gaffkya tetragena,* hydrocarbon content, 929
—— *Hansenula ciferrii,* phytosphingosine prep, 782
—— *Kloeckera brevis,* phosphatidylmyoinositol, 463
—— *Leptospira pomona,* specificity of lipase, 572
—— *Leuconostoc dextranicum,* antioxidants, 795
—— *Micrococcus cryophilus,* antioxidants, 795
—— *Micrococcus freudenreichii,* antioxidants, 795
—— *Micrococcus lysodeikticus,* fatty acid profile, 929
—— *Micrococcus lysodeikticus,* hybrid strains, effect on hydrocarbon profile, 929
—— *Micrococcus lysodeikticus,* hydrocarbon profile, 929
—— *Micrococcus spp.,* fatty acid profile, 929
—— *Micrococcus spp.,* hydrocarbon profile, 929
—— *Mycobacterium smegmatis* and *Mycobacterium bovis* BCG lipids, 684
—— *Pediococcus cerevisiae,* antioxidants, 795
—— presence of antioxidants, 795
—— *Propionibacterium shermanii,* mannosylation, 463
—— *Pseudomonas fragi,* antioxidants, 795
—— *Pseudomonas ovalis,* antioxidants, 795
—— *Sarcina flava,* fatty acid profile, 929
—— *Sarcina flava,* hydrocarbon profile, 929
—— *Sarcina lutea,* antioxidants, 795
—— *Sarcina lutea,* fatty acid profile, 929
—— *Sarcina lutea,* hydrocarbons, fatty acids, 320
—— *Sarcina lutea,* hydrocarbon profile, 929
—— *Sarcina subflava,* fatty acid profile, 929
—— *Sarcina subflava,* hydrocarbon profile, 929
—— *Scenedesmus obliquus,* deuterium oxide cultured, fatty acids, 786
—— *Serratia marcescens,* antioxidants, 795
—— *Staphylococcus aureus,* antioxidants, 795
—— *Staphylococcus aureus,* fatty acid profile, 929
—— *Staphylococcus aureus,* hydrocarbon content, 929
—— *Vibrio marinus,* hydrocarbons, fatty acids, 320
Microreactor apparatus (MRA), details of construction, 707
—— modification for lipid anal, 707
—— operating conditions for lipid anal, 707
—— for performing brominations, silylation, esterification, saponification, hydrogenation, 707
—— quantitive-GLC of microsamples, 707
—— use in gas chromatography, 707
—— use in lipid anal, 707
Microsomal, acyl oxidoreductase (EC 1.3), action on saturated fatty acids, 611
—— Arrhenius plots of, 611
—— 3-carbon rhythm of relative activities, 611
—— energies of activation of, 611
—— in essential fatty acid deficient rats, 611
—— in normal rats, 611
—— method of estimation, 611
—— rat liver, 611
—— substrate specificity, 611
Microsomes, brain, chicken, synthesis of phospholipid from cytidine diphosphate ethanolamine, 734
—— brain, chicken, synthesis of phospholipid from phosphorylethanolamine, 725
—— brain, isolation procedure, 1006
—— chicken brain, prep, 725
—— intestinal mucosa, hamster, triglyceride synthesis, 762
—— linoleic, linolenic acid desaturation, 1013
—— liver, metabolism of stearic acid, 583
—— prep of, from rat liver, 611
—— rat liver, triglyceride synthesis, 770
Microtus oeconomus. See mouse, Arctic
Microtus pennsylvanicus. See mouse, Arctic
Milk, bovine, sphingolipid long chain bases, 878
—— cholesterol esters, 42
fat globule formation, rate, 42
—— freshly secreted, cholesterol ester turnover in, 42
—— lipid constituents, trace acids, 42
Mineral oil, rat feeding, effect on plasma corticoid level, 524
Mitochondria, brain, isolation procedure, 1006
—— glycerol ethers not formed by, 577
—— inner membrane lipids, TLC, 494
—— lipid depleted, reassociation with lipids, 445
—— lipid micelle uptake, 445
Molar ratio, fatty acid bound to protein, 403
Molecular, area of phospholipids in lipid monolayers, 636
Molecular ions, in mass spectra of triglycerides, 861
Molybdate, phospholipids complex, 573
Momordica balsamina, fatty acid, triglyceride profile, 434
Momordica charantic, fatty acid, triglyceride profile, 434
Momordica diocia, fatty acid, triglyceride profile, 434
Monkey, a-glycerophosphate dehydrogenase (EC 1.1.1.8) and succinoxidase (EC 1.3.99.1) activity in brown fat, 23
—— lipase activity in, 558
Monoenoic fatty acids, in cyanolipids, 672
Monogalactosyl diglycerides, in oilseeds, *Linum usitatissimum* L., 422
Monoglycerides, fatty acid comp after lipase hydrolysis of triglycerides, 580
—— in fish skin mucus, 947
—— GLC, 601
—— from hydroperoxy-linoleic acid, 970
—— produced by lipase on triglycerides, 580
—— silkworm eggs, 539
Monohydroxynitriles, in cyanolipids, 672
Monostearin, anal by GLC, 601
Morris hepatomas, fatty acid, fatty alcohol, o-alkylglyceryl ether profile, 337
Mouse, Arctic, cold acclimated, muscle fatty acid comp, 590
—— diester in skin lipids, 299
—— effect of cold stress on fatty acid comp, 590
—— mitochondria, glycerol ether synthesis, 577
Mouse brain, lipid comp, 1006
Mouse liver, post-mortem changes in methyl esters, temp, 180
Mouse muscle, skeletal, fatty acid profile, 590
Mouse preputial gland, wax esters and fatty alcohols, 337
Mouse skin, surface lipids, monoene fatty acid comp, 148
Mouse tumor, adenocarcinoma EO771, triglycerides, glyceryl ether diesters, 776
—— melanoma B16, triglycerides, glyceryl ether diesters, 776

XUM

—— sarcoma 180, triglycerides, glyceryl ether diesters, 776
—— sarcoma T241, triglycerides, glyceryl ether diesters, 776
—— transplantable, triglycerides, glyceryl ether diesters, 776
Mucopolysaccharides, effect on lipid, membrane interaction, 445
Mucosa, rat, triglyceride, diglyceride anal by GLC, 342
Mucus, fish, comp of skin surface lipid, 947
Mugil cephalus, skin mucus lipids, 947
—— wax ester content, 308
Mugil japonicus, wax ester content, 308
Multiple sclerosis, lithocholic acid in brain tissue, 578
Muscle, rat, gossypol activity in, from diet, 938
—— skeletal, post-mortem changes in and comp differences in phospholipids, 485
Muscle contraction, guinea pig ileum, induced by phospholipids, 803
Muscle cultures, 49
Muscle fibroblast cultures, 49
Mycobacteria, fatty acids, location of double bonds, 720
—— unsaturated fatty acids, 720
Mycobacterium bovis, fatty acid profile of phospholipids and triglycerides, 684
—— unsaturated fatty acids, 720
Mycobacterium smegmatis, fatty acid profile of phospholipids and triglycerides, 684
—— unsaturated fatty acids, 720
Myelin, brain isolation procedure, 1006
—— rat brain, spinal cord, comp of, 665
Myelination, cholesterol deficiency in, 665
—— inhibition of, 665
Myelin phosphoglycerides, fatty acid profiles, 1006
Myocardial, plasma free fatty acid incorporation in awake dogs, 988
trans-Myocardial, fatty acid incorporation, dog, 988
Myocardial lipid, of dogs, 988
trans-Myocardial lipid, content fatty acid incorporation in awake dogs, 988
Myoinositol, metabolism in *Kloeckera brevis,* 463
Myristic acid, absorption by bovine mammary cells, 892
—— feeding, rat, effect on bone marrow fatty acid profile, 698
—— feeding, rat, effect on erythrocyte fatty acid profile, 698
—— methyl ester carrier for tripalmitin during lipase hydrolysis, 362
—— in pig adipose tissue, 921
—— in saturated fatty acid diet, 896
1-^{14}C-Myristic acid, formation of phosphorylated β-keto acid, 577
—— metabolism in isolated mitochondria, 577

N

α-Naphthol, dtmn of glycosphingolipids, 442
Natural phosphonates, 800
Negaprion brevirostris, lemon shark, coenzyme Q, 856
Neoplasms. See also tumors
—— fatty acid, fatty alcohol, o-alkyl glyceryl ether profile, 337
Nerve, innervating brown adipose tissue, stimulation, 30
Nervonic acid, in *Tropaeolum speciosum* seed fat, 144
Nervonic acid (24:1ω9), in human, rat adrenal, adenoma, 743
Neutral lipids, comp of silkworm eggs, 539
—— fatty acid profile, mouse muscle, 590
Neutral plasmalogens, in tumors, 776
Nicotinic acid, action on white and brown adipose tissue, rat, 220
Nigericin, blocks valinomycin-stimulated respiration, rat, brown adipose tissue, 210
Nitrogenous lipids, of oilseeds, 812
Nitroxides, hydroxylamines as source, 509
NMR. See nuclear magnetic resonance
n-Nonacosane, cockroach, 38
—— insect cuticular lipids, 239
Nonadecanoic acid (19:0), desaturation by liver microsomes, 611
1-Nonal, negative ion mass spectra, 825
Noradrenaline, in glycerokinase, 114
Norepinephrine, effect on brown adipose tissue slices, 224
—— micelle uptake by mitochondria, 445
—— release of fatty acids from rat fat pads, 858
—— respiration, rat brown adipose tissue, 210
—— sensitive triglyceride lipase, 204
—— stimulation of brown fat metabolism, 1
—— thermogenesis, brown adipose tissue, 30

O

Oats, specificity of lipase, 572
n-Octacosanol, insect cuticular lipids, 239
Octadeca-6,9-dienoic acid, ethionine fed rats, 583
Octadeca-9,12-dienoic acid, perdeuterio-,algae, mass spectra, 786
6,9-Octadecadienoic acid, from *Picramnia sellowii* seed oil, 285
cis-9,trans-11-Octadecadienoic acid, methyl ester, NMR spectrum, 457
trans-9,trans-11-Octadecadienoic acid, methyl ester, NMR spectrum, 457
Octadecanoic acid (18:0), desaturation by liver microsomes, 611
6,6-dideuterio-Octadecanoic acid, synthesis, 869
6,7-dideuterio-Octadecanoic acid, methyl ester, mass spectra, 861
—— methyl ester, synthesis, 861
keto-Octadecanoic acid methyl ester, isomers, mass spectrum, 191
Octadecatrienoic acid, conjugated in oilseeds, 434
6,9,12-Octadecatrienoic acid, from *Picramnia sellowii* seed oil, 285
cis-6-Octadecenoic acid, from *Picramnia sellowii* seed oil, 285
trans-6-Octadecenoic acid, from *Picramnia sellowii* seed oil, 285
keto-Octadecenoic acid methyl ester, isomers, mass spectrum, 191
6-Octadecynoic acid, from *Picramnia sellowii* seed oil, 285
Octanoic-1-^{14}C acid, mitochondrial oxidation, 76
1-Octanol, negative ion mass spectra, 825
2-Octanol, negative ion mass spectra, 825
Oils, castor, hydrogenated, in diets, rat, 832
—— coconut, hydrogenated, cholesterol absorption, rat, 142
—— coconut, hydrogenated, EFA deficient diet for rats, 583
—— cholesterol absorption, rat, 142
—— corn, cholesterol absorption, rat, 142
—— corn, heated and unheated, long term effects of feeding to rats, 128
—— corn, stripped of sterols, cholesterol absorption, rat, 142
—— cottonseed, cholesterol absorption, rat, 142
—— cottonseed, heated and heated, long-term effects of feeding to rats, 128
—— gas-chromatographic dtmn of glycerides in, 601
—— rapeseed, fatty acid profile, 430
—— rapeseed, refractive index, density, saponification number, 430
—— rapeseed, structure of unsaturated fatty acids, 430
—— safflower, cholesterol absorption, rat, 142
—— soybean, dtmn of glycerides in, 601
Oilseeds, *Afzelia cuanzensis,* crepenynic acid, 137
—— *Allophyllus edulis* seed oil, cyanolipids of, 812
—— *Anemone cylindrica* Gray, fatty acid profile, 277
—— *Anemone decapetala* Ard., fatty acid profile, 277
—— *Aleurites montana,* conjugated octadecatrienoic acid content, 434
—— *Apodanthera undulata,* fatty acid, conjugated, triglyceride profile, 434
—— *Aster hayatae,* fatty acid profile, 513
—— *Aster hayatae,* hydrolysis rate, 513
—— *Brassica nupus,* isolation of C_{20} and C_{22} fatty acids, 430
—— *Brassica nupus,* purification of C_{20} and C_{22} fatty acids, 430
—— *Brassica nupus,* unsaturated fatty acids, 430
—— *Brassica nupus,* UV and IR spectra, 430
—— *Calea urticaefolia,* fatty acid profile, 513
—— *Calea urticaefolia,* hydrolysis rate, 513
—— *Calendic officinalis,* NMR spectra of seed oil, 434
—— *Cardiospermum halicacabum* seed oil, cyanolipids of, 812
—— *Catalpa bignonoides,* conjugated octadecatrienoic acid content, 434
—— *Catalpa ovata,* conjugated octadecatrienoic acid content, 434
—— *Catalpa speciosa,* NMR spectra of seed oil, 434
—— *Centranthus ruber,* conjugated octadecatrienoic acid content, 434
—— *Centranthus macrosiphon,* fatty acid, conjugated, triglyceride profile, 434
—— *Cephalaria joppica,* vernolic acid content, triglyceride profile, fatty acid profile, 434
—— *Cephalaria leucantha,* vernolic acid content, triglyceride profile, fatty acid profile, 434
—— *Cephalocroton cordofanus,* vernolic acid content, triglycreide profile, fatty acid profile, 434
—— *Cephalocroton peuschelli,* vernolic acid content, triglyceride profile, fatty acid profile, 434
—— *Chilopsis linearis,* fatty acid, conjugated, triglyceride, 434
—— *Crambe abyssinica,* hydrolysis rate, 513
—— *Crepis aurea,* vernolic acid content, triglyceride profile, fatty acid profile, 434
—— *Crepis vesicaria,* vernolic acid content, triglyceride profile, fatty acid profile, 434
—— *Cucurbita palmata,* fatty acid, conjugated, triglyceride profile, 434

—— *Dimorphotheca auriantica*, epoxy acids, 137
—— *Dimorphotheca pluvialis ringens*, epoxy acids, 137
—— *Grindelia oxylepis*, fatty acid profile, 509
—— *Grindelia oxylepis*, hydrolysis rate, 513
—— *Helichrysum bracteatum*, 137
—— *Impatiens gladuligera*, fatty acid, conjugated, triglyceride profile, 434
—— *Jacaranda minosifolia*, fatty acid conjugated, triglyceride profile, 434
—— *Koelreuteria paniculata*, cyanolipids, fatty acid profile, 672
—— *Linum usitatissimum* L., embryo, lipid profile during growth, 422
—— *Linum usitatissimum* L., fatty acid biosynthesis, 422
—— *Linum usitatissimum* L., fatty acids, incorporation of acetate, malonate and CO_2 during embryo growth, 422
—— *Linum usitatissimum* L., glycolipids, 422
—— *Linum usitatissimum* L., lipid biosynthesis, 422
—— *Linum usitatissimum* L., phospholipids, diglycerides, triglycerides, 422
—— *Linum usitatissimum* L., TLC of lipids from embryo and endosperm, 422
—— *Litchi chinensis* seed oil, cyanolipids of, 812
—— *Momordica balsamina*, NMR spectra of seed oil, 434
—— *Momordica charantia*, conjugated octadecatrienoic acid content, 434
—— *Momordica dioecia*, fatty acid, conjugated, triglyceride profile, 434
—— *Nephelium lappaceum* seed oil, cyanolipids of, 812
—— NMR spectra of seed oil, 434
—— *Parinarium laurinum*, fatty acid, conjugated, triglyceride profile, 434
—— *Paullinia meliaefolia* seed oil, cyanolipids of, 812
—— *Picramnia sellowii*, fatty acid profile, 285
—— *Picramnia sellowii*, trans-6-hexadecenoic acid, 288
—— *Punica granatum*, fatty acid, conjugated, triglyceride profile, 434
—— *Ranunculus arvensis* L., fatty acid profile, 277
—— *Ranunculus constantinopolitanus* D'Urv., fatty acid profile, 277
—— *Ranunculus falcatus* L., fatty acid profile, 277
—— *Ranunculus sardous* Crantz., fatty acid profile, 277
—— *Ranunculus sericeus* Poir., fatty acid profile, 277
—— rapeseed, unsaturated fatty acids, 489
—— *Ricinus communis*, lipase activity in germinating seed, 519
—— *Sapindus mukorossi* seed oil, cyanolipids of, 812
—— *Stenachaenium macrocephalum*, fatty acid profile, 509
—— *Stenachaenium macrocephalum*, hydrolysis rate, 513
—— *Symphytum officinale*, fatty acid profile, 950
—— *Tricosanthes anguina*, fatty acid, conjugated, triglyceride profile, 434
—— *Tripteris hyoseroides*, fatty acid, conjugated, triglyceride profile, 434
—— *Ungnadia speciosa* seed oil, cyanolipids of, 812
—— *Urvillea uniloba* seed oil, cyanolipids, 812
—— *Valeriana officinalis*, fatty acid, conjugated, triglyceride profile, 434
Oleic acid, absorption by bovine mammary cells, 892
—— binding to β-lactoglobulin, 403
—— brown adipose tissue respiration, hamster, 204
—— in cotton bud, 283
—— effect of diet on rate of oxidation, rats, 908
—— incorporation across awake dog heart walls, from plasma, 988
—— methyl ester, chromatography on silicic acid-silver nitrate columns, 713
—— NMR spectra of mercuric adduct, 505
—— See oilseeds, *Linum usitatissimum* L.
—— oxidation in cholesterol fed rats, 908
—— in pig adipose tissue, 921
—— in rat liver phosphatidylcholine, 412
—— in rat liver phosphatidylethanolamine, 412
—— respiration, rat brown adipose tissue, 210
—— in saturated fatty acid diet, 896
—— stimulation of brown fat metabolism, 1
Oleic acid (18:1ω9), synthesis in rat liver, 583
9,10-^{3}H-Oleic acid, formation by *Drosophila melanogaster*, 617
Oligomycin, brown adipose tissue respiration, hamster, 204
—— inhibition of catecholamine-induced respiration, rat brown adipose tissue, 210
—— uncoupler effects, brown fat cells respiration, 1
Olive oil, lipase hydrolysis, effect of sonication, 362
Opossum, lipase activity in, 558
Optical activity, of enzymatically peroxidized linoleic acid, 678
Osmerus mordax, fatty acids and lipid comp, 554
Oxazolidine, structure dtmn, 782
Oxidation, of aliphatic hydrocarbons, by bacteria, 320
—— of linoleic by lipoxygenase, 678
—— of secondary alcohols to ketones, 398
—— of α-tocopherol, by dissociating hydroperoxides, 326
—— triglycerides, 187
β-Oxidation, in brown adipose tissue, 15
—— effect of carnitine and succinate, 15
—— energy of activation, 15
—— of palmitic and oleic acid, 15
Oxidative enzymes, in homogenates of brown fat of shrews and primates, 23
Oxostearic acid, methyl ester, chromatography, column, 678
Oxygen consumption, stimulation by insulin, rat brown adipose tissue, 224
Oxygen uptake, respirometer, 846
Ozonolysis, of fatty acid methyl esters, 285
—— identification of *trans*-6-hexadecenoic acid, 288
—— location of double bonds in unsaturated fatty acids, 430
—— oxidative, of polyunsaturated fatty acids, 628
—— perdeuterio-fatty acid methyl esters, 786
Ozonolysis-pyrolysis, double bond location, method, 997

P

Palmitic acid, absorption by bovine mammary cells, 892
—— binding to β-lactoglobulin, 403
—— conversion to methyl ester during extraction, 539
—— in cotton bud, 283
—— effect of diet on rate of oxidation, rats, 908
—— hydrocarbon biosynthesis, insects, 239
—— incorporation across awake dog heart walls, from plasma, 988
—— methyl ester, binding to β-lactoglobulins, 403
—— methyl ester, chromatography on silicic acid-silver nitrate columns, 713
—— oxidation in cholesterol fed rats, 908
—— in pig adipose tissue, 921
—— respiration, rat brown adpose tissue, 210
—— in sponge gemmules, 722
Palmitic acid (16:0), formation from linoleic acid in rat testis, 628
9,10-^{3}H-Palmitatic acid, formation by *Drosophila melanogaster*, 617
Palmitic-palmitoleic ratios, in trout, 80
Palmitoleic acid, in pig adipose tissue, 921
—— in saturated fatty acid diet, 896
Palmitoyl Coenzyme A, co-factor in enzymatic synthesis of 3-keto-dihydrosphingosine, 718
Palythoa mammilosa, wax ester content, 308
Pancreatic juice, effect on α-tocopherol absorption, 379
Pancreatic lipase, hydrolysis of triglycerides of oilseeds, 513
—— stereospecificity, 580
Pancreatic lipase (EC 3.1.1.3), hog, 362
—— hydrolysis of lipids from mycobacteria, 684
Pancreatic lipolysis, of brominated oils, 497
Paraffins, biosynthetic pathways, 259
Parastichopus parvimensis, lipase activity in, 558
Parenchymal cell, electron microscopy, 566
Parinarium laurinum, fatty acid, triglyceride profile, 434
Pathology, rat, dietary fats, 128
Pea, biosynthesis of paraffin hydrocarbons, 259
Pea plant, lipid comp of leaf surface, 398
Pea plant leaves, aldehydes, 398
—— hydrocarbons, 398
—— primary alcohols, 398
—— secondary alcohols, 398
—— wax esters, 398
Peanut worm, lipase activity in, 558
n-Pentacosane, insect cuticular lipids, 239
Pentadecanoic acid, intramammary infusion, 42
—— in milk lipids, 42
Pentadecanoic acid (15:0), desaturation by liver microsomes, 611
3,3-dideuterio-Pentadecanoic acid, synthesis, 869
3,3-dideuterio-Pentadecanol, synthesis, 869
2-Pentadecyl-4-hydroxymethyl-1,3-dioxolane dihydrogen phosphate esters, synthesis, pharmacology, 803
2-Pentadecyl-4-hydroxymethyl-1,3-dioxolane diphenyl phosphate ester, synthesis, pharmacology, 803
3,3-dideuterio-Pentadecyl mesylate, synthesis, 869
1,5-Pentanediol, negative ion mass spectra, 825
18-Pentatriacontanone, mass spectrum, 187
Pepsin, on bound gossypol-containing cottonseed protein, 765
Peptides, precipitability by 1% picric acid, 765
Peripheral nerve, human, sphingolipid long chain bases, 878
Periplaneta australasiae. See insect
Periplaneta brunnea. See insect
Periplaneta fuliginosa. See insect
Peritoneal cells, rat, phospholipase β activity, 531
Periventricular demyelination, intracerebral injection of bile acids, 964
Peroxidase (EC 1.11.1.7), heat treated, lipid oxidation by, 365

XUM

Peroxide inhibition, of serum phosphatidylcholine:cholesterol acyltransferase (EC 2.3.1), 663
pH, effect on fatty acid binding to β-lactoglobulin, 403
—— effect on lipolysis and glucose metabolism of human adipose cells, 498
Pharmacology, Darmstoff, synthetic, 803
Phase behavior, of triglycerides, 90
Phase nomenclature, 90
Phase transformation, triglycerides, 90
Phase transitions, of glyceryl ethers, 545
2-Phenylpropanal, negative ion mass spectra, relative peak intensities, 825
Phosphate, inorganic, formation of molybdate complex, 573
—— organic, complexes with molybdate, 573
Phosphatide acyl-hydrolase (EC 3.1.1.4), effect on lipid-protein films, 636
—— selective hydrolysis of phosphatidylcholine, 575
Phosphatidic acid, fatty acid profile, mouse muscle, 590
—— in immature soybeans, 692
—— in oilseeds, *Linum usitatissimum* L., 422
Phosphatidylcholine, 1-^{14}C-acetate incorporation in flax seeds, 422
—— in beef heart plasmologens fraction, 958
—— binding to sodium chloride crystals, 276
—— content of liver, 566
—— dipalmitoyl, effect on plasma cholesterol esterification, 663
—— fatty acid profile, beef pituitary, 121
—— fatty acid profile, mitochondria, microsomes, brain, mouse, 1006
—— fatty acid profile, mouse muscle, 590
—— fatty acid profile, myelin, bovine, mouse, 1006
—— in fish skin mucus, 947
—— hydrolysis in post-heparin plasma, 385
—— in immature soybeans, 692
—— incorporation of fatty acids in liver, 575
—— incorporation of FFA, by bovine mammary cells, 892
—— in lipid monolayers, 636
—— liver, fatty acid profile, 566
—— in rat liver, 412
—— in smelt body, gonads, 554
—— uptake of ^{14}C-glucose in rat during myelination, 665
Phosphatidylcholine:cholesterol acyltransferase (EC 2.3.1), serum, effect of hydrogen peroxide, 663
Phosphatidylcholine-cholesterol micelles, 445
Phosphatidylcholine cholinephosphohydrolase (EC 3.1.4.3), effect on renal $(Na^+ + K^+)$-ATPase, 658
—— effect on renal Rb^+ transport, 658
Phosphatidylethanolamine, in beef heart plasmologens fraction, 958
—— in blood coagulation, 650
—— containing di-9,10-methyleneoctadecanoic acid, synthesis, 650
—— content of liver, 566
—— conversion to phosphatidylcholine in liver, 412
—— fatty acid profile, beef pituitary, 121
—— fatty acid profile, mitochondria, microsomes, mouse brain, 1006
—— fatty acid profile, mouse muscle, 590
—— fatty acid profile, myelin, bovine, mouse, 1006
—— in fish skin mucus, 947
—— hydrolysis in post-heparin plasma, 385
—— incorporation into chicken brain microsomal phospholipid, 725
—— incorporation of fatty acids in bovine mammary cells, 892
—— incorporation of fatty acids in liver, 575
—— in immature soybeans, 692
—— liver, fatty acid profile, 566
—— in oilseeds, *Linum usitatissimum* L., 422
—— oxidation, 846
—— positional fatty acid anal, 684
—— in rat liver, 412
—— substrate for post-heparin plasma lipolytic activity, 385
—— synthesis, 650
—— uptake of ^{14}C-glucose in rat during myelination, 665
Phosphatidylethanolamine-cholesterol micelles, 445
Phosphatidylinositol, content of liver, 566
—— fatty acid profile, mouse muscle, 590
—— in immature soybeans, 692
—— incorporation of fatty acids in bovine mammary cells, 892
—— mannosides, positional fatty acid anal, 684
Phosphatidylmyoinositol, conversion to diphosphoinositide, 463
—— conversion to phosphatidylmyoinositol mannoside, 463
—— labeled with tritium in myoinositol, 463
—— prepared with *Kloeckera brevis,* 463
Phosphatidylmyoinositol mannoside, synthesis, 463
Phosphatidylserine, in blood coagulation, 650
—— containing di-9,10-methyleneoctadeconic acid, synthesis, 650
—— content of liver, 566
—— fatty acid profile, mitochondria, microsomes, mouse brain, 1006
—— fatty acid profile, mouse muscle, 590
—— fatty acid profile, myelin, bovine, mouse, 1006
—— in immature soybeans, 692
—— incorporation of fatty acid in bovine mammary cells, 892
—— synthesis, 650
—— uptake of ^{14}C-glucose in rat during myelination, 665
Phosphoglycerides, pyrolysis, GLC, see Addendum
Phospholipase, activity in human plasma post-heparin, 385
—— similarity to lipase in post-heparin plasma, 385
Phospholipase A, hydrolysis of phospholipids from mycobacteria, 684
—— See phosphatide acyl-hydrolase, EC 3.1.1.4.
Phospholipase B (EC 3.1.1.5), of rat tissues, 531
—— in rat eosinophilic leukocytes, 531
Phospholipase C. See phosphatidylcholine cholinephosphohydrolase (EC 3.1.4.3.)
Phospholipidosis, in human liver disease, a new type of, 566
Phospholipids, 1-^{14}C-acetate, incorporation by oilseed embryo, 422
—— acidic, accumulation in liver disease, 566
—— association with membranes, 445
—— autolysis in skeletal muscle, 485
—— compiexes with molybdate, 573
—— content of rat liver, serum, 621
—— content of red and white muscle, guinea pig, 485
—— dtmn, two dimensional TLC, 494
—— in EFA deficient diet, dogs, 896
—— effect on stability of succinate dehydrogenase, 953
—— enzymatic hydrolysis by post-heparin plasma, 385
—— extraction from mycobacteria, 684
—— extraction from water as molybdate complex, 573
—— fatty acid profile, dog kidney, 293
—— fatty acid profile, dog plasma, 896
—— fatty acid profile, human adrenal, adenoma, 743
—— fatty acid profile, human liver, 566
—— fatty acid profile, mouse muscle, 590
—— fatty acid profile, rat liver, 583
—— fatty acid profile, serum, liver of miniature swine, 359
—— in fish skin mucus, 947
—— flavoprotein stabilization, 953
—— formation of molybdate complex, 573
—— human liver comp, 566
—— from hydroperoxy-linoleic acid, 970
—— in immature soybeans, 692
—— incorporation of fatty acids in liver, 575
—— incorporation of FFA, by bovine mammary cells, 892
—— incorporation of labeled fatty acids in doy kidney, 293
—— incorporation of unsaturated fatty acids, rat testis, 628
—— interaction with succinate dehydrogenase, 953
—— liver, metabolism of oleic and stearic acids, 583
—— metabolism, dog kidney, 293
—— *trans*-myocardial, fatty acid incorporation, synthesis in awake dogs, 988
—— *trans*-myocardial, fatty acid profile, 988
—— pharmacologically active, 803
—— polar bear liver, 469
—— racemic mixture, synthesis, 650
—— rat, bone marrow, fatty acid profile, 698
—— rat, effect of fructose on serum, liver lipids, 621
—— role in blood coagulation, 650
—— role in renal $(Na^+ + K^+)$-ATPase activity, 658
—— role in renal Rb^+ transport, 658
—— silkworm eggs, 539
—— in smelt body, gonads, 554
—— smelt, fatty acids profile, 554
—— stereospecific anal, from mycobacteria, 684
—— storage disease in liver, 566
—— synthesis in chicken brain microsomes from cytidine diphosphate ethanolamine, 734
—— synthesis in chicken brain microsomes from phosphorylethanolamine, 725
—— uptake of ^{14}C-glucose in rat during myelination, 665
Phospholipid emulsions, oxidations, 846
Phospholipid-molybdate complexes, extraction by organic solvents, 573
Phospholipid oxidation, activation energies, 846
Phosphonate phosphorus, analytical method, 800
Phosphonolipids, 800
Phosphorylation, of myristic acid in mitochondria, 577
Phycomycetes, fatty acids in *Entomophthora coronata,* 915
Phylogenetic thermogenic role of brown fat, in temp acclimation, 23
Physeter catodon, wax ester content, 308

Phytanic acid, permanganate oxidation, 6,10,14-trimethylpentadecan-2-one, 201
—— stereochemistry, diastereoisomers, 201
Phytol, ketone by reductive ozonolysis, optical rotatory dispersion spectrum, 201
—— stereochemistry in relation to phytanic acid, Refsum's syndrome, 201
Phytosphingosine, preparative isolation from yeast, 782
—— reaction with acetone and p-nitrobenzaldehyde, 782
—— review, 878
Picramnia sellowii, *trans*-6-hexadecenoic acid in seed oil, 288
Pig, adipose tissue, triglyceride comp, 921
—— structure of adipose tissue triglycerides, 921
—— See swine, hog
Pigeon aorta, cerebroside content, fatty acid profile, 607
Pigeon serum, cholesterol turnover, 153
Pinion nut, specificity of lipase, 572
Pisaster giganteus, lipase activity in, 558
Pisum sativum. See pea
Pituitary, beef anterior and posterior, neutral lipids, phospholipids, fatty acid comp, 121
—— human, lipid comp, 121
Planiprora fusca, skin mucus lipids, 947
Plant leaf electron micrographs, 259
Plant waxes, biosynthesis, 259
—— catabolism in microorganisms, plants and animals, 259
—— chemistry, 259
—— functions, 259
Plasma, human, heparin released lipolytic activities, 385
—— lipids, in EFA diet, dogs, 896
—— rat, total protein, free amino acids, urea nitrogen, serum albumin, corticoid levels, 524
—— tocopherol turnover, 757
—— to erythrocyte α-tocopherol ratio, 757
Plasma cholesterol turnover, pigeon, 2-pool model, 153
Plasma, dog, cholesterol ester fatty acid profile, 896
—— free fatty acids, fatty acid profile, 896
—— phospholipid fatty acid profile, 896
—— phospholipid, triglyceride, cholesterol, effect of cholesterol diet on, 896
—— triglyceride fatty acid profile, 896
Plasma-erythrocyte, tocopherol exchange, 757
Plasma free fatty acid, incorporation into awake dog *trans*-myocardial lipids, 988
—— incorporation, myocardial triglycerides, phospholipidid, 988
—— incorporation, *trans*-murally into awake dog heart lipids, 988
Plasma lipoproteins, dog, on atherogenic diets, 896
Plasmalogens, acid hydrolysis, formation of aldehydes from, 661
—— beef heart, 958
Platelets, changes by *trans,trans*-linoleate diet, 85
—— lipid classes, 85
Plotus anguillaris, skin mucus lipids, 947
Polar bear liver, lipids, 469
Polyisoprenoid biosynthesis, 104
Polymorphism, in glyceryl ethers, 545
—— nomenclature for glyceryl ethers forms, 545
—— triglycerides, 90
Polymorph stability, triglycerides, 90
Pool size, effect on *in vivo* incorporation, rat brain lipids, 475
Post-mortem, changes in mouse liver, temp, 180
—— changes in skeletal muscle, phospholipids, 485
Potassium, energy requiring cyclic transport, rat brown adipose tissue, 210
—— fatty acid induced respiration, rat brown adipose tissue, 210
—— theophylline induced respiration, rat brown adipose tissue, 210
Precursor, effect of molecular size, solubility, on brain lipids, 475
—— routes of administration, 475
Precursor incorporation, *in vivo,* rat brain lipids, 475
Preputial glands, mouse, mitochondria of, glycerol ether synthesis, 577
—— mouse, wax esters and fatty alcohols, 337
Primate, brown adipose tissue, oxidative enzymatic activity, 23
Pristine, in polar bear liver, 469
Proline, oxidation product of N-hydroxyglycine, 509
Pronase, interaction with thin films of lipid, 636
1,2-Propanediol, negative ion mass spectra, 825
Propranolol, β-blockade of norepinephrine effect, 204
Prostaglandin E_1, respiration, rat brown adipose tissue, 210
Protective groups, removal from synthetic phospholipids, 650
Protein, adsorbed, effect on lipid-protein films, 636
—— brain subcellular fractions, 1006
—— dtmn in thin films of lipids, 636
—— rat serum, 156
—— synthesis inhibitors, cycloheximide, chloramphenicol, 146
—— uptake of ^{14}C-glucose in rat during myelination, 665
β-Protein. See apoprotein β
Protein structure, fatty acids, free, binding, 403
Proton magnetic resonance. See spectra, nuclear magnetic resonance
Photoplasmic viscosity, *Chlorella,* temp effect, 597
Puffinus tenuirostris, wax ester content, 308
Punica granatum, fatty acid, triglyceride profile, 434
Punicic acid, from oilseeds, 137, 434
Pyridine nucleotide, changes in brown fat cells, 1

R

Rabbit, diester in skin lipids, 299
—— hydroperoxy-linoleic acid, metabolism, 970
—— hydroperoxy-linoleic acid, toxicity, 970
Rabbit aorta, cerebroside content, fatty acid profile, 607
Rabbit brain, sphingolipid long chain bases, 878
Rabbit kidney, phospholipids, relation to $(Na^+ + K^+)$-ATPase, 658
—— phospholipids, relation to Rb^+ transport, 658
Radioautography, of labelled lipids after TLC, 892
Rancidity, prevention by microorganisms, 795
Rapeseed oil, content of C_{20} trienoic acid, 489
—— fatty acid profile, 430
—— refractive index, density, saponification number, 430
—— structure of unsaturated fatty acids, 430
Rat, absorption of gossypol by intestine, 938
—— activity of expired CO_2 after feeding labelled fatty acids, 908
—— adrenalectomized, response to triglyceride feeding, 524
—— brown adipose tissue metabolism, 15
—— cannulation of thoracic duct, 379
—— cholesterol absorption, effect of fats, 142
—— cold acclimated, adipose tissue glycerol kinase, 114
—— cold-acclimated, heat production *in vivo* of brown adipose tissue, 30
—— dietary cholesterol and fatty acid oxidation, 908
—— dietary effect fructose on serum, liver lipids, 621
—— distribution of gossypol in tissue, 938
—— effect of diet on fatty acid oxidation, 908
—— effect of $FeSO^4$ and gossypol in diet, 938
—— excretion of gossypol in urine, feces, 938
—— fat-free diet, 165
—— fatty acid metabolism in liver, 575
—— gastrointestinal tract, gossypol activity in, from diet, 938
—— gossypol metabolism in, 938
—— histological observation after gossypol feeding, 938
—— hydroperoxy-linoleic acid, absorption, distribution, metabolism, 976
—— 9(13)-hydroxy-octadecadienoic acid, methyl ester, distribution and metabolism, 983
—— lipases, from bone marrow, activity, 698
—— lipid comp, ethionine fed, 583
—— metabolism of ^{14}C-formyl labelled gossypol in, 938
—— metabolism of epoxycholesterol, 71
—— phospholipase B (EC 3.1.1.5), in eosinophilic leukocytes, 531
—— retinoic acid metabolism in vitamin A deficiency, 371
—— small intestine, gossypol activity in, from diet, 938
—— α-tocopherol absorption, 379
—— triglyceride induced gluconeogenesis, 524
—— weight gain, dietary fats, 128
—— weight gain on fat free diet, 698
Rat abdominal fat, hydroxy fatty acid content, 832
Rat adipose tissue, brown, metabolism, 220
—— brown, metabolism control, 224
—— brown, respiratory, lipolysis control, 210
—— endogenous triglycerides, 165
—— epididymal, glycerol kinase, 114
—— gossypol activity in, from diet, 938
—— release of fatty acids, 858
—— white, metabolism, 220
Rat adrenal, fatty acids in cholesterol ester, phospholipids and triglycerides, 743
Rat blood, gossypol activity in, from diet, 938
—— *trans,trans*-linoleic acid effect on hemostasis, 85
Rat bone marrow, effect of diet on fatty acid profile, 698
—— eosinophilic leukocytes, phospholipase B, 531
—— extraction of lipid, 698
—— fatty acid profile, 698
—— lipase activity, effect of diet, 698
Rat brain, effect of 20,25-diazacholesterol during myelination, 665
—— effect of AY9944 during myelination, 665
—— enzymes of sphingolipid metabolism, purification, 718
—— glycolipids, turnover rates, 475
—— gossypol activity in, from diet, 938
—— incorporation of serine into sphingolipids, 718
—— myelin comp, 665
—— prep of homogenate, 718

XUM

Rat caecum, gossypol activity in, from diet, 938
Rat carcass, hydroxy fatty acid content, 832
Rat colon, gossypol activity in, from diet, 938
Rat diet, hydroxy fatty acid containing, 832
—— effect of fats, 128
Rat erythrocytes, effect of diet on fatty acid profile, 698
—— extraction of lipid, 698
—— fatty acid profile, 698
Rat growth, effect of hydroxy fatty acid in diet, 832
Rat heart, cholesterol content, 908
—— gossypol activity in, from diet, 938
Rat heart mitochondria, micelles, lipid uptake, 445
Rat intestine, cholesterol synthesis, B_6 deficiency, 109
Rat kidney, gossypol activity in, from diet, 938
Rat lipids, incorporation of acetate into, in liver, heart, serum, 908
Rat liver, cholesterol content, 908
—— effect of fructose on lipids of, 621
—— endogenous fatty acids, 171
—— endogenous triglycerides, 171
—— fatty acid metabolism, ethionine effect on, 583
—— fatty acyl desaturase, chain length specificity, 487
—— glycogen, 524
—— gossypol activity in, from diet, 938
—— incorporation of ethanolamine into phospholipids, 412
—— lipid content, phospholipid content, triglyceride content, 583
—— metabolism of cholesterol, 908
—— metabolism, cycloheximide, chloramphenicol, 146
—— mevalonic acid biosynthesis, 104
—— microsomes, fatty acid desaturation, 611
—— microsomes, triglyceride synthesis, 770
—— prep of microsomes, 611
—— regeneration, lipoprotein synthesis during, 156
—— synthesis of phosphatidylcholine, 412
—— synthesis of phosphatidylethanolamine, 412
—— wax esters and fatty alcohols, 337
Rat lung, gossypol activity in, from diet, 938
Rat muscle, glycogen, 524
—— gossypol activity in, from diet, 938
Rat mucosa, triglyceride, diglyceride anal by GLC, 342
Rat peritoneal fluid, phospholipase B, 531
Rat plasma, corticoids, 524
Rat serum, cholesterol content, 908
—— effect of fructose on lipids of, 621
—— lipoproteins, synthesis, hepatectomy, 156
Rat spleen, eosinophilic leukocytes, phospholipase B, 531
—— gossypol activity in, from diet, 938
Rat stomach, gossypol activity in, from diet, 938
Rat testis, gossypol activity in, from diet, 938
—— lipid extraction, 628
—— metabolism of polyunsaturated fatty acids in, 628
Rat tumors, transplantable, triglycerides, glyceryl ether diesters, 776
Rat uterus, estrus, phospholipase B, 531
Reaction rates, effect of temp, pH and water conc during oxidation of antioxidants by hydroperoxides, 332
Red blood cells. See erythrocytes
Reduction, partial, with di-imide, 137
$LiBH_4$ Reduction, of cyanolipids, 672
Refsum's disease, phytanic acid in tissues of humans, origin of, 201
Respiration, basal of isolated brown adipocytes coupled, hamster, 204
—— brown adipose tissue, rat, 224
Response factor, in quantitative GLC of glyceride derivatives, 601
Reticuloendothelial system, coenzyme Q, 856
—— in lipid storage disease, 566
Retinoic acid, chromatography of metabolites, 371
—— liver, kidney, intestinal, metabolites, 371
—— metabolites in adrenals, feces, plasma, 371
—— metabolism in rat, 371
—— metabolism in vitamin A deficient rats, 371
—— subcellular localization, 371
—— urinary metabolites, 371
Rhesus sp., lipase activity in, 558
Ribonuclease, interaction with thin films of lipid protein, 636
Rotenone, brown adipose tissue respiration, hamster, 204
Rubidium, transport by kidney, effect of phospholipase C on, 658
—— transport by kidney, relation to phospholipids, 658
Ruvettus pretiosus, wax ester content, 308

S

Safflower oil, cholesterol absorption, rat, 142
Safflower seed, specificity of lipase, 572
Saimiri sciurea, cold acclimation, brown fat biochemistry in, 23
Sapindaceae, cyanolipids of, 812
Sapindaceae oilseeds, cyanolipids, 672
Saponification, use of microreactor apparatus for, 707
Sarcoma rat tumor, R3259/96A, triglycerides, glyceryl ether diesters, 776
Sarcina lutea, fatty acid profile, 320
—— hydrocarbon comp and biosynthesis, 320
Scale insect wax, comp, 247
Schistosoma mansani, blood fluke, cholesterol metabolism, 854
Scintillation counting, of metabolic products ^{14}C-formyl labelled gossypol, 938
—— retinoic acid metabolites, 371
Schlieren lipoprotein patterns, computer-derived, 491
Sea anemone, lipase activity in, 558
Sea cucumber, lipase activity in, 558
Sea hare, lipase activity in, 558
Sea squirt, lipase activity in, 558
Sea star, lipase activity in, 558
Sea urchin, lipase activity in, 558
Sea water, fatty acid profile, 417
Sebaceous gland, double bond patterns in fatty acids in, 279
Selachyl alcohol, in polar bear liver, 469
Sephadex, removal of water from lipid extracts, 367
—— removal of non-lipid contaminants, 367
^{14}C-L-Serine, incorporation into 3-keto-dihydrosphingosine, 718
Serum, human, lipoproteins, 501
—— low density lipoproteins, isolation, 501
—— miniature swine, fatty acid profile, 359
—— rat, cholesterol content, 908
—— rat, effect of fructose on serum, liver lipids, 621
—— rat, triglyceride, phospholipid, cholesterol content, 621
Serum albumin, bovine, solubilizing complex, 793
Serum lipids, in a case of lipid storage disease in liver, 566
Serum lipoproteins, in rat fed fructose, 621
Shark, lipase activity in, 558
Shark liver, coenzymes Q, 856
—— oil, density, fatty acid profile, 151
Shortenings, gas-chromatographic dtmn of glycerides in, 601
Silkworm eggs, lipid comp, 539
Silver nitrate-silicic acid, antioxidant effect, on unsaturated fatty acids, 713
—— chromatography of unsaturated fatty acids, 713
Silylation, of glycerides, 601
—— use of microreactor apparatus for, 707
β-Sitosterol, in cotton bud, 283
Skin, lipid profile in cow, rabbit, cat, dog, mouse, guinea pig, baboon, man, 299
—— mouse, surface lipids, monoene fatty acid comp, 148
—— review of surface lipids of animals, 299
Skin cultures, 49
Skin fibroblast cultures, 49
Skin lipids, purification of diester waxes, 299
Skin surface lipids, of fish cutaneous mucus, 947
Smelt, fatty acids and lipids comp, 554
Sodium borohydride, reduction of hydroperoxides, 392
—— reduction of plant aldehydes, 398
Sodium chloride crystal, phosphatidyl choline binding, 276
Sodium deoxycholate, solubilizing synthetic phospholipids, 650
Sodium dodecyl sulfate, anionic detergents, 793
—— reduction by lithium aluminum hydride, 149
Sodium octyl sulfate, anionic detergents, 793
Solvent extraction, of phospholipids from water as molybdate complex, 573
Sonication, pancreatic lipase, effect on activity, 362
Soybean cerebrosides, 692
Soybean glycolipids, 692
Soybean lipids, in immature and mature beans, 692
Soybean oil, dtmn of glycerides in, 601
—— hydrolysis rate, 513
Soybean phospholipids, 692, 846
Soybeans, changes in lipids during maturation, 353
—— hawkeye variety, lipid comp, 353
—— lipid extraction, 353
—— lipid metabolism, triglyceride synthesis, 353
—— triglycerides, fatty acid profile, 353
Species, effect on *in vivo* incorporation, brain lipids, 475
Spectra, differential thermal analysis, polymorphic glyceryl ethers, 545
—— electron spin resonance, as evidence for nitroxides, 509
—— gas-liquid-mass, hydrocarbons, 818
—— optical rotatory dispersion, ketone from phytol and from phytanic acid, single positive Cotton effect, 201
Spectra, infrared, aldehydes, unsaturated, 958
—— blood fluke free sterol, 854
—— of cyanolipids, 672
—— fatty acids, unsaturated, *trans* double bonds in oilseeds, 430
—— geometric isomers, 997
—— hemiacetal of tetradecanal, 1-tetradecanol, 563
—— identification of *trans*-6-hexadecenoic acid, 288
—— of linoleic acid hydroperoxides, 678
—— milk cholesterol esters, 42

—— perdeuterio-fatty acid methyl esters, 786
Spectra, mass, Ω (2-alkylbenzyl)-alkanoic acid methyl ester, 191
—— cholestenes, 818
—— 5-α-cholestan-3β,5α,6β-triol, 71
—— of cyanolipids, 672
—— effect on fatty acid position in triglycerides, 861
—— fatty acid chain length effect on triglycerides, 861
—— of fatty acids, deuterated, 869
—— fatty acid methyl esters, 869
—— fragmentation mechanisms of triglycerides, 869
—— homologous series of triglycerides, 861
—— keto-octadecenoic acid methyl ester, 191
—— of linoleic acid hydroperoxides, 678
—— location of double bonds in triglycerides, 861
—— loss of propyl groups from triglycerides, methyl esters, 869
—— McLafferty rearrangement of triglycerides, 869
—— methyl 3α-hydroxy-5β-cholanoate, 578
—— methyl-9-hydroxy-stearate, 392
—— methyl linolenate, 539
—— methylheptacosane, 35
—— of mixed triglycerides, 861
—— mono-hydroxy stearic acid, 392
—— negative ion, alcohols, 825
—— negative ion, aldehydes, 825
—— organic intermediates of triglycerides, 869
—— 18-pentatriacontanone, 187
—— perdeuterio-fatty acid methyl esters, 786
—— phytosphingosine derivatives, 782
—— relative intensities of ions from triglyceride, 861
—— relative ionic abundance in fragmentation of triglycerides, 869
—— sphingolipid long chain bases, review, 878
—— triglycerides, 861, 869
—— undecane-1,11-dioic acid methyl ester, 191
—— unsaturated triglycerides, 861
Spectra, mass-gas-liquid chromatography, of Phycomycetes fatty acids, 915
—— sphingolipid long chain bases, review, 878
Spectra, nuclear magnetic resonance, acetol phosphatidic acids, 803
—— conjugated fatty acid methyl esters, 457
—— Ω (2-alkyl benzyl)-alkanoic acid methyl ester, 191
—— of cyanolipids, 672
—— deuterium labeled products, 997
—— β-eleostearic acid, 434
—— fatty acid mercuric adducts, 505
—— identification of *trans*-6-hexadecenoic acid, 288
—— methyl 9-hydroxy-octadeca-*trans*-10,*cis*-12-dienoate, 137
—— oilseed oils, 434
—— perdeuterio-fatty acid methyl esters, 786
—— quantitative dtmn of *cis-trans* ratio in fatty acids, 505
—— of linoleic acid hydroperoxides, 678
Spectra, ultraviolet, conjugated dienes and trienes, 997
—— of cyanolipids, 672
—— diene and triene conjugation, 846
—— fatty acids, unsaturated, alkali isomerization, 430
—— β-lactoglobulin, binding fatty acids, 403
Spectra, x-ray, long spacings of triglycerides, 90
—— short spacings of triglycerides, 90
—— of synthetic glyceryl ethers, 545
Spectrum, mass, 5α-cholestane-5,6α-diol-6-trimethylsilyl ether, 818
Spectrum, ultraviolet, isosbestic evidence of unimolecular transformation of hydroperoxides of fatty acids, 326
Sphinganine, review, 878
Sphingenine, review, 878
Sphingolipids, acetolysis of long chain bases, 878
—— analytical methods for long chain bases, 878
—— biological activity, 878
—— carbohydrate containing, analytical method using trinitrobenzenesulfonic acid, α-naphthol, anthrone, 442
—— chemical reactions of long chain bases, 878
—— dinitrophenyl derivatives of long chain bases, 878
—— gas chromatography of long chain bases, 878
—— long chain bases, distribution in atherosclerotic human aorta, 878
—— long chain bases, distribution in bacteria, 878
—— long chain bases, distribution in bovine milk, 878
—— long chain bases, distribution in kidney, bovine and human, 878
—— long chain bases, distribution in human peripheral nerve, 878
—— long chain bases, distribution in rabbit brain and spinal cord, 878
—— long chain bases, distribution in sea stars, sea anemone, 878
—— long chain bases, review, 878
—— mass spectra of long chain bases, 878
—— metabolism of *cis,trans* isomer of long chain bases, 878
—— metabolism, inhibitors of rat brain enzymes of, 718
—— metabolism in rat brain, 718
—— metabolism, review, 878
—— methoxy derivates of long chain bases, 878
—— natural distribution of long chain bases, 878
—— nomenclature for long chain bases, 878
—— structure of long chain bases, 878
—— tetrahydrofuran derivates of trihydroxy bases, 878
—— TLC of long chain bases, 878
—— trimethylsilyl derivates of long chain bases, 878
Sphingomyelin, content of liver, 566
—— fatty acid profile, mouse muscle, 590
—— incorporation of fatty acids in bovine mammary cells, 892
—— in lipid monolayers, 636
—— in smelt body, gonads, 554
—— uptake of ^{14}C-glucose in rat during myelination, 665
Sphingosine, C_{18} and C_{17} homologues, present in adrenal medulla gangliosides, 751
—— review, 878
Spinach, biosynthesis of paraffin hydrocarbons, 259
Spinal cord, rat, ^{14}C-glucose uptake in lipids of, 665
Spleen, rat, gossypol activity in, from diet, 938
—— phospholipase B activity, 531
—— tissue homogenate, 531
Sponge, lipase activity in, 558
Sponge gemmules, lipid content, fatty acid profile, 722
Spongilla wagneri, fatty acid profile, 722
Squalene, in fish skin mucus, 947
—— in measurement of antioxidant activity, 509
—— in polar bear liver, 469
Squalus acanthus, lipase activity in, 558
Stabilization, micelles, interaction paraffin with hydrophobic residues, amino acids, polypeptide, 793
Starch, dietary, effect on fatty acid comp of miniature swine, 359
Statistical distribution, detergent, protein, 793
Stearic acid, absorption by bovine mammary cells, 892
—— binding to β-lactoglobulin, 403
—— biosynthesis in flax seeds influenced by substrate and seed tissues, 422
—— feeding, rat, effect on bone marrow fatty acid profile, 698
—— feeding, rat, effect on erythrocyte fatty acid profile, 698
—— See oilseeds, *Linum usitatissimum* L.
—— in pig adipose tissue, 921
—— in saturated fatty acid diet, 896
18-^{14}C-Stearic acid (18:0), metabolism in rat liver, ethionine effect, 583
Stearic-oleic ratios, in trout, 80
Stearolic acid, synthesis of phospholipids with, 650
Stearoloyl chloride, synthesis of, 650
2-Stearoloyl glycerol, synthesis of, 650
1-Stearoloyl-2-stearoylglycerol-3-phosphorylethanolamine, synthesis, role in blood coagulation, 650
1-Stearoloyl-2-stearoyl glycerol-3-phosphoryl-serine, synthesis, role in blood coagulation, 650
Stenobrachius leucopsarus, wax ester content, 308
Sterculic acid, methyl ester, trout liver lipid comp, 80
Stereochemistry, phytol, 201
Stereospecific analysis, of mycobacteria phospholipids, 684
—— of mycobacteria triglycerides, 684
—— pig adipose tissue triglycerides, 921
Stereospecificity, *cis-trans* mercuric adducts, 505
Steroid, excretion rate, influence of bacterial degradation, 702
Steroid acids, demyelinating agents, 964
Sterol composition, polar bear liver, 469
Sterol esters, in cotton bud, 283
—— in fish skin mucus, 947
—— silkworm eggs, 539
—— in smelt body, gonads, 554
Sterol galactoside, in cotton bud, 283
Sterol glucosides, in immature soybeans, 692
Sterols, comp, effect of age during myelination, rat brain, 665
—— possible degradation by fecal bacteria in man, 702
—— silkworm eggs, 539
—— uptake of ^{14}C-glucose in rat during myelination, 665
Stigmasterol, in cotton bud, 283
Stomach, rat, gossypol activity in, from diet, 938
Stratum corneum, human sole, lipids, 838
Stratum corneum lipids, 838
Stress, cold, effect muscle fatty acid comp, 590
Strongylocentrotus purpurtus, lipase activity in, 558
Subcellular fractions, brain, Isolation procedure, 1006
—— catalyzing mevalonate synthesis, 104
—— mouse, bovine, cholesterol-lipid phosphorus molar ratio, 1006
—— mouse, bovine, protein content, 1006
Substrate level phosphorylation, in brown fat cells, 1
Succinate, brown fat cells respiration, 1
Succinate dehydrogenase. See succinate=(acceptor)oxidereductase
Succinate=(acceptor)oxidoreductase, EC 1.3.99.1, phospholipids, 953

XUM

—— stability, effect of succinate and phosphatides, 953
Succinate:(?)oxidoreductase (EC 1.3.99.1), brown adipose tissue, 23
Succinic acid, effect on stability of succinate dehydrogenase, 953
—— role in succinate dehydrogenase, phosphatides interaction, 953
—— substrate for brown adipose tissue respiration, 224
Succinoxidase (EC 1.3.99.1), in brown fat of primates, 23
Substrate specificity, microsomal acyl desaturase, 611
Sucrose, dietary, effect on fatty acid comp of miniature swine, 359
Suis scrofa domestica, lipase activity in, 558
Sulfate esters, reduction by lithium aluminum hydride, 149
Sulfatides, analytical method using trinitrobenzenesulfonic acid, α-naphthol, anthrone, 442
—— reduction by lithium aluminum hydride, 149
—— uptake of ^{14}C-glucose in rat during myelination, 665
Sulfolipid, in immature soybeans, 692
Suncus murinus, cold acclimation in, 23
Surface potental, of lipid-protein films, 636
Surface pressure, of lipid monolayers, 636
Symphytum officinale, fatty acid profile, 950
Swine, endogenous fatty acids, 161
—— essential fatty acid deficiency symptoms, 161
—— fat-free diet, 161
—— miniature, fatty acid profile, effect of dietary carbohydrate on, 359
—— miniature, fatty acid profile of diet, 359
—— See also pig, hog
Swine adipose tissue, endogenous triglycerides, 161
—— fatty acid profile, 359
Swine liver, endogenous fatty acids, 171
—— endogenous triglycerides, 171
—— fatty acid profile, 359
Swine serum, fatty acid profile, 359
Sympolophorus evermanni, wax ester content, 308

T

Tacaric acid, in oilseeds, 434
Tallow, cholesterol absorption, rat, 142
Tarakihi, body oil, density, fatty acid profile, 151
Tarcaranda minosifolia, fatty acid, triglyceride profile, 434
Tariric acid. See 6-octadecynoic acid
Taxonomy, microorganisms, hydrocarbon profile, 929
Temora longicornis, fatty acid profile, 417
Temperature, effect on methyl ester formation postmortem, mouse liver, 180
Testis, rat, gossypol activity in, from diet, 938
—— lipid extraction, 628
—— metabolsm of polyunsaturated fatty acids in, 628
9,10,12,13-Tetrabromostearic acid, methyl ester, 497
n-Tetracosane, cockroach, 38
6,9,12,15,18-Tetracosapentaenoic acid, formation from arachidonic acid in rat testis, 628
9,12,15,18-Tetracosatetraenoic acid, formation from arachidonic acid in rat testis, 628
cis-15-Tetracosenoic acid, in *Tropaeolum speciosum* seed fat, 144
Tetradecanoic acid (14:0), desaturation by liver microsomes, 611
2,2-dideuterio-Tetradecanoic acid, mass spectra, 869
—— synthesis, 869
Tetradecanal, infrared spectra, 563
1-Tetradecanol, infrared spectra, 563
2,2-dideuterio-Tetradecanol, synthesis, 869
cis-5-Tetradecenoate, in *Drosophila melanogaster*, 617
cis-7-Tetradecenoate, in *Drosophila melanogaster*, 617
cis-9-Tetradecenoate, in *Drosophila melanogaster*, 617
2,2-dideuterio-Tetradecyl cyanide, synthesis, 869
2,2-dideuterio-Tetradecyl mesylate, synthesis, 869
Tetrahymena pyriformis, lipase activity in, 558
Tetramethylpentadecane, in polar bear liver, 469
Thelarctos maritimus, liver lipids, 469
Theophylline, action on white and brown adipose tissue, rat, 220
—— respiration, rat brown adipose tissue, 210
Thermal analysis, differential of polymorphism in glyceryl ethers, 545
Thermal analysis differential. See spectra, differential thermal analysis
Thermal oxidation, of 1-linoleyl-2,3-distearin, 187, 191
Thermogenesis, brown adipose tissue mitochondria, potassium model, 210
—— effect of uncoupling agent (2,4-dinitrophenol), 30
—— proposed mechanisms of catecholamine (norepinephrine) activation, 30
Thermophilic fungi, comparison of fatty acids with mesophilic, 100
2-Thiobarbituric acid (TBA) test, unsaturated fatty acids, 846
TLC. See chromatography, thin-layer
Tobacco, biosynthesis of paraffin hydrocarbons, 259
α-Tocopherol, conversion to α-tocopherol-β-quinone *in vivo*, 379
—— derivatives, antioxidants, 184
—— effect of pH and water conc on oxidation by hydroperoxides, 326
—— exchange in blood, 757
—— oxidation by hydroperoxides, 326
—— oxidation by hydroperoxides of methyl linoleate, 332
—— oxidation *in vivo*, 379
—— oxidation in presence of methyl linoleate, 63
—— oxidation products formed in unsaturated lipids, 63
—— purification of 3H-labelled material, 379
—— reaction intermediates during oxidation by hydroperoxides, 326
—— reaction mechanism in ferric catalyzed oxidation, 326
d,l-α-Tocopherol, chromatography, silicic acid-impregnated glass paper, 379
—— extraction from rat lymph, 379
—— intestinal absorption, 379
—— metabolism in rat, 379
—— in rat lymph, 379
—— role of bile in intestinal absorption, 379
α-Tocopherol hydroquinone, in free-radical reactions, 332
—— molar absorptivity, 332
α-Tocopherol quinone, conversion to hydroquinone by dithionite, 332
—— molar absorptivity, 332
Toxicity, bile acids administered intracerebrally, 964
—— peroxy-fatty acid, rabbits, 970
TPNH, electron donor in fatty acid desaturation, 611
Transacetalation, of dimethyl acetals of fatty aldehydes, fatty alcohols, 563
Transfusion gelatin, fibrillar protein, 793
Trichinella spiralis, encepted larvae isolation, 282
—— larvae, cholesterol transfer, host to larvae, 282
Trichogaster cosby, wax ester content, 308
n-Tricosane, cockroach, 38
n-Tricosanol, insect cuticular lipids, 239
Tricosanthes anguina, fatty acid, triglyceride profile, 434
cis-9-Tricosene, cockroach, 38
—— insect cuticular lipids, 239
Tridecanoic acid (13:0), desaturation by liver microsomes, 611
Tridecanoin, internal standard for radio-GLC, 342
Trierucin, radio-GLC, 342
p-Trifluoromethoxy phenylhydrazone, brown adipose tissue respiration, hamster, 204
Triglyceride carbon numbers, in tumors, 776
Triglyceride composition, experimental versus calculated, 171
Triglyceride profile, oilseed lipids, 434
—— of soybean during maturation, 353
Triglyceride synthesis, intestinal mucosa microsomes, hamster, 762
—— rat liver microsomes, 770
Triglycerides, comp of silkworm eggs, 539
—— content of liver, 566
—— content of rat liver, serum, 621
—— crystal swelling, 90
—— deuterated, 869
—— deuterated, mass spectra, 861
—— dtmn as glycerol, 621
—— effect of copper on fatty acid comp, 921
—— effect of double bond location on mass spectra, 861
—— effect of fatty acid chain length on mass spectra, 861
—— effect of fatty acid position on mass spectra, 861
—— enantiomeric, substrates for lipase, 580
—— enzymatic hydrolysis by post-heparin plasma, 385
—— epoxy glycerides in oilseeds, 434
—— extraction from mycobacteria, 684
—— fatty acid profile, chicken adipose tissue, 165
—— fatty acid profile, chicken liver, 171
—— fatty acid profile, dog kidney, 293
—— fatty acid profile in dog plasma, 896
—— fatty acid profile, human adrenal, adenoma, adipose tissue, 743
—— fatty acid profile of oilseeds, *Cephalaria joppica*, 434
—— fatty acid profile of oilseeds, *Cephalaria leucantha*, 434
—— fatty acid profile of oilseeds, *Cephalocroton cordofanus*, 434
—— fatty acid profile of oilseeds, *Cephalocroton peuschelli*, 434
—— fatty acid profile of oilseeds, *Crepis aurea*, 434
—— fatty acid profile of oilseeds, *Crepis vesicaria*, 434
—— fatty acid profile, rat adipose tissue, 165
—— fatty acid profile, rat liver, 171, 583
—— fatty acid profile, serum, liver, adipose tissue of miniature swine, 359
—— fatty acid profile, swine adipose tissue, 161
—— fatty acid profile, swine liver, 171
—— in fish skin mucus, 947
—— GLC, 601
—— homologous series, 90
—— human cell cultures, fatty acids, 49
—— hydrolysis, hog pancreatic lipase, 362
—— hydrolysis in post-heparin plasma, 385
—— from hydroperoxy-linoleic acid, 970

—— incorporation of FFA, by bovine mammary cells, 892
—— incorporation of labeled fatty acids in dog kidney, 293
—— incorporation of unsaturated fatty acids, rat testis, 628
—— ingestion, corticoid response, 524
—— ingestion, plasma true glucose response, 524
—— ingestion, serum albumin response, 524
—— ingestion, serum free amino acid response, 524
—— ingestion, serum protein response, 524
—— ingestion, serum urea nitrogen response, 524
—— isolation and separation from oilseeds, 434
—— mass spectra, 861, 869
—— melting points, physical properties, 869
—— melting points, x-ray diffraction, 90
—— melting points, x-ray diffraction data, 545
—— metabolism in dog kidney, 293
—— metabolism in pig adipose tissue, 921
—— metabolism in rat liver, 621
—— metabolism in silkworm eggs, 539
—— mixed, mass spectra, 861
—— molecular species in dog kidneys, 293
—— *trans*-myocardial, fatty acid profile, 988
—— See oilseeds, *Linum usitatissimum* L.
—— oxidation, 187, 191
—— in pig adipose tissue, 921
—— positional anal of *Tropaeolum speciosum*, 144
—— prep of ^{14}C-labeled standards, 342
—— profile of soybean, 353
—— properties even-number fatty acid, 90
—— properties odd-number fatty acid, 90
—— purification by TLC, 342
—— quantitative estimation by GLC, 342
—— radio-GLC, 342
—— rat, bone marrow, fatty acid profile, 698
—— rat, effect of fructose on serum, liver lipids, 621
—— recovery from GLC columns, 342
—— reesterification cycle, respiratory control, 204
—— response in hydrogen flame ionization detector, 342
—— in saturated fatty acid diet, 896
—— separation by unsaturation on silica gel-silver nitrate, 342
—— single fatty acid, saturated, 90
—— stereospecific anal, 921
—— in smelt body, gonads, 554
—— smelt, fatty acid profile, 554
—— stereospecific anal, from mycobacteria, 684
—— structural dtmn using mass spectroscopy, 861
—— synthesis, 869
—— synthesize of deuterated, 861
—— in tumors, 776
—— *trans*-3-unsaturated fatty acids in, 513
Trimethylchlorosilane, silylizing agent for glycerides, 601
6,10,14-Trimethylpentadecan-2-one, optical rotatory dispersion spectrum, 201
Trimethylsilyl, derivatives of glycerides, 601
Trinitrobenzenesulfonic acid, dtmn of glycosphingolipids, 442
Triolein, cholesterol absorption, rat, 142
—— in soybean triglycerides, 353
Triosephosphate isomerase. See D-glyceraldehyde-3-phosphate ketol isomerase (EC 5.3.1.1.)
3,7,12-Trioxocholanic acid, 76
Tripalmitin, lipase hydrolysis, effect of sonication, 362
—— radio-GLC, 342
Triphoturus mexicanus, wax ester content, 308
Tripteris hyoseroides, fatty acid, triglyceride profile, 434
Tristearin, radio-GLC, 342
Tropaeolum speciosum, fatty acid profile, positional anal of triglycerides, 144
Trout, methyl sterculate on liver lipid comp, 80
Trout liver, histology, cyclopropene fatty acids fed, 80
Trypsin, on bound gossypol-containing cottonseed protein, 765
—— interaction with thin films of lipid, 636
Tube worm, lipase activity in, 558
Tumors, irradiation induced, triglycerides, glyceryl ether diesters, 776
—— taper liver, triglycerides, glyceryl ether diesters, 776
—— rat, dietary fats, 128
—— See also neoplasms
—— See also under species
Tung oil, NMR spectra of β-eleostearic acid, 434
Turnover, brain lipids, rat, 475
—— cerebrosides, rat brain, 475
—— of cholesterol esters, 42
—— gangliosides, rat brain, 475
Tursiops truncatus, wax ester content, 308
Turtle, lipase activity in, 558
—— marine, *trans*-6-hexadecenoic acid in depot fat, 288

U

Ubichromenol-6, in free-radical reactions, 332
—— oxidation by hydroperoxides of methyl linoleate, 332
—— molar absorptivity, 332
—— purification by preparative TLC, 332
Ubichromenol-10, in free-radical reactions, 332
—— molar absorptivity, 332
—— oxidation by hydroperoxides of methyl linoleate, 332
—— purification by preparative TLC, 332
Ubiquinol-6, in free-radical reactions, 332
—— molar absorptivity, 332
—— oxidation by hydroperoxides of methyl linoleate, 332
Ubiquinone-6, conversion to ubiquinol-6 by reduction with sodium borohydrate, 332
—— molar absorptivity, 332
Ultracentrifuge schlieren patterns, 491
Undecane-1,11-dioic acid methyl ester, mass spectrum, 191
Undecanoic acid (11:), desaturation by liver microsomes, 611
Unsaturation, fatty acids, *Chlorella*, temp effect, 597
Urea, effect on β-lactoglobulin binding of fatty acids, 403
—— response in rat plasma to triglyceride feeding, 524
Urine, rat, 9(13)-hydroxy-octadecadienoic acid, 983
Uterus, rat, phospholipase B activity, 131
—— rat, tissue homogenate, 531

V

Valeriana officinalis, fatty acid, triglyceride profile, 434
Valinomycin, stimulator of respiration, potassium requirement, rat brown adipose tissue, 210
Vegetable oil shortening, hydrogenated, heated and unheated, long term effects of feeding to rats, 128
Vernolic acid, from oilseeds, 137, 434
Vernix caseosa, alkane diol diesters, 279
—— double bond pattern of fatty acids of alkane diol diesters, 279
—— fatty acids of alkane diol diesters, 279
—— lipids, 279
Vibrio marinus, fatty acid profile, 320
—— hydrocarbon comp, 320
Vicia fabia, lipid extraction of leaves, 367
Vitamin A, deficiency, retinoic metabolism, 371
Vitamin B_6, rat intestinal cholesterogenesis, 109
Vitamin E, in blood, 757
—— in free-radical reactions, 332
—— intestinal adsorption, 379
—— oxidation products formed in unsaturated lipids, 63
—— See α-tocopherol

W

Walker-256 carcinosarcoma, fatty acid, fatty alcohol, o-alkylglyceryl ether profile, 337
Walker carcinosarcoma 256 rat tumor, triglycerides, glyceryl ether diesters, 776
Water, heavy. See deuterium oxide
Wax, bees, bumble bees and scale insects, comp, mp, 247
—— plant, biosynthesis, 259
—— plant, catabolism in microorganisms, plants and animals, 259
—— plant, chemistry, 259
—— plant, functions, 259
Wax diesters, distribution of molecular species in surface lipids of cow, 299
—— skin lipids of cow, rabbit, cat, dog, mouse, guinea pig, man, baboon, 299
Wax esters, aldehyde in, 398
—— beeswax and bumblebee wax, 247
—— biosynthesis in marine organisms, review, 308
—— chain length profile for pea plant leaves, 398
—— enzymatic synthesis, plants, 259
—— fatty acid profile in marine organisms, review, 308
—— fatty acid profile of pea plant leaves, 398
—— fatty alcohol profile in marine organisms, review, 308
—— in fish skin mucus, 947
—— function in marine organisms, review, 308
—— incorporation of ^{14}C-labeled substrates by lantern fish, 308
—— of insect cuticular lipids, 239
—— IR spectra, 398
—— in marine organisms, review, 308
—— mass spectra, 398
—— neoplastic tissue, 337
—— in pea plant leaves, 398
—— quantitative anal, 398
—— TLC, GLC, 398

XYZ

X-ray diffraction, of synthetic glyceryl ethers, 545
—— See also spectra, x-ray
Yeast, free amino groups in long chain bases, sphingolipid, 878
—— *Kloeckera brevis*, phosphatidylmyoinostol, 463
—— long chain bases comp, 782
Zinzadze's reagent, reaction with phospholipids, 573
Ziphus cavirostris, wax ester content, 308
Zoanthus proteus, wax ester content, 308
Zooplankton, fatty acid profile, 417

ADDENDUM: See Lipids 4:301 (1969).

XUM

XUM

XUM